

Network-Level Pavement Condition Data Quality Management Program

Agency Name: Arizona Department of Transportation (ADOT)

Prepared By: Maria Burton-Sunder

Date: November 10, 2020

Version No: 5

Document Change Control

The following is a summary of the document control for revisions to this document. See Appendix A for description of change details.

Note: Any page numbers noted below reflect the locations within the document at the time of the change. These page numbers may not align from version to version.

Version Number	Date of Issue	Author(s)	Brief Description of Change
1	9/13/18	Maria Burton-Sunder	N/A
2	10/9/18	Maria Burton-Sunder	<ul style="list-style-type: none"> • Page 5 & 7 - Add references to notes upon first mention of items. • Page 13 - Modify wording of a sentence. • Page 25 - Change Title of a Program Approval member.
3	6/23/20	Maria Burton-Sunder	<ul style="list-style-type: none"> • Create Appendix A for Description of Change details. • Page 3 - Add LTPP Definition. • Page 10 - In Section 3. Certification Process for Persons Performing Manual Data Collection, mention utilization of LTPP program for ground truth data. • Page 11-28 -Make a number of revisions and additions to sections 4-8.
4	10/20/20	Maria Burton-Sunder	<ul style="list-style-type: none"> • Page 9 - Update requirement for AASHTO R-56 profile equipment certification • Page 14-20 - Change items which had visual check of 5-10% sampling of network to “representative” sampling of network.
5	11/10/20	Maria Burton-Sunder	<ul style="list-style-type: none"> • Page 7 – Remove “Segment begin point” deliverable from table.

Definitions

The following are definitions of terms, abbreviations, and acronyms used in this document.

Term	Definition
AASHTO	American Association of State Highway and Transportation Official
ASTM	ASTM International formerly known as the American Society for Testing and Materials
FHWA	Federal Highway Administration
HPMS	Highway Performance Monitoring System
PM2	Performance Measures for Pavements and Bridges Rule
PSR	Pavement Serviceability Rating
QC	Quality Control
QM	Quality Management
LTPP	FHWA Long-Term Pavement Performance program

TABLE OF CONTENTS

1. QUALITY MANAGEMENT APPROACH	5
2. DATA COLLECTION EQUIPMENT CALIBRATION AND CERTIFICATION	6
3. CERTIFICATION PROCESS FOR PERSONS PERFORMING MANUAL DATA COLLECTION	10
4. QUALITY CONTROL	11
5. DATA SAMPLING, REVIEW, AND CHECKING PROCESS	14
6. ERROR RESOLUTION PROCEDURES AND ACCEPTANCE	22
7. QUALITY TEAM ROLES & RESPONSIBILITIES.....	24
8. QUALITY REPORTING PLAN	28
9. AGENCY & DATA COLLECTOR QM PROGRAM ACCEPTANCE	29
NOTES	30
Appendix A (Document Change Control Details)	31

1. QUALITY MANAGEMENT APPROACH

The purpose of managing quality is to validate that the deliverables are completed with an acceptable level of quality. Quality management (QM) assures the quality of the data collection deliverables and describes the processes and procedures to be used for ensuring quality.

The QM Program identifies key activities, processes, and procedures for ensuring quality. Below is a brief explanation of each of the sections of the QM plan that follow.

<p>Section 2. Data collection equipment calibration and certification</p>	<p>This section describes the methods in which the data collection equipment will be calibrated and certified to collect the data required by the PM2 Rule (Roughness, Rutting, Faulting, and Percent of Cracking). Each specific piece of pavement condition data collection equipment and its subsystems (e.g., DMI, GPS, or video images) shall be tested, calibrated and checked prior to initializing the pavement condition survey. Equipment certification will be based on the ability to meet existing AASHTO or ASTM standards.</p>
<p>Section 3. Certification process for persons performing manual data collection</p>	<p>State will certify that persons collecting data using a manual collection process have acceptable knowledge of their manual data collection survey procedures.</p>
<p>Section 4. Quality Control (QC)</p>	<p>The QC activities that monitor, provide feedback, and verify that the data collection deliverables meet the defined quality standards.</p>
<p>Section 5. Data sampling, review and checking processes</p>	<p>Typical data checks during the data collection process that includes network-level checks for ratings that are out of expected ranges, checks for detecting missing segments or data elements, and statistical analysis to check for data inconsistencies.</p>
<p>Section 6. Error Resolution Procedures and Acceptance</p>	<p>The State specifies the corrective action to be taken if data are not found to meet quality requirements. The corrective actions specified in the QM plan should improve data collection procedures and data quality that results in acceptance of deliverables.</p>
<p>Section 7. Quality Team Roles and Responsibilities</p>	<p>The quality-related responsibilities of the data collection team.</p>
<p>Section 8. Quality Reporting Plan</p>	<p>The documentation of all QM activities—including quality standards, QC, acceptance, and corrective actions—and the format of the final QM report.</p>
<p>Section 9. Acceptance of QM Program</p>	<p>Signature page for acceptance of the QM Plan.</p>

2. DATA COLLECTION EQUIPMENT CALIBRATION AND CERTIFICATION

The protocols used for collection, and associated quality standards are described below. Quality standards define, when applicable, the resolution, accuracy, and repeatability or other standards that will be used to determine the quality of each deliverable.

Pavement Metric Collection Protocols

Deliverable	Protocols	Resolution	Accuracy/Certification
Ride (left, right, and average of left and right wheel-paths IRI)	AASHTO	0.0001 in/mi	The Contractor shall state in detail the repeatability of the measured values (IRI, rutting, faulting, cracking percent/length etc.). If more than one measuring vehicle are used, the reproducibility of the measuring vehicles shall be clearly stated. The contractor shall also specify the reference device/measuring vehicle for measuring values and the verification/validation test method that will be used for verifying the accuracy of the measuring vehicles.
Rut depth (average and maximum)	AASHTO/HPMS	0.0001 in	
Faulting (absolute average and maximum)	AASHTO/HPMS	0.0001 in	
Cracking percentage (per HPMS Field Manual 2016 Edition for AC, PCC, and CRCP)	HPMS	1 percent	
Cracking percentage (per ADOT Pavement Distress Manual ⁽¹⁾ for AC, JPCP+FC, CRCP+FC)	ADOT	1 percent	
Cracking (alligator, block, longitudinal, transverse, reflective)	ADOT	1 percent 1 ft 1 (count)	
Pot Holes	ADOT	1 (count) 1 sq.ft.	
Corner breaks	ADOT	1 (count)	
Patch	ADOT	1 (count) 1 sq.ft.	
Punchouts	ADOT	1 (count)	
GPS (Latitude and Longitude)	N/A	0.00000001 degree	

Deliverable	Protocols	Resolution	Accuracy/Certification
Location of segment	N/A	0.0001 mile	The network of roadways that require reporting of pavement condition data has been pre-configured into a set of linear segment "bins" (0.1-mile segments) with from and to measure values and in X/Y two dimensional extent, that allow the reporting of roadway condition data year-after-year with the same linear geospatial proximity along any given route. The Contractor shall provide pavement condition data that is pre-configured to these bins.
Terrestrial roadway images	N/A	minimum resolution of 1920 X 1080 pixels	Clear digital images free of distortion and sun overexposure, no part of the vehicle is visible, high resolution, include the entire roadway shoulders, include roadway signs, include as much right-of-way as practical.
Pavement surface images	N/A	minimum horizontal resolution of 4096 pixels wide across the 12 feet and shall be able to resolve 0.06 inch cracks at 60 mph	0.06 inch crack can easily be identified and recorded in automated processing

Pavement Metrics Standards and Calculations

Deliverable	Standard
Ride (left, right, and average of left and right wheel-paths IRI)	<ul style="list-style-type: none"> • IRI collection device in accordance with AASHTO Standards M328-14. • Certification of IRI data in accordance with AASHTO Standard R56-14⁽²⁾. • Collection of IRI data in accordance with AASHTO Standard R57-14. • Quantification of IRI data in accordance with AASHTO Standard R43-13 (also in ADOT Pavement Distress Manual).
Rut depth (average and maximum)	<ul style="list-style-type: none"> • Collection of transverse pavement profiles in accordance with AASHTO Standard PP 70-14. • Quantification of Rut Depth values in accordance with AASHTO Standard PP 69-14, with the modifications specified in the HPMS Field Manual (also in ADOT Pavement Distress Manual).
Faulting (absolute average and maximum)	<ul style="list-style-type: none"> • Faulting computed based on AASHTO Standard R36-13 with the parameters specified in the HPMS Field Manual (also in ADOT Pavement Distress Manual).
Pavement surface images (for distress identification)	<ul style="list-style-type: none"> • Collection of pavement surface images in accordance with ADOT specifications in contract: <ul style="list-style-type: none"> ○ “Clear pavement images shall be collected continuously for the full lane width. The images shall show either the centerline or edge line stripe for lane position reference. The camera shall have sufficient resolution so that cracks of at least 0.06 inch can easily be identified and recorded in automated processing. The pavement shall be illuminated to remove all shadows and any seams between images. Images shall be sized and synchronized with the terrestrial roadway imagery. ○ Pavement images shall span, at a minimum, the data collection lane from left lane stripe to right lane stripe of the right-most through lane, and shall provide 100% continuous pavement coverage. Images resolution will be such that all visual cracking distresses can be accurately identified and quantified. ○ The images shall have a minimum horizontal resolution of 4096 pixels wide across the 12 feet and shall be able to resolve 0.06 inch cracks at 60 mph. "Stitching together" multiple images to achieve 100% pavement coverage is required. ○ The Contractor shall deliver synchronized pavement imagery with the terrestrial imagery.” • Quantification of distresses from pavement surface images in accordance with the ADOT Pavement Distress Manual and ADOT specifications in the contract: <ul style="list-style-type: none"> ○ “The Contractor shall propose use of a proven, documented, and demonstrated system for the processing of collected distresses. The reduction of images and processing of distresses shall be mostly automated and consistent, with limited manual intervention to meet the requirements herein. Moreover, it is desirable that the data reduction takes place as it is being collected, so that processing time is limited following data collection. Glaring mistakes, if any, shall be brought to the attention of the Department project manager immediately and necessary corrective actions shall be taken on a timely basis.”

Deliverable	Standard
Cracking percentage	<ul style="list-style-type: none"> • Quantification of cracking in asphalt pavement surfaces, both in wheelpath and non-wheelpath areas and at each severity level in accordance with the ADOT Pavement Distress Manual. • Computation of Cracking Percent for each pavement type in accordance with the HPMS Field Manual. • Computation of Cracking Percent for each pavement type with an asphaltic surface in accordance with the ADOT Pavement Distress Manual.
Other distresses (e.g. individual cracking types, potholes, corner breaks, punchouts etc.)	<ul style="list-style-type: none"> • Quantification/computation of each distress item in accordance with the ADOT Pavement Distress Manual.

Notes:

- (1) ADOT's Pavement Distress Manual includes required items from the 2016 Highway Performance Monitoring System (HPMS) Field Manual, as well as additional items required from ADOT based on the 2014 Distress Identification Manual for the Long-Term Pavement Performance Program (LTPP). ADOT's Pavement Distress Manual is issued by ADOT's Pavement Management and Pavement Design sections.
- (2) For data collection years 2020 and before: Formal certification of profile equipment under AASHTO R-56 is not required. TTI certification under the standard Tex-1001-S is acceptable. Certification from a nationally recognized pavement test facility other than TTI will be considered. Effective for the 2021 data collection year: all profile equipment should be certified under AASHTO R-56 by a nationally recognized pavement testing facility. Profile equipment that has not been certified under AASHTO-R56 must be pre-approved by ADOT prior to being used for annual pavement data collection.

3. CERTIFICATION PROCESS FOR PERSONS PERFORMING MANUAL DATA COLLECTION

This section is to document the certification processes in-place to secure that persons performing manual data collection demonstrate basic knowledge of State manual data collection process and FHWA's Highway Performance Monitoring System (HPMS) Field Manual procedures.

All data is collected by a contractor using an automated data collection system. Condition survey data will be verified on pre-established LTPP sites. The ground truth on each site is provided by the LTPP program, which an authorized LTPP data collection team performs a manual survey following LTPP protocol.

State staff may perform additional manual surveys as needed. No formal certification will be issued for staff performing additional surveys; however, surveyors must review and be familiar with ADOT's Pavement Distress Manual (State Manual Pavement Condition Survey Procedures). Prior to collection, surveyors will meet to review the manual and make sure the protocol is understood. Data will then be collected manually by three surveyors. Results from each surveyor will be discussed, and the group will come to a final consensus on the ratings.

Manual Data Collection Protocols

Deliverable	Protocols	Performance Items	Certification
Data Collector Staff Certification	State Manual Pavement Condition Survey Procedures (includes required items from Highway Performance Monitoring System Field Manual)	Distress Identification (Cracking etc.)	State certifies that surveyors are familiar with the agency pavement condition survey procedures and distress identification manual based on surveyors meeting and reviewing the ADOT's Pavement Distress Manual prior to collection. Pavement is rated by three surveyors which have come to a final consensus on the rating (inter-rater check).

4. QUALITY CONTROL

The focus of QC is on data collection deliverables and processes. QC monitors the deliverables to verify that they are of acceptable quality and are complete and correct. A written QC plan will be implemented with concurrence from the data collector.

The following table identifies:

- The major deliverables that will be tested for satisfactory quality level.
- The quality expectations for the deliverables.
- The QC activities that will be executed to control and monitor the quality of the deliverables.
- How often or when the QC activities will be performed.

Quality Control Deliverables and Processes

Deliverable	Quality Expectations	Activity	Frequency
Vehicle	<ul style="list-style-type: none"> • Contractor shall submit a quality control/quality assurance plan to ensure an accurate and high quality level of data provided to ADOT is maintained. The plan shall include detailed information on how the Offeror will remediate any deficiencies and a relevant timeline for addressing the deficiencies. If the Offeror is proposing to utilize a subcontractor to complete QCQA, the Offeror shall indicate the name of the subcontractor, experience and qualifications of the subcontractor and the availability of the subcontractor. 	Check	Pre-deployment
Data Collection Status	The Contractor shall provide mileages for the latest data collection update to assist the Department Project Manager in understanding project status during the execution of the project.	Check	Weekly
IRI	<ul style="list-style-type: none"> • Check repeatability of 0.1 mile <u>left IRI</u> value: needs to be within confidence interval, initially established from 10 runs. (Check 10 runs per 5 sites. 5 out of 5 sites need to pass.) • Check repeatability of 0.1 mile <u>right IRI</u> value: needs to be within confidence interval, initially established from 10 runs. (Check 10 runs per 5 sites. 5 out of 5 sites need to pass.) • Accuracy may be checked against State tested values as needed. 	Initial Verification	Entry/Re-entry
	<ul style="list-style-type: none"> • Check repeatability of 0.1 mile <u>left IRI</u> value: needs to be within confidence interval, initially established from 10 runs. (Check 1 run per 1 site. 1 out of 1 site needs to pass.) • Check repeatability of 0.1 mile <u>right IRI</u> value: needs to be within confidence interval, initially established from 10 runs. (Check 1 run per 1 site. 1 out of 1 site needs to pass.) • Accuracy may be checked against State tested values as needed. 	Regular Verification	Bi-weekly

Deliverable	Quality Expectations	Activity	Frequency
Rutting	<ul style="list-style-type: none"> • Check repeatability of 0.1 mile <u>left rut</u> value: needs to be within confidence interval, initially established from 10 runs. (Check 10 runs per 4 sites. 4 out of 4 sites need to pass.) • Check repeatability of 0.1 mile <u>right rut</u> value: needs to be within confidence interval, initially established from 10 runs. (Check 10 runs per 4 sites. 4 out of 4 sites need to pass.) • Accuracy may be checked against State tested values as needed. 	Initial Verification	Entry/Re-entry
	<ul style="list-style-type: none"> • Check repeatability of 0.1 mile <u>left rut</u> value: needs to be within confidence interval, initially established from 10 runs. (Check 3 runs per 4 sites. 4 out of 4 sites need to pass.) • Check repeatability of 0.1 mile <u>right rut</u> value: needs to be within confidence interval, initially established from 10 runs. (Check 3 runs per 4 sites. 4 out of 4 sites need to pass.) • Accuracy may be checked against State tested values as needed. 	Regular Verification	Monthly
Faulting	<ul style="list-style-type: none"> • Check repeatability of 0.1 mile <u>mean faulting height</u>: needs to be within confidence interval, initially established from 10 runs. (Check 10 runs per 1 site. 1 out of 1 site needs to pass.) • Accuracy may be checked against State tested values as needed. 	Initial Verification	Entry/Re-entry
	<ul style="list-style-type: none"> • Check repeatability of 0.1 mile <u>mean faulting height</u>: needs to be within confidence interval, initially established from 10 runs. (Check 3 runs per 1 site. 1 out of 1 site needs to pass.) • Accuracy may be checked against State tested values as needed. 	Regular Verification	Monthly
Distress Identification (Cracking etc.)	<ul style="list-style-type: none"> • Check repeatability & accuracy of 500 ft. <u>distresses reported</u>: need to be within acceptance range, initially established from 1 run, manual survey by LTPP program, and manual survey by 3 raters as needed. (Check 1 run per 2 sites. 2 out of 2 sites need to pass.) 	Initial Verification	Entry/Re-entry
	<ul style="list-style-type: none"> • Check that the <u>distress detection lasers</u> on the data collection vehicle are in functioning condition: need to pass laser bounce test. Documentation shall be provided on the tests performed and proof of the equipment passing the required acceptance criteria for functional and accurate distress detection performance. 	Regular Verification	Weekly

Deliverable	Quality Expectations	Activity	Frequency
Imagery – Laser Crack Measurement System (LCMS) Images and Photo-Log Images	<ul style="list-style-type: none"> Distresses seen in images are correctly identified in data according to ADOT Pavement Distress Manual Uploaded images match correct location on map Route and milepost/measure location is noted correctly 	Check Uploaded Images	During Distress Identification Checks
	<ul style="list-style-type: none"> Distresses and pavement type identified in data are consistent with uploaded images Uploaded images match correct location on map Route and milepost/measure location are noted correctly 	Check viewing website with uploaded Images	Prior to delivery

To ensure repeatability, pavement measurements will be verified by repeatedly being able to stay within confidence intervals established from the average and standard deviation of 10 runs on a control site. Fifteen 0.3-mile length control sites and two 500-ft length control sites (for manual survey) will be predetermined to represent different pavement conditions and pavement types throughout the state. The sites will range from “good” condition with low IRI to “poor” condition with a high IRI. The sites will be composed of asphalt, concrete, and composite (friction course on top of concrete) pavements.

All distresses measured will need to meet the standards identified in ADOT’s Pavement Distress Manual (HPMS Manual included). Because of the nature of automated distress detection, the laser crack measurements system (LCMS) images from the contractor will be reviewed to ensure that cracking and other distresses are being identified sufficiently within the given images. ADOT will work with the contractor to ensure that cracking detection algorithms are adjusted accordingly when necessary.

Distress/cracking detection will be monitored for accuracy by comparing automated results with manual rating results. Two control sites will be used to compare against manual surveys provided by the LTPP program. If needed, an additional manual survey will be performed by State staff where three raters must rate the pavement while on-site (500 ft. section) and come to a consensus on the “ground truth” ratings according to the standards identified in ADOT’s Pavement Distress Manual (HPMS Manual included). The sites may also be rated based on LCMS images provided by the contractor as needed.

Repeatability and accuracy of automated distress/cracking detection will be monitored based on acceptance ranges determined reasonable for automated equipment (analysis based on comparison against manual results and discussions on equipment capabilities with contractor).

Data collection is fully automated for asphalt distresses and semi-automated (manual editing of automated results) for some of the concrete distresses. Manual editing of some of the concrete distress results is acceptable by ADOT due to understanding of equipment capabilities.

5. DATA SAMPLING, REVIEW, AND CHECKING PROCESS

This section describes the level of data sampling, review, and checking process at the network-level that the State will use to access the reliability of the data. This section includes checks for ratings that are out of expected ranges, checks for detecting missing segments or data elements, and statistical analysis to check for data inconsistencies.

Data Sampling Checks

Data Element	Sampling % of Network	Expected Range	Annual Variability	Checking Process
Number of Records	100%	Number of records should be consistent with number of mapped linear segment "bins" (0.1-mile segments) provided prior to data collection.	Segments included in the data collection route may slightly change year-to-year.	automated data check (query in SQL)
Sectioning	100%	<p>Sections are in 0.1-mile increments. In general: [ToMeasure] - [FromMeasure] = 0.1 mile.</p> <ul style="list-style-type: none"> • <u>Dataset 1</u>, HPMS report: 0.1-mile sectioning starting from the beginning of each route. • <u>Dataset 2</u>, more granular data (additional dataset): 21.12 ft (1/250th of a mile) sectioning starting at the beginning of each route. <p>Note: pavement data is recorded starting at the beginning point of a route (measure is typically > 0 miles), not at the start of the test (measure = 0 miles)</p>	Section can be < 0.1 mile at end of route/section.	Visual/automated data check (query in SQL)
Direction	100%	Each route has both directions.	County/local roads and ramps may not have two directions and are excluded from this check.	automated data check (query in SQL)

Data Element	Sampling % of Network	Expected Range	Annual Variability	Checking Process
Route Count	100%	Correct number of routes		automated data check (query in SQL)
Mileage Count	100%	Correct number of miles		automated data check (query in SQL)
Location (Begin/End Segments)	100%	Begin and end of each segment is plotted correct. Direction/side of mainline is plotted correct		Visual
Reference System	representative	<ul style="list-style-type: none"> • RouteId and measure ([FromMeasure] and [ToMeasure]) are consistent with ADOT GIS database. • Measures line up consecutively on each continuous section when ordered by RouteId and measure. e.g. ToMeasure = lead(FromMeasure) e.g. FromMeasure = lag(ToMeasure) 		Visual
Test Date	100%	Test date is for current year		automated data check (query in SQL)
Latitude, Longitude	100%	Lat/Long is in decimal degrees units. Lat is between 31-37 degrees, Long is negative and is between 109-115 degrees.		automated data check (query in SQL)
Elevation	representative	Elevation is > 50 ft. and < 10,000 ft. Elevation is correct for select areas.		Visual/ automated data check (query in SQL)
Speed	100%	Speed is not more than 65 mph, and is not less than 12 mph. If speed is too low, collection should not be valid and distress information should be NULL.		automated data check (query in SQL)
Pavement type	representative	Pavement type is correct (e.g. flex, comp, etc.)		Visual
Bridges	representative	Bridges identified correctly (location, length)		Visual

Data Element	Sampling % of Network	Expected Range	Annual Variability	Checking Process
Valid Collection	100%	<ul style="list-style-type: none"> • [BROAD_PAVETYPE_AREA] = [LaneWidth]*[BROAD_PAVETYPE_LEN] • If broad pavement type length = 0, then broad pavement type area = 0. • Construction, bridge, and lane deviation areas have been excluded from distress measurement (see column [VALID_COLLECTION_LEN]) • If (Bridge length) or (Construction length) or (Lane Deviation length) = 528, then (Valid collection length) = 0 • In general: (Total section length) = tomeasure – frommeasure = 528 ft., unless at end of a section • If there are no overlapping non-valid lengths, then: [VALID_COLLECTION_LEN] = ([ToMeasure] - [FromMeasure])*5280 - [BRIDGE_LEN] - [CONST_LEN] - [LANEDEV_LEN] • If there are overlapping non-valid lengths, then: [VALID_COLLECTION_LEN] = ([ToMeasure] - [FromMeasure])*5280 - max([BRIDGE_LEN] , [CONST_LEN] , [LANEDEV_LEN]) Note: There may be some exceptions to this, like if all three non-valid lengths were > 0, two non-valid lengths overlap but the third non-valid length did not. • Valid collection length should not be greater than the section length and should not be negative. 	<ul style="list-style-type: none"> • Note 1: rounding may cause values to be slightly different from expected . • Note 2: non-valid lengths may overlap 	automated data check (query in SQL)
IRI	100%	<ul style="list-style-type: none"> • Check AvgIRI = average(LeftIRI, RightIRI) • IRI should not be higher than 500 in/mi and should not be negative. • Correlated IRI should be: (ADOT IRI) = 1.0112*(Contractor IRI) + 3.6562 • IRI is reported on all pavement types and is reported on the Valid Collection Length. 		automated data check (query in SQL)

Data Element	Sampling % of Network	Expected Range	Annual Variability	Checking Process
Lane Width	100%	Lanewidth should be approximately between 10 – 14 feet		automated data check (query in SQL)
Rutting	100%	<ul style="list-style-type: none"> • Rutting and MaxRutting should not be negative. Rutting and MaxRutting should not be more than 3 inches • Rutting is only reported on AC and composite pavements (Asphalt, JPCP+FC, CRCP+FC), not concrete, and is reported on the broad pavement type length. 		automated data check (query in SQL)
HPMS Cracking Percent	100%	<ul style="list-style-type: none"> • For asphalt-surface pavements (Asphalt, JPCP+FC, CRCP+FC), HPMS cracking should not be more than 54% for 12 foot lane width, 59% for 11 foot lanes, or 65% for 10 foot lanes. $\text{maximum[HPMS_Cracking]} = \frac{((39/12)*([ToMeasure]-[FromMeasure])*5280*2)/(([ToMeasure]-[FromMeasure])*5280*[LaneWidth])*100}{}$ <p>where, wheelpath width = 39 inches conversion in/ft = 12 in/ft conversion ft/mi = 5280 ft/mi # of wheelpaths = 2 section length = [ToMeasure]-[FromMeasure]</p> <ul style="list-style-type: none"> • For other pavements (JPCP, CRCP, OTHER), HPMS cracking should not be more than 100%. • HPMS cracking is reported on broad pavement type length and should not be negative. 	Note: Section length to report cracking may not necessarily be across the entire section. Need to consider valid collection length, broad pavement length, etc.	automated data check (query in SQL)

Data Element	Sampling % of Network	Expected Range	Annual Variability	Checking Process
Data per Pavement Type	100%	<ul style="list-style-type: none"> • Check for the correct number of pavement types (should be 6: AC, CRCP, CRCP+FC, JPCP, JPCP+FC, OTHER). • Check that there are values for distresses that begin with "AC_" only for pavement types: AC • Check that there are values for distress that begin with "JPCP_" only for pavement types: JPCP • Check that there are values for distress that begin with "CRCP_" only for pavement types: CRCP • Check that there are values for distress that begin with "JPCPFC_" only for pavement types: JPCP+FC • Check that there are values for distress that begin with "CRCPFC_" only for pavement types: CRCP+FC • Columns reserved for other pavement types should read NULL, not zero. 		automated data check (query in SQL)
Individual Cracking Types/Severities (e.g. Alligator, Block, low/moderate/high etc.)	representative	<ul style="list-style-type: none"> • Cracking percentages (other than HPMS cracking) should not be higher than 100%. Check select areas if cracking is reasonable. • Check between cracking types - that each cracking type was calculated as its own separate category (no double counting between cracking types). For example, a transverse crack should not also be counted as a reflective crack (should be either one or the other). • Check between cracking severity types - that each severity of cracking was calculated as its own separate category (no double counting between cracking severities). For example, an extreme crack should not also be counted as a high severity crack (should be either one or the other). 		Visual
Column Totals (i.e. Cracks)	100%	Sum of cracks should equal total cracks per crack type/severity type. (e.g. sum of wheel path and non-wheel path alligator cracks = total alligator cracks per severity)	Note: rounding may cause values to be slightly different from expected.	automated data check (query in SQL)

Data Element	Sampling % of Network	Expected Range	Annual Variability	Checking Process
Potholes	representative	Number of potholes should be a whole number. If number of potholes is more than 5 per 0.1 mile length, check if correct. Number of potholes and pothole area should not be negative. Pothole area should be <= total section area.		Visual/ automated data check (query in SQL)
Faulting	100%	Faulting should not be more than 1 inch and should not be negative. (Note: Because a fault can be positive or negative, depending on if the approach slab is higher or the departure slab is higher, the absolute value is first determined for each fault. Then from those absolute values, the average faulting and maximum faulting are calculated.)		automated data check (query in SQL)
Sample Distress Inspection	representative	Check that IRI, rutting, cracking, and faulting values appear correct for select areas. (Review photolog/LCMS images, compare with past year's data)		Visual
Condition Ratings	representative	Good/fair/poor ratings appear correct for select sections.		Visual
Non-Valid Data	100%	Data that does not exist (e.g. could not test due to construction in the area) is expected to be NULL, not zero.		automated data check (query in SQL)
PMS Cracking Percent (ADOT)	100%	Check if ADOT's PMS percent cracking was calculated correctly (backcalculate from provided data columns). PMS cracking should not be greater than 100% and should not be negative.	Note: rounding may cause values to be slightly different from expected.	automated data check (query in SQL)
Broad Pavement	100%	<ul style="list-style-type: none"> Broad pavement length is a subset of the valid collection length. Broad pavement length < or = valid collection length. <p>[BROAD_PAVETYPE_LEN] < or = [VALID_COLLECTION_LEN]</p> <p>(Note: broad pavement length is the length of continuous pavement. If there is a section with multiple pavement types, the distress of the pavement type that is valid and is the longest within the section will be reported.)</p>		automated data check (query in SQL)

Data Element	Sampling % of Network	Expected Range	Annual Variability	Checking Process
Other Distress Id. (Cracking etc.) data	100%	Distress id. (cracking etc.) data items should not be negative. Distress id. Percentages should not be > 100 percent (alligator, block etc.)		automated data check (query in SQL)
Pavement Lengths	100%	For each pavement type, the pavement length on which the distress is reported is the Broad Pavement Type length. Distresses on pavement type OTHER will be reported as NULL.		automated data check (query in SQL)
Compare Previous Year	representative	<ul style="list-style-type: none"> • RouteId compared to previous year (check if does not equal previous year). • From/to measure compared to previous year (check if >0.0001 miles from previous year). • Lat/long compared to previous year (check if >0.0001 degrees from previous year) • Elevation compared to previous year (check if >5 ft from previous year) • Pavement Type compared to previous year (check if does not equal previous year) • Lane width compared to previous year (check if >0.5 ft from previous year) • IRI compared to previous year (check if >=30 in/mi from previous year) • Rutting (asphalt only) compared to previous year (check if >= 0.3 in from previous year) • HPMS cracking compared to previous year (check if >= 30% from previous year) • PMS Cracking (asphalt only) compared to previous year (check if >= 30% from previous year) • Faulting (concrete only) compared to previous year (check if > 0.2 in from previous year) 	Construction/rehab/preservation projects or maintenance treatments could cause distress values to deviate from the expected range.	Visual/automated data check (query in SQL)
Data Completeness	100%	Are all columns requested there? (e.g. check that all distresses are there for each pavement type, severities are there for each distress type, ratings are there for each distress, ... etc.)		Visual

Note: Section length to report each distress may not necessarily be across the entire section. Need to consider valid collection length, broad pavement length, etc.

- IRI will be reported on the Valid Collection Length.

- Distress (cracking etc.) will be reported on the Broad Pavement Type, with the exception of the broad pavement type being OTHER, in which case distress will be reported as NULL.
- Rutting will be reported on Broad Pavement Type, if AC, JPCP+FC, or CRCP+FC.
- Faulting will be reported on Broad Pavement Type, if JPCP or JPCP+FC.

6. ERROR RESOLUTION PROCEDURES AND ACCEPTANCE

The focus of acceptance is to validate that deliverables meet the established quality standards. The following table describes acceptance testing, the frequency to be performed, and corrective actions for items that fail to meet criteria.

If data or images are determined to be unacceptable by the Department, the Contractor shall be required to provide the corrected items within the duration of the scheduled data collection effort according to feedback provided through the quality review efforts by the Department.

Acceptance Testing Procedures

Deliverable	Acceptance	Acceptance Testing & Frequency	Action if Criteria Not Met
Data completeness	98 percent	Total network miles (excludes areas closed to construction)	Return deliverable for re-collection
	100 percent	Delivered data accurately populated with description information (route, direction, and begin and end latitude/longitude)	Return deliverable for correction
	98 percent	Delivered data accurately populated with required data elements. Excludes areas with expected limitations (e.g., IRI in low-speed areas or construction areas)	Return deliverable for correction
Ride (IRI)	95 percent	Bi-weekly control site verification. Global database check for range, consistency, logic, and completeness. 5 to 10 percent sample inspection upon delivery.	Reject deliverable; data must be re-processed (or re-collected if not a processing issue)
Rut Depth	95 percent	Monthly control site verification. Global database check for consistency, logic, completeness. 5 to 10 percent sample inspection upon delivery.	Reject deliverable; data must be re-processed (or re-collected if not a processing issue)
Faulting	95 percent	Monthly control site verification. Global database check for consistency, logic, completeness. 5 to 10 percent sample inspection upon delivery.	Reject deliverable; data must be re-processed (or re-collected if not a processing issue)
Cracking Percentage	90 percent	Initial control site verification at start of collection. Weekly laser bounce test verification. Global database check for consistency, logic, completeness. 5 to 10 percent sample inspection upon delivery.	Reject deliverable; data must be re-processed (or re-collected if not a processing issue)
Location of segment and segment begin point	100 percent	Plot on base map using GIS upon delivery. Global database check of accuracy and completeness.	Return deliverable for correction.

Deliverable	Acceptance	Acceptance Testing & Frequency	Action if Criteria Not Met
Panoramic and pavement images	98 percent of each control section and not more than 5 consecutive images failing to meet criteria	Initial inspection of control verification site images at start of collection. 5 to 10 percent sample inspection upon delivery.	Reject deliverable; images must be re-collected.

7. QUALITY TEAM ROLES & RESPONSIBILITIES

The following identifies the quality-related responsibilities of the data collection team and lists specific quality responsibilities.

Team Roles and Responsibilities - ADOT

Team Role	Assigned Resource	Quality Management Responsibilities
ADOT – Project Manager for Data Collection Contract	J. Meyer – Data Analytics Manager & HPMS Coordinator	<ul style="list-style-type: none"> • Oversee data collection contract. • Communicate weekly with data collection contractor. • Ensure timeliness of data delivery and facilitate communication between ADOT and contractor. • Provide contractor with HPMS requirements to rate the data collected per section as good/fair/poor.
ADOT – Geographic Information System (GIS) Section Manager	P. Whiteford – Geospatial Analysis Section Manager	<ul style="list-style-type: none"> • Perform and document checks of total mileage, segment lengths, and comparison with master route file. • Assure and document GIS checks of segment location and completeness.
ADOT – GIS Support	R. Blum – Spatial Information Specialist	<ul style="list-style-type: none"> • Document quality audits of uploaded and processed data. Report any problems to the contractor.
ADOT – GIS Support	S. Perfect – Senior GIS Analyst	<ul style="list-style-type: none"> • Provide contractor with pre-configured linear segment “bins” to report collected data. • Ensure network data has been collected within the pre-configured “bins”.
ADOT – Data Quality Verifier, Primary Contact (during collection)	D. Segerman – Transportation Engineer	<ul style="list-style-type: none"> • Set quality standards, acceptance criteria, and corrective actions for data during collection. • Analyze and verify quality of data during collection from control/verification sites. • Approve each deliverable per quality standards. • Approve resolution of quality issues. • Maintain acceptance log of deliveries during collection. • Assess effectiveness of Quality Management procedures. • Recommend improvements to quality processes.

Team Role	Assigned Resource	Quality Management Responsibilities
ADOT – Data Quality Verifier, Primary Contact (after collection)	M. Burton-Sunder – Transportation Engineer	<ul style="list-style-type: none"> • Set quality standards, acceptance criteria, and corrective actions for data after collection. • Analyze and verify quality of network data delivered after collection. • Approve each deliverable per quality standards. • Approve resolution of quality issues. • Maintain acceptance log of deliveries after collection. • Assess effectiveness of Quality Management procedures. • Recommend improvements to quality processes. • Prepare Quality Management Program. • Prepare ADOT Pavement Distress Manual and Data Dictionary.
ADOT – Pavement Management Section Manager/Data Quality Verifier	Y. Li, Pavement Management Engineer/Section Manager	<ul style="list-style-type: none"> • Set quality standards, acceptance criteria, and corrective actions. • Assess effectiveness of Quality Management procedures. • Analyze and verify quality of network data delivered after collection. • Provide feedback during development of ADOT Pavement Distress Manual and Data Dictionary.
ADOT – Data Quality Verifier	S. Weinland – Pavement Design Engineer	<ul style="list-style-type: none"> • Provide support as needed during analysis and verification of cracking identification during collection from control/verification sites. • Provide support as needed during development of ADOT Pavement Distress Manual and Data Dictionary.
ADOT – Data Quality Verifier	M. Mian – Pavement Preservation Engineer	<ul style="list-style-type: none"> • Analyze and verify quality of network data delivered after collection. • Provide feedback during development of ADOT Pavement Distress Manual and Data Dictionary.
ADOT – Field Crew Manager	K. Robertson – Surface Treatment Engineer/Pavement Condition & Evaluation Manager	<ul style="list-style-type: none"> • Oversee ADOT field testing activities. • Provide feedback during development of ADOT Pavement Distress Manual and Data Dictionary.

Team Role	Assigned Resource	Quality Management Responsibilities
ADOT – Field Crew Supervisor	S. Harvey – Transportation Engineering Specialist/Field Crew Supervisor	
ADOT – Field Crew	D. Ketterling – Transportation Engineering Technician	<ul style="list-style-type: none"> • Collect data on control /verification sites for ADOT reference. • Perform manual “ground-truth” surveys on control/verification sites as needed.
ADOT – Field Crew	B. Chostner – Surface Treatment Technician	
ADOT – Data Quality Verifier, Field Crew Support, & Pavement Type Verifier	R. Pongos –Transportation Engineering Computer Applications Technician	
ADOT – Pavement Type Verifier	S. Nord – Transportation Engineering Computer Applications Technician	<ul style="list-style-type: none"> • Assist in analyzing and verifying quality of network data delivered after collection. • Assist in ADOT field data collection as needed. • Assure documented pavement types are up-to-date. • Identify pavement type changes and revise pavement type where needed.
ADOT – Photolog & Asset ⁽¹⁾ Coordinator (1. Assets other than pavement. E.g. pavement markings, lanes, bike lane, signs, shoulders, rumble strips, highway lighting etc.)	R. Bush – Geospatial Analyst	<ul style="list-style-type: none"> • Coordinate integration of contractor-hosted photolog within ADOT. • Perform video/photo acceptance checks. • Assure photolog meets the needs of ADOT. •Coordinate with contractor on an agreed collection of Data Dictionary Assets (2017) •Coordinate with contractor on an agreed collection of Data Dictionary Assets (2018) •Upon delivery, sample the Data Dictionary Assets (2017 and 2018) to test for Quality and return those datasets that do not meet those qualifications.
ADOT – Information Technology (IT) Support	M. Flahan – Sr. GIS Coordinator	<ul style="list-style-type: none"> • Coordinate integration of contractor data into ADOT servers. • Perform data integration checks.

Team Roles and Responsibilities - Contractor

Team Role	Assigned Resource	Quality Management Responsibilities
Contractor – Data Collection Manager, Primary Contact	M. Cliff – Pavement Engineer, Fugro	<ul style="list-style-type: none"> • Primary contact to communicate with contractor team regarding data collection. • Report weekly to ADOT Project Manager for Data Collection Contract and ADOT Data Quality Verifier, Primary Contact. • Submit collected data to ADOT. • Resolve data rejected by ADOT. • Monitor schedule adherence. • Ensure the quality of data collected and delivered to ADOT
Contractor – Data Collection Manager, Secondary Contact	L. Gordon – Project Management Office Manager, Fugro	<ul style="list-style-type: none"> • Contact for data collection communication when Primary Contact is unavailable.
Contractor - Data Collection Team	(Contractor: Fugro)	Contractor shall list the key personnel who will be committed to any resulting contract(s), along with their individual responsibilities and percent of their work time that will be devoted to this contract.

8. QUALITY REPORTING PLAN

The data quality verifier will monitor quality through quality check activities, and the data collection contractor will report data quality exceptions as part of weekly status reporting, or more frequently if conditions warrant. Quality is monitored through acceptance testing, and quality issues are reported to the data collection team as soon as issues are discovered.

Depending on the distress type being verified, the contractor must pass verification checks on a bi-weekly or monthly basis. If the run(s) exceed the accepted limits, the contractor must resolve the issue by re-processing the data submitted or re-testing the verification site. If it is determined that the site itself has changed, then the reference/"ground-truth" values measured for the site must be re-established.

Upon completion of the final week of data collection, the contractor will provide verification run(s) for the last weekly or monthly verification.

The Contractor Submittals Log is used by the data collection team to itemize, document, and track to closure items reported through quality check process.

Contractor Submittals Log (IRI example)

Week of	Submittal Date	Date Tested	Vehicle ID	Route	Direction	BMP	EMP	Run Type	No. of Runs	Results	Weekly data accepted?
6/25/2018 (tested 6/18/18-6/24/18)	7/9/2018	6/19/2018	ARAN49	S-74	E	27.00	28.00	Weekly Verification	1	FAIL	Because the run tested the following week with the same vehicle was a pass, the S-74 site will be flagged for now. It seems there may be a change in the site (possibly due to heat). Consider re-establishing the site on S-74 or dropping this site and changing to a different site.
7/2/2018 (tested 6/25/18-7/1/18)	7/9/2018	6/26/2018	ARAN49	U-60	E	206.00	207.00	Weekly Verification	1	PASS	Data up to this week accepted by ARAN49.
7/9/2018 (tested 7/2/18-7/8/18)								Weekly Verification Due (1 run) x 1 site			

9. AGENCY & DATA COLLECTOR QM PROGRAM ACCEPTANCE

Quality Management Program accepted by the Pavement Management Section Manager:

_____ Date: _____
Pavement Management Section Manager Name & Title

_____ Date: _____
Data Group Manager Name & Title

Quality Management Program accepted by the Contractor Data Collection Manager:

_____ Date: _____
Contractor Data Collection Manager Name & Title

10. FHWA QM PROGRAM APPROVAL

FHWA Division Office Asset Management Engineer Recommend Approval of State DQMP:

_____ Date: _____
DO Asset Management Engineer: Name

DQMP accepted by FHWA Division Administrator:

_____ Date: _____
FHWA Division Administrator: Name

NOTES

Appendix A (Document Change Control Details)

Note: Any page numbers noted below reflect the locations within the document at the time of the change. These page numbers may not align from version to version.

Version Number: 1

Date of Issue: 9/13/18

Author(s): Maria Burton-Sunder

Description of Change(s):

- N/A

Version Number: 2

Date of Issue: 10/9/18

Author(s): Maria Burton-Sunder

Description of Change(s):

- Page 5 – Add reference to Note 1 the first time ADOT’s Pavement Distress Manual is mentioned
- Page 7 – Add reference to Note 2 the first time AASHTO Standard R56-14 is mentioned
- Page 13 – Modify the first sentence as follows:
 - “This section describes the level of data sampling...”
- Page 25 – Change Title from “FHWA Division Office Pavement Engineer” to “FHWA Division Office Asset Management Engineer”

Version Number: 3

Date of Issue: 6/23/20

Author(s): Maria Burton-Sunder

Description of Change(s):

- Page 2 –Add note that document change control page numbers only reflect the locations at the time of the change. Modify Document Change Control section to be a summary. Create Appendix A and move description of change details to Appendix A.
- Page 3 – Add LTPP definition
- Page 10 – Replace description on ground truth manual survey being performed by State staff with “Condition survey data will be verified on pre-established LTPP sites. The ground truth on each site is provided by the LTPP program, which an authorized LTPP data collection team performs a manual survey following LTPP protocol. State staff may perform additional manual surveys as needed. No formal certification will be issued for staff performing additional surveys”
- Page 11 - IRI Regular Verification Frequency changed from Weekly **to** Bi-weekly.
- Page 11 & 12 - Add note for IRI, Rutting, and Faulting that “Accuracy may be checked against State tested values as needed.”
- Page 12 - Distress Identification (Cracking etc.) Initial Verification changed from 0.1 mile to 500 ft. distresses reported. Acceptance range established from manual survey by 3 raters (check 1 run per 6 sites, 6 out of 6 sites needed to pass) **changed to** “manual survey by LTPP program, and manual survey by 3 raters as needed. (Check 1 run per 2 sites. 2 out of 2 sites need to pass.)”

- Page 12 - Distress Identification (Cracking etc.) Regular Verification changed from check repeatability of 0.1 mile distresses reported on 6 sites Monthly **to** “Check that the distress detection lasers on the data collection vehicle are in functioning condition: need to pass laser bounce test. Documentation shall be provided on the tests performed and proof of the equipment passing the required acceptance criteria for functional and accurate distress detection performance.” Weekly.
- Page 13 - In the first paragraph, fifteen 1-mile length control sites and one 0.1 mile length control site (for manual survey) **changed to** “Fifteen 0.3-mile length control sites and two 500-ft length control sites (for manual survey).”
- Page 13 - In the third paragraph, one control site used to conduct a manual survey (0.1 mile section) **changed to** “Two control sites will be used to compare against manual surveys provided by the LTPP program. If needed, an additional manual survey will be performed by State staff, where three raters must rate the pavement while on-site (500 ft. section) and come to a consensus on the ‘ground truth’ ratings according to the standards identified in ADOT’s Pavement Distress Manual (HPMS Manual included). The sites may also be rated based on LCMS images provided by the contractor as needed.”
- Page 13 - In the fourth paragraph “and accuracy” was added after Repeatability.
- Page 14 – Number of records was added as a Data Element in the Data Sampling Checks table.
- Page 14 – Dataset 2 was removed from the Expected Range for Sectioning. As a result, Dataset 3 becomes 2.
- Page 14 – “County/local roads and ramps may not have two directions and are excluded from this check” was added to the Annual Variability for Direction.
- Page 15 – In the Expected Range for Elevation, “Elevation is not negative. Elevation max should be $\approx 10,000$ ft.” was **changed to** “Elevation is > 50 ft. and $< 10,000$ ft.” Automated data check (query in SQL) was added to the Checking Process for Elevation.
- Page 16 – In the Expected Range for Valid Collection, VALID_COLLECTION_AREA and VALID_COLLECTION_LEN were changed to BROAD_PAVETYPE_AREA and BROAD_PAVETYPE_LEN. The sentence was added “Valid collection length should not be greater than the section length and should not be negative.”
- Page 16 – In the Expected Range for IRI, IRI “should not be negative” was added. IRI is “reported on the Valid Collection Length” was also added.
- Page 17 – In the Expected Range for Rutting, rutting “is reported on the broad pavement type length” was added.
- Page 17 – In the Expected Range for HPMS Cracking Percent, “For other pavements (JPCP, CRCP, OTHER), HPMS cracking should not be more than 100%. HPMS cracking is reported on broad pavement type length and should not be negative” was added.
- Page 18 – In the Expected Range for Data per Pavement Type, “Check for the correct number of pavement types (should be 6: AC, CRCP, CRCP+FC, JPCP, JPCP+FC, OTHER)” was added.
- Page 19 – In the Expected Range for Potholes, “Number of potholes and pothole area should not be negative. Pothole area should be \leq total section area” was added.

- Page 19 – In the Expected Range for Faulting, faulting “should not be negative” was added. A note was added, “(Note: Because a fault can be positive or negative, depending on if the approach slab is higher or the departure slab is higher, the absolute value is first determined for each fault. Then from those absolute values, the average faulting and maximum faulting are calculated.)”
- Page 19 – In the Expected Range for PMS Cracking Percent (ADOT), “PMS cracking should not be greater than 100% and should not be negative” was added.
- Page 19 – In the Expected Range for Broad Pavement, the note that the broad pavement length is less than or equal to 528 ft. and is less than or equal to the section length was removed. The sentence “Broad pavement length is a subset of the valid collection length” was added. The distress of the pavement type that is “valid” was added to the sentence mentioning if there is a section with multiple pavement types.
- Page 20 – Data Elements: Other Distress Id. (Cracking etc.) data, Pavement Lengths, and Compare Previous Year were added to the table.
- Page 20 & 21 – The lengths that IRI, Distress (cracking etc.), Rutting, and Faulting will be reported on (Valid Collection Length or Broad Pavement Type) were added as additional notes outside of the table.
- Page 22 – In the Acceptance Testing & Frequency for Ride (IRI), Weekly was **changed to** Bi-weekly.
- Page 22 – In the Acceptance Testing & Frequency for Cracking Percentage, Monthly was **changed to** Initial and “at start of collection”. “Weekly laser bounce test verification” was added.
- Page 23 – In the Acceptance Testing & Frequency for Panoramic and pavement images, Monthly was **changed to** Initial. Video was **changed to** images at start of collection.
- Page 24 – ADOT Data Group Manager was removed from the table.
- Page 24 – The second GIS support “GIS Analyst” job title was updated to “Senior GIS Analyst”.
- Page 24 & 25 – ADOT Data Quality Verifier Primary Contact was split into two roles: ADOT Data Quality Verifier Primary Contact (during collection) and ADOT Data Quality Verifier Primary Contact (after collection).
- Page 25 – ADOT Data Quality Verifier & Field Crew Support was removed from the table.
- Page 26 – In the Quality Management Responsibilities of the ADOT Field Crew, “as needed” was added to the sentence on performing manual ground-truth surveys.
- Page 26 –The Assigned Resource for the first and second occurrences of ADOT Pavement Type Verifier were revised. The first occurrence of ADOT Pavement Type Verifier was modified to also include Data Quality Verifier and Field Crew Support. The corresponding Quality Management Responsibilities were modified accordingly.
- Page 27 – Assigned Resource for Contractor Data Collection Manager Primary Contact was revised.
- Page 28 – In the second paragraph, verification checks on a weekly basis was **changed to** bi-weekly.

-
- Version Number: 4
 - Date of Issue: 10/20/20
 - Author(s): Maria Burton-Sunder
 - Description of Change(s):
 - Page 9 –Note 2: **Remove:**
“The number of facilities who provide profile equipment certifications is limited. Certification under the standard AASHTO R56-14 is not commonly recognized amongst profile vendors. The Texas A&M Transportation Institute (TTI), who certifies profile equipment at their pavement profiler evaluation facility, currently has no profilers listed as certified under AASHTO R56. TTI does however have a number of profilers certified under TxDOT Test Method Tex-1001-S. Because of the limited number of facilities providing certifications and limited number of profile vendors with AASHTO R56 certification, ADOT currently does not require formal certification of profile equipment under AASHTO R-56. TTI certification under the standard Tex-1001-S is acceptable. Certification from a nationally recognized pavement test facility other than TTI will be considered.”

Replace with:
“For data collection years 2020 and before: Formal certification of profile equipment under AASHTO R-56 is not required. TTI certification under the standard Tex-1001-S is acceptable. Certification from a nationally recognized pavement test facility other than TTI will be considered. Effective for the 2021 data collection year: all profile equipment should be certified under AASHTO R-56 by a nationally recognized pavement testing facility. Profile equipment that has not been certified under AASHTO-R56 must be pre-approved by ADOT prior to being used for annual pavement data collection.”
 - Page 15 – Change Sampling % of Network of Data Element = Reference System from “5-10%” to “representative”.
 - Page 15 – Change Sampling % of Network of Data Element = Elevation from “5-10%” to “representative”.
 - Page 15 – Change Sampling % of Network of Data Element = Pavement type from “5-10%” to “representative”.
 - Page 15 – Change Sampling % of Network of Data Element = Bridges from “5-10%” to “representative”.
 - Page 18 – Change Sampling % of Network of Data Element = Individual Cracking Types/Severities from “5-10%” to “representative”.
 - Page 19 – Change Sampling % of Network of Data Element = Potholes from “5-10%” to “representative”.
 - Page 19 – Change Sampling % of Network of Data Element = Sample Distress Inspection from “5-10%” to “representative”.
 - Page 19 – Change Sampling % of Network of Data Element = Condition Ratings from “5-10%” to “representative”.

- Page 20 – Change Sampling % of Network of Data Element = Compare Previous Year from “5-10%” to “representative”.

-
- Version Number: 5
 - Date of Issue: 11/10/20
 - Author(s): Maria Burton-Sunder
 - Description of Change(s):
 - Page 7 –Table “Pavement Metric Collection Protocols”: Because PMS delivery (milepost start point + offset end point) is no longer required, **remove:**

Segment begin point	N/A	0.01 mi	<i>For PMS delivery, each surveyed ADOT-owned route or ADOT-owned route segment of contiguous collection, the Contractor shall report the start point, other key reference points (landmarks) along the route, and the end point in terms of the distance from the start point for the verification of the accuracy of the traveled distances. The Contractor shall clearly state the precision and bias of the distance measurement of the measuring vehicles.</i>
---------------------	-----	---------	---