



Arizona Department of Transportation

Multimodal Planning Division

Geographic Information System Section

2015 State Highway System Log

As of December 31, 2015

Mileage Summaries Only

Please return this copy to: _____

Beginning in 2010, the detailed format of the Highway Log has not been produced – citing lack of demand for that format – though the databases which support the detail are still updated with construction plan information as time and budget allows. However, a PDF of any detailed post-2009 Log can be provided upon request.

The summary reports contained in this booklet are generated at ADOT-MPD in CY2010 and forward. The online services which generated these data reports in the past are not supported outside of MPD and longer. This booklet can still be generated into spreadsheet files upon request.

You can also get the 1996-1999 and 2000-2004 Highway Log documents (and reporting interfaces) for installation at your PC desktop. The desktop Log viewer was sunsetted following CY2004. The detailed Highway Log report is sunsetted as of EOY 2009.

If you have any particular questions or comments about the Highway Log and data that it contains, please contact the ADOT MPD at 602-712-7333.

This Highway Log was assembled by the Arizona Department of Transportation, using the best information available from multiple (but possibly not all) ADOT sources. There are known data inadequacies that cannot be overcome without significant efforts that have not yet been programmed by ADOT. Use this information ONLY at your own risk.

**Table II
Centerline Miles of Roadway by Route
as of December 31, 2015**

Generated: 9/25/2016
Time: 5:23:22 PM

Route	Miles in Cardinal Direction	Miles in Opposite Direction Dual Hwy	Miles of Ramps			Miles of Frontage Roads		Total	Unpaved
			Card	N-Card	Cross	Cardinal	Non-Card		
I 008	178.69	178.97	16.70	15.71	8.03	16.13	7.70	421.95	-
I 010	391.96	391.95	59.91	60.83	46.75	56.69	70.47	1078.55	-
I 015	29.42	29.36	2.08	2.29	1.20	-	-	64.35	-
I 017	145.95	145.21	23.25	23.80	14.09	28.37	30.70	411.36	-
I 019	63.68	63.68	11.22	10.71	5.95	32.08	28.98	216.30	-
I 040	359.12	359.15	38.56	39.29	18.43	68.78	65.89	949.22	-
S 024	0.68	0.89	-	-	0.49	-	-	2.06	-
S 051	16.68	16.10	7.77	8.90	3.31	0.24	-	53.00	-
S 061	42.47	-	0.41	-	-	-	-	42.88	-
S 064	79.13	0.29	0.04	-	0.96	-	-	80.43	-
S 066	66.73	5.28	0.07	0.09	0.39	-	-	72.56	-
S 067	30.81	-	0.02	-	-	-	-	30.83	-
S 068	27.51	20.86	0.81	0.54	-	-	-	49.72	-
S 069	34.11	20.43	0.73	0.39	0.98	2.07	1.92	60.63	-
S 071	24.16	-	-	-	-	-	-	24.16	-
S 072	36.74	-	-	-	-	-	-	36.74	-
S 073	46.79	0.00	0.49	-	-	-	-	47.28	-
S 074	30.40	-	0.17	-	0.72	-	-	31.29	-
S 075	19.39	-	0.10	-	-	0.37	-	19.87	-
S 077	158.74	21.18	1.20	0.03	0.78	0.02	-	181.95	-
S 078	19.50	-	-	-	0.04	-	-	19.54	-
S 079	58.40	0.48	0.01	0.03	0.47	-	-	59.39	-
S 080	120.15	8.73	1.31	0.05	0.84	0.06	-	131.14	-
S 082	65.73	0.53	0.59	-	0.05	0.14	-	67.04	-
S 083	53.41	-	0.45	-	0.02	-	-	53.88	-
S 084	23.78	2.26	0.24	0.62	0.01	-	-	26.91	-
S 085(1)	80.15	0.07	0.34	0.01	-	-	0.28	80.85	-
S 085(2)	34.82	33.23	0.88	1.35	5.11	4.99	3.87	84.25	-
S 086	118.10	3.94	0.12	-	3.30	-	-	125.46	-
S 087	271.17	74.46	5.32	0.06	1.74	0.38	-	353.15	-
S 088	45.68	-	0.03	-	-	-	-	45.71	19.91
S 089	96.04	10.82	0.32	0.26	1.93	-	-	109.37	-
S 090	46.76	20.63	0.15	-	0.06	-	-	67.60	-
S 092	33.86	0.08	0.02	-	1.99	0.11	-	36.06	-
S 095	116.44	2.38	0.21	-	0.58	-	-	119.61	-
S 096	21.79	-	-	-	-	-	-	21.79	-
S 097	10.91	-	-	-	-	-	-	10.91	-
S 098	66.87	0.00	-	-	0.02	-	-	66.89	-
S 099	34.39	0.16	-	-	-	-	-	34.55	-
S 101	60.98	60.53	27.07	25.98	11.31	22.04	24.07	231.99	-
S 143	3.92	3.92	1.36	1.46	0.39	0.89	0.30	12.26	-
S 169	15.16	-	-	-	0.01	-	-	15.17	-
S 177	31.69	-	-	-	-	-	-	31.69	-
S 179	14.56	8.70	0.01	0.05	0.87	-	-	24.19	-
S 181	25.78	-	0.17	-	-	-	-	25.96	-
S 186	32.68	-	0.03	-	-	-	-	32.71	-
S 187	5.43	-	-	-	-	-	-	5.43	-
S 188	60.85	-	0.47	-	-	0.56	0.11	62.00	-
S 189	3.41	0.03	0.08	-	0.49	0.50	0.25	4.77	-
S 195	22.06	20.49	-	-	3.73	0.00	-	46.28	-
S 202	57.15	57.18	28.99	25.76	14.02	2.62	2.95	188.66	-
S 210	3.40	3.40	0.54	0.54	0.20	-	-	8.07	-
S 238	20.26	-	0.02	-	-	-	-	20.27	-
S 260	190.29	23.24	0.19	0.19	2.48	0.11	0.46	216.96	-
S 261	17.92	-	-	-	-	-	-	17.92	-
S 264	154.36	5.97	0.10	-	0.77	-	-	161.20	-
S 266	19.20	-	-	-	-	-	-	19.20	-

**Table II
Centerline Miles of Roadway by Route
as of December 31, 2015**

Generated: 9/25/2016
Time: 5:23:22 PM

Route	Miles in Cardinal Direction	Miles in Opposite Direction Dual Hwy	Miles of Ramps			Miles of Frontage Roads		Total	Unpaved
			Card	N-Card	Cross	Cardinal	Non-Card		
S 273	19.04	-	-	-	0.29	-	-	19.33	1.49
S 277	30.66	-	-	-	-	-	-	30.66	-
S 286	45.06	-	-	-	-	-	-	45.06	-
S 287	18.32	0.86	0.02	-	0.51	-	-	19.72	-
S 288	52.57	-	-	-	-	-	-	52.57	21.59
S 289	10.52	0.37	-	-	-	-	-	10.89	-
S 303	36.04	34.59	8.02	10.57	7.17	-	1.39	97.79	-
S 303(1)	0.39	-	-	-	-	-	-	0.39	-
S 347	28.68	27.16	0.00	-	0.17	-	-	56.01	-
S 366	28.23	-	-	-	-	-	-	28.23	6.63
S 373	4.54	-	-	-	-	-	-	4.54	-
S 377	33.83	-	-	-	-	-	-	33.83	-
S 386	12.08	-	0.15	-	-	-	-	12.23	-
S 387	15.70	5.33	0.01	-	-	0.49	-	21.52	-
S 389	32.58	-	-	-	-	-	-	32.58	-
S 473	9.91	-	-	-	-	-	-	9.91	0.85
S 564	9.17	-	-	-	-	-	-	9.17	-
S 587	6.10	0.24	-	-	-	-	-	6.34	-
S 989	2.00	2.00	-	-	-	-	-	4.00	-
SA089	80.22	23.79	2.67	2.98	3.41	0.41	1.04	114.53	-
SA095	0.85	-	0.23	-	0.08	-	-	1.16	-
SA180	11.17	-	-	-	-	-	-	11.17	-
SAS89	7.22	7.25	0.54	0.58	0.59	-	-	16.18	-
SB008(1)	0.49	0.28	0.20	-	0.01	-	-	0.98	-
SB008(3)	5.54	0.44	0.28	-	-	-	0.11	6.38	-
SB010(1)	0.93	-	-	-	-	-	-	0.93	-
SB010(3)	3.50	0.43	-	-	-	-	-	3.93	-
SB010(4)	8.33	-	-	-	-	-	-	8.33	-
SB010(5)	4.41	-	-	-	-	-	-	4.41	-
SB010(6)	3.89	-	-	-	-	-	-	3.89	-
SB019(1)	5.70	2.54	-	0.08	0.05	-	-	8.37	-
SB040(1)	4.25	-	-	-	-	-	-	4.25	-
SB040(2)	1.49	0.93	-	-	-	-	-	2.42	-
SB040(4)	7.19	-	-	-	0.01	-	-	7.20	-
SB040(7)	2.83	-	-	-	-	-	-	2.83	-
SB040(8)	5.09	-	0.15	-	0.08	-	-	5.32	-
SB079	1.98	0.62	0.02	-	0.04	-	-	2.66	-
SS040	1.01	-	-	-	-	-	-	1.01	-
SS090(1)	0.12	-	-	-	-	-	-	0.12	-
SS090(2)	0.30	-	-	-	-	-	-	0.30	-
SS095(2)	0.78	-	-	-	-	-	-	0.78	-
SS202	1.21	1.06	0.60	0.38	-	-	-	3.25	-
SS266	3.03	-	-	-	-	-	-	3.03	-
SS277	1.20	-	-	-	-	-	-	1.20	-
SX093	1.11	-	-	-	0.16	-	-	1.27	-
U 060	355.94	101.02	16.66	17.86	19.38	2.45	0.14	513.44	-
U 064	4.19	-	-	-	-	-	-	4.19	-
U 070	122.10	-	0.64	-	0.12	-	-	122.86	-
U 089	135.97	15.03	1.46	-	0.11	-	-	152.57	-
U 093	176.58	131.19	2.63	1.60	3.46	1.36	0.47	317.29	-
U 093-Spur	0.29	-	-	-	-	-	-	0.29	-
U 095	75.36	-	0.54	-	0.76	-	0.10	76.76	-
U 160	159.35	-	0.72	-	0.08	-	-	160.14	-
U 163	23.21	-	-	-	-	-	-	23.21	-
U 180	164.12	-	0.28	-	-	-	-	164.40	-
U 191	396.25	22.27	0.52	0.06	0.97	0.24	-	420.30	-
UA089	88.90	-	0.52	-	-	-	-	89.41	-

**Table II
Centerline Miles of Roadway by Route
as of December 31, 2015**

Generated: 9/25/2016
Time: 5:23:22 PM

Route	Miles in Cardinal Direction	Miles in Opposite Direction Dual Hwy	Miles of Ramps			Miles of Frontage Roads		Total	Unpaved
			Card	N-Card	Cross	Cardinal	Non-Card		
UB191	1.15	0.24	0.00	-	-	0.14	-	1.54	-
UX060	1.54	1.37	0.17	-	0.87	-	-	3.96	-
UX060(1)	5.00	5.00	-	-	-	-	-	10.00	-
UX191	14.22	-	0.15	-	-	-	-	14.37	-
UY191(1)	3.51	-	0.17	-	-	-	-	3.68	-
Grand Total	6127.20	1978.61	269.93	253.04	190.83	242.27	241.21	9303.08	50.48

2015 Notes:

1. The reduction of cardinal centerline mileage compared to Cy2014 is largely due to the removal of the temporary U 089 (UX089) now that the U 089 landslide repair is complete, and the disappearance of UT095 due to the reconfiguration of U 095 at the San Luis point of entry.
2. The 2015 CPM figure of 6,821.93 was measured in late May 2016 for the FHWA HPMS submittal. Beginning in Cy2014 the comparative HPMS CPM column is no longer presented in the Highway Log because of a schema change that has not yet been re-accomodated in the new data structure. It can be estimated that this current Highway Log includes $(6127.20+2.71+151.33+(190.83-182.35)+242.27+241.21) = 6,773.22$ miles of CPM centerline for comparative purposes.
3. The loss of mileage in the 2015 Highway Log figure compared to the 2015 HPMS and CPM figures can be attributed to multiple factors. These factors include some sections of redacted/ virtually deleted ownerships being loaded into Roads and Highways as active records, a vast majority of perpendicular connectors being counted towards DOT ownership, intersections being double counted and a few unbuilt segments having active DOT ownership records. The Highway Log 2015 mileage is considered to be more accurate than 2015 HPMS and CPM mileage.

**Table XI
Through Lane Miles by Route
as of December 31, 2015**

Generated: 9/25/2016

Time: 5:44:18 PM

Route	Lane Miles	Lane Miles in Non-Card on Highway	Ramp Lane Miles			Frontage Lane Miles		Aux/Pass Lane Miles			Travel Lanes	Shoulder Lane Miles		MTLM	
	Cardinal		Card	N-Card	Cross	Cardinal	Non-Card	Card	N-Card	Cross	Total	Cardinal	Non-Card	Maintained	Unpaved
I 008	356.65	357.86	18.85	17.28	17.94	33.25	16.25	2.59	2.72	1.13	824.51	221.32	215.97	1261.80	-
I 010	975.12	974.72	83.16	85.70	139.82	117.42	142.47	57.21	59.24	22.25	2657.10	594.53	595.37	3847.00	-
I 015	58.84	58.71	2.14	2.35	2.40	-	-	1.07	1.02	0.12	126.66	34.38	34.11	195.15	-
I 017	351.29	353.59	30.64	30.85	45.09	60.14	62.65	24.69	26.96	8.73	994.62	192.30	193.83	1380.75	-
I 019	128.34	128.49	13.25	13.87	18.19	63.66	57.93	4.55	4.95	2.07	435.29	83.79	82.46	601.55	-
I 040	718.37	718.44	42.40	43.14	38.49	137.56	131.93	22.81	23.61	1.39	1878.15	456.41	458.84	2793.39	-
S 024	1.37	1.77	-	-	2.38	-	-	-	0.33	0.56	6.41	0.66	0.91	7.97	-
S 051	66.75	68.87	13.84	14.10	12.12	0.49	-	7.01	7.30	2.95	193.42	29.73	29.06	252.22	-
S 061	84.95	-	0.41	-	-	-	-	1.41	-	-	86.76	4.57	-	91.33	-
S 064	160.61	0.58	0.08	-	1.71	-	-	10.31	0.02	-	173.31	76.18	0.00	249.49	-
S 066	134.72	9.81	0.14	0.19	0.95	-	-	10.61	2.19	0.04	158.64	86.65	5.26	250.56	-
S 067	61.61	-	0.04	-	-	-	-	0.78	-	-	62.44	10.40	-	72.84	-
S 068	68.22	41.73	0.81	0.54	-	-	-	2.80	1.73	-	115.82	32.11	21.38	169.32	-
S 069	102.09	41.19	1.15	0.73	1.89	4.25	4.03	15.40	4.55	0.10	175.38	34.98	22.39	232.75	-
S 071	48.32	-	-	-	-	-	-	0.40	-	-	48.72	5.24	-	53.96	-
S 072	73.48	-	-	-	-	-	-	0.60	-	-	74.09	4.13	-	78.22	-
S 073	102.69	0.00	0.98	-	-	-	-	6.80	0.00	-	110.47	23.85	0.00	134.32	-
S 074	61.80	-	0.32	-	1.45	-	-	8.21	-	-	71.77	39.87	-	111.64	-
S 075	38.92	-	0.13	-	-	0.75	-	0.29	-	-	40.08	16.61	-	56.69	-
S 077	363.55	54.72	1.63	0.03	1.51	0.05	-	26.57	6.43	-	454.49	114.84	14.17	583.50	-
S 078	39.00	-	-	-	0.09	-	-	0.03	-	-	39.12	3.56	-	42.68	-
S 079	118.51	0.48	0.01	0.03	0.94	-	-	1.80	-	0.19	121.96	44.42	0.27	166.65	-
S 080	247.42	16.90	1.34	0.05	1.80	0.13	-	8.00	3.68	-	279.31	111.07	9.93	400.31	-
S 082	134.28	1.06	0.59	-	0.09	0.21	-	2.63	-	-	138.87	33.80	0.03	172.70	-
S 083	106.81	-	0.91	-	0.03	-	-	0.22	-	-	107.97	17.05	-	125.02	-
S 084	51.56	4.29	0.27	0.97	0.03	-	-	0.67	0.05	-	57.83	23.16	2.53	83.53	-
S 085(1)	160.30	0.34	0.67	0.01	-	-	0.51	1.17	-	-	163.00	27.17	0.05	190.23	-
S 085(2)	70.37	64.75	1.18	1.43	11.35	9.98	7.74	4.60	4.05	0.63	176.08	45.18	42.62	263.88	-
S 086	239.26	7.88	0.13	-	6.56	-	-	4.71	0.40	0.24	259.18	71.74	3.61	334.53	-
S 087	564.25	148.53	10.20	0.12	3.48	0.77	-	23.21	9.73	0.25	760.53	188.31	78.85	1027.69	-
S 088	96.07	-	0.03	-	-	-	-	1.56	-	-	97.66	3.95	-	101.61	39.82
S 089	200.79	18.67	0.63	0.34	3.20	-	-	8.40	0.86	0.31	233.21	87.48	7.18	327.87	-
S 090	120.50	41.26	0.20	-	0.12	-	-	11.09	3.72	-	176.89	50.09	24.07	251.05	-
S 092	91.79	0.11	0.03	-	4.15	0.23	-	6.48	-	0.54	103.33	39.10	0.00	142.44	-
S 095	330.07	4.59	0.42	-	1.20	-	-	36.24	0.33	0.02	372.88	71.62	2.62	447.11	-
S 096	44.54	-	-	-	-	-	-	0.86	-	-	45.40	9.95	-	55.34	-
S 097	21.82	-	-	-	-	-	-	-	-	-	21.82	4.16	-	25.99	-
S 098	133.74	0.00	-	-	0.03	-	-	2.71	0.00	-	136.49	55.75	0.00	192.24	-
S 099	68.79	0.32	-	-	-	-	-	-	-	-	69.10	7.54	0.13	76.78	-
S 101	248.02	244.50	46.02	45.38	49.17	51.78	55.56	31.82	29.50	18.10	819.86	125.73	123.95	1069.54	-
S 143	9.95	7.85	2.38	2.69	1.69	1.56	0.40	1.94	4.50	0.60	33.55	6.17	6.37	46.10	-
S 169	30.31	-	-	-	0.02	-	-	0.40	-	0.02	30.76	12.67	-	43.43	-
S 177	63.99	-	-	-	-	-	-	0.40	-	-	64.39	18.21	-	82.60	-
S 179	21.82	9.49	0.02	0.10	1.76	-	-	9.45	9.19	-	51.83	11.31	5.61	68.75	-
S 181	51.57	-	0.17	-	-	-	-	0.13	-	-	51.87	4.37	-	56.24	-
S 186	67.97	-	0.03	-	-	-	-	0.73	-	-	68.73	18.55	-	87.28	-
S 187	10.86	-	-	-	-	-	-	-	-	-	10.86	1.81	-	12.67	-
S 188	135.88	-	0.95	-	-	1.13	0.22	9.03	-	-	147.21	57.72	0.00	204.93	-
S 189	13.59	0.06	0.14	-	0.99	1.01	0.64	3.11	-	-	19.54	3.14	0.08	22.77	-
S 195	47.52	40.98	-	-	11.55	0.00	-	2.52	0.60	1.56	104.73	24.85	23.79	153.37	-
S 202	222.75	209.34	53.47	44.89	62.07	6.00	6.88	24.14	24.99	11.39	665.93	120.38	116.07	902.38	-
S 210	8.68	8.35	1.54	1.53	0.62	-	-	1.68	1.63	-	24.03	4.65	4.64	33.32	-

**Table XI
Through Lane Miles by Route
as of December 31, 2015**

Generated: 9/25/2016
Time: 5:44:18 PM

Route	Lane Miles	Lane Miles in Non-Card on Highway	Ramp Lane Miles			Frontage Lane Miles		Aux/Pass Lane Miles			Travel Lanes	Shoulder Lane Miles		MTLM	
	Cardinal		Card	N-Card	Cross	Cardinal	Non-Card	Card	N-Card	Cross	Total	Cardinal	Non-Card	Maintained	Unpaved
S 238	41.01	-	0.02	-	-	-	-	0.81	-	-	41.83	5.12	-	46.95	-
S 260	453.02	45.97	0.38	0.19	4.96	0.21	0.93	39.23	3.90	0.23	549.03	125.75	24.51	699.29	-
S 261	35.84	-	-	-	-	-	-	-	-	-	35.84	0.00	-	35.84	-
S 264	318.08	11.60	0.13	-	1.52	-	-	11.17	0.88	-	343.37	49.15	6.93	399.45	-
S 266	38.40	-	-	-	-	-	-	-	-	-	38.40	6.40	-	44.80	-
S 273	38.08	-	-	-	0.58	-	-	-	-	-	38.67	8.68	-	47.35	2.98
S 277	61.32	-	-	-	-	-	-	1.59	-	-	62.91	8.56	-	71.47	-
S 286	90.13	-	-	-	-	-	-	-	-	-	90.13	4.99	-	95.12	-
S 287	38.35	1.44	0.02	-	1.01	-	-	2.89	0.12	0.35	44.17	18.97	0.79	63.93	-
S 288	105.15	-	-	-	-	-	-	-	-	-	105.15	6.98	-	112.12	43.19
S 289	21.03	0.37	-	-	-	-	-	0.34	-	-	21.74	0.99	0.00	22.73	-
S 303	83.98	83.95	13.79	17.15	21.52	-	5.12	8.37	7.68	5.83	247.39	75.90	74.91	398.20	-
S 303(1)	0.78	-	-	-	-	-	-	-	-	-	0.78	0.00	-	0.78	-
S 347	60.13	56.59	0.01	-	0.34	-	-	3.44	2.78	0.09	123.39	29.60	28.06	181.06	-
S 366	56.46	-	-	-	-	-	-	-	-	-	56.46	1.92	-	58.38	13.27
S 373	9.07	-	-	-	-	-	-	0.06	-	-	9.14	1.51	-	10.65	-
S 377	67.65	-	-	-	-	-	-	0.08	-	-	67.73	0.95	-	68.68	-
S 386	24.16	-	0.25	-	-	-	-	-	-	-	24.41	4.46	-	28.88	-
S 387	37.49	10.65	0.02	-	-	0.97	-	1.81	1.05	-	52.00	16.11	6.17	74.28	-
S 389	65.17	-	-	-	-	-	-	1.70	-	-	66.87	27.13	-	94.00	-
S 473	19.81	-	-	-	-	-	-	-	-	-	19.81	0.00	-	19.81	1.70
S 564	18.34	-	-	-	-	-	-	-	-	-	18.34	1.53	-	19.87	-
S 587	12.15	0.24	-	-	-	-	-	0.72	0.18	-	13.29	7.11	0.20	20.60	-
S 989	4.00	4.01	-	-	-	-	-	0.74	0.42	-	9.17	2.12	2.05	13.35	-
SA089	177.22	45.13	4.07	3.54	6.87	0.41	1.76	13.69	1.68	0.24	254.61	45.74	28.31	328.66	-
SA095	2.25	-	0.39	-	0.15	-	-	0.05	-	-	2.84	0.62	-	3.46	-
SA180	22.34	-	-	-	-	-	-	-	-	-	22.34	3.90	-	26.24	-
SAS89	14.34	14.50	0.54	0.58	1.17	-	-	0.79	0.74	0.15	32.81	9.78	10.59	53.18	-
SB008(1)	1.66	0.57	0.38	-	0.02	-	-	0.14	0.04	-	2.81	0.33	0.03	3.16	-
SB008(3)	14.93	0.77	0.30	-	-	-	0.22	0.37	-	-	16.57	5.73	0.19	22.49	-
SB010(1)	3.21	-	-	-	-	-	-	0.38	-	-	3.58	0.15	-	3.73	-
SB010(3)	9.36	0.57	-	-	-	-	-	0.87	-	-	10.80	2.56	0.09	13.46	-
SB010(4)	16.67	-	-	-	-	-	-	0.20	-	-	16.87	9.04	-	25.91	-
SB010(5)	10.06	-	-	-	-	-	-	0.04	-	-	10.10	4.78	-	14.88	-
SB010(6)	7.78	-	-	-	-	-	-	0.20	-	-	7.98	4.46	-	12.43	-
SB019(1)	17.07	4.76	-	0.08	0.09	-	-	1.67	0.61	-	24.28	3.30	1.94	29.52	-
SB040(1)	10.18	-	-	-	-	-	-	0.27	-	-	10.45	6.11	-	16.56	-
SB040(2)	2.98	1.86	-	-	-	-	-	-	-	-	4.84	2.33	0.93	8.09	-
SB040(4)	24.17	-	-	-	0.02	-	-	3.38	-	-	27.57	1.71	-	29.29	-
SB040(7)	6.83	-	-	-	-	-	-	0.17	-	-	6.99	2.63	-	9.63	-
SB040(8)	18.63	-	0.30	-	0.16	-	-	1.19	-	-	20.28	3.17	-	23.44	-
SB079	4.66	0.62	0.02	-	0.08	-	-	0.10	-	-	5.48	0.77	0.70	6.95	-
SS040	2.02	-	-	-	-	-	-	-	-	-	2.02	1.35	-	3.37	-
SS090(1)	0.50	-	-	-	-	-	-	0.14	-	-	0.64	0.04	-	0.68	-
SS090(2)	1.20	-	-	-	-	-	-	0.18	-	-	1.38	0.22	-	1.60	-
SS095(2)	1.56	-	-	-	-	-	-	-	-	-	1.56	0.65	-	2.21	-
SS202	2.41	2.13	0.68	0.38	-	-	-	0.77	0.90	-	7.27	3.71	2.54	13.51	-
SS266	6.06	-	-	-	-	-	-	-	-	-	6.06	1.01	-	7.07	-
SS277	2.40	-	-	-	-	-	-	-	-	-	2.40	0.00	-	2.40	-
SX093	2.22	-	-	-	0.32	-	-	-	-	-	2.54	0.84	-	3.38	-
U 060	843.40	295.17	28.08	30.46	61.88	4.89	0.29	78.52	30.28	7.07	1380.04	353.83	132.90	1866.76	-
U 064	8.37	-	-	-	-	-	-	0.07	-	-	8.44	3.45	-	11.89	-

**Table XI
Through Lane Miles by Route
as of December 31, 2015**

Generated: 9/25/2016
Time: 5:44:18 PM

Route	Lane Miles	Lane Miles in Non-Card on Highway	Ramp Lane Miles			Frontage Lane Miles		Aux/Pass Lane Miles			Travel Lanes	Shoulder Lane Miles		MTLM	
	Cardinal		Card	N-Card	Cross	Cardinal	Non-Card	Card	N-Card	Cross	Total	Cardinal	Non-Card	Maintained	Unpaved
U 070	265.71	-	1.08	-	0.25	-	-	7.29	-	-	274.33	118.94	-	393.27	-
U 089	351.10	29.92	2.65	-	0.21	-	-	41.96	3.02	-	428.86	153.32	13.95	596.13	-
U 093	362.73	261.26	3.46	2.22	6.74	2.71	0.93	15.95	8.13	-	664.13	171.03	161.17	996.33	-
U 093-Spur	0.89	-	-	-	-	-	-	0.04	-	-	0.93	0.10	-	1.02	-
U 095	157.91	-	1.04	-	1.65	-	0.20	7.76	-	0.24	168.79	46.57	0.00	215.36	-
U 160	322.78	-	0.80	-	0.15	-	-	11.37	-	-	335.10	135.82	-	470.92	-
U 163	50.95	-	-	-	-	-	-	0.27	-	-	51.21	3.51	-	54.72	-
U 180	331.09	-	0.28	-	-	-	-	9.66	-	-	341.02	139.43	-	480.45	-
U 191	806.11	44.53	0.88	0.06	1.90	0.48	-	20.39	1.12	-	875.47	182.60	13.59	1071.66	-
UA089	181.00	-	0.79	-	-	-	-	0.65	-	-	182.45	26.30	-	208.75	-
UB191	4.84	0.47	0.01	-	-	0.29	-	0.28	-	-	5.89	0.88	0.00	6.77	-
UX060	4.83	4.11	0.17	-	4.34	-	-	0.58	0.23	0.56	14.83	1.30	0.71	16.83	-
UX060(1)	15.01	15.00	-	-	-	-	-	1.19	1.63	-	32.83	1.52	0.00	34.35	-
UX191	30.62	-	0.15	-	-	-	-	1.97	-	-	32.74	8.67	-	41.41	-
UY191(1)	7.02	-	0.17	-	-	-	-	0.10	-	-	7.30	3.69	-	10.99	-
Arizona Totals	13557.18	4576.40	392.16	360.97	560.81	500.33	496.65	699.44	299.65	87.94	21531.54	5237.02	2637.40	29405.97	100.96

2015 Notes:

1. The reduction of cardinal centerline mileage compared to Cy2014 is largely due to the removal of the temporary U 089 (UX089) now that the U 089 landslide repair is complete, and the disappearance of UT095 due to the reconfiguration of U 095 at the San Luis point of entry.
2. The 2015 CPM figure of 6,821.93 was measured in late May 2016 for the FHWA HPMS submittal. Beginning in Cy2014 the comparative HPMS CPM column is no longer presented in the Highway Log because of a schema change that has not yet been re-accomodated in the new data structure. It can be estimated that this current Highway Log includes $(6127.20+2.71+151.33+(190.83-182.35)+242.27+241.21) = 6,773.22$ miles of CPM centerline for comparative purposes.
3. The loss of mileage in the 2015 Highway Log figure compared to the 2015 HPMS and CPM figures can be attributed to multiple factors. These factors include some sections of redacted/virtually deleted ownerships being loaded into Roads and Highways as active records, a vast majority of perpendicular connectors being counted towards DOT ownership, intersections being double counted and a few unbuilt segments having active DOT ownership records. The Highway Log 2015 mileage is considered to be more accurate than 2015 HPMS and CPM mileage.