
ADOT PM_{10}/$PM_{2.5}$/CO Project Level Hot-spot Process
Exempt project?
Yes
PM_{10}/$PM_{2.5}$/CO Project Level Hot-spot Not Applicable
No
PM_{10}/$PM_{2.5}$ Nonattainment or Maintenance area?
Yes
*Complete "Project Level PM Quantitative Hot-Spot Analysis: Project of Air Quality Concern **Questionnaire"**
No
PM_{10}/$PM_{2.5}$ Hot-spot Not Applicable
No
CO Maintenance area?
No
CO Hot-spot Not Applicable
Yes
*Complete "CO Project Level Hot-Spot Analysis: **Questionnaire"**
Interagency Consultation (10 days)
Project of Air Quality Concern?
No
Yes
Submit to NEPA Lead for approval.
Does the Project Require CO modeling?
No
Yes
*Complete "Project Level CO Quantitative Hot-Spot Analysis **Consultation Document**"
Interagency consultation on hot spot modeling (30 days)
*Complete "Project Level PM Quantitative Hot-Spot Analysis **Consultation Document** for Project of Air Quality Concern"
Prepare and submit Air Quality Report for ADOT review
Complete Air Quality QA Checklist
ADOT / FHWA Conformity Approval
Provide opportunity for public comment during NEPA, *if applicable*
ADOT Activity
Project Sponsor Activity
Interagency consultation not required
* Obtain questionnaire and/or consultation document (s) from ADOT*