




Attachment IA-20-1
Example of Two-Stage Bicycle Turn Box when Use is Optional



Attachment IA-20-2
Example of Two-Stage Bicycle Turn Box when Use is Mandatory






D11-20L

LEFT (RIGHT) TURN MAY USE TURN BOX




D11-20R



* Reduce character spacing 20%.


** Reduce character spacing 40%.

COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)
BACKGROUND — GREEN (RETROREFLECTIVE)



D11-20aL


LEFT (RIGHT) TURN BOX (with arrow)



D11-20aR



COLORS: LEGEND, BORDER — WHITE (RETROREFLECTIVE)
BACKGROUND — GREEN (RETROREFLECTIVE)



R9-23
ALL TURNS FROM BIKE LANE

* Reduce character spacing 20%.

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)

IA-20-5




R9-23aL

LEFT (RIGHT) TURN MUST USE TURN BOX



R9-23aR



- * Reduce character spacing 20%.
- ** Reduce character spacing 40%.

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)




R9-23bL

LEFT (RIGHT) TURN MUST USE TURN BOX (with arrow)



R9-23bR



* Reduce character spacing 20%.

** Reduce character spacing 40%.

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE (RETROREFLECTIVE)