



HELPFUL HINTS
For dimensioned line segments that have intersecting or crossing lines place arrows to show the limits of the dimension.

REFERENCE FILE
RW_V8.cel
AC=RWDC
LV=217
CO=17
LC=0
WT=2
Dimension Arrow

REFERENCE FILE
--rw--_cst.dgn
Attachment: Coincident
RW_e.rsc
LV=Varies
CO=227
LC=RWFILL_e
WT=0

REFERENCE FILE
--rw--_cst.dgn
Attachment: Coincident
RW_e.rsc
LV=Varies
CO=227
LC=RWCUT_e
WT=0

HELPFUL HINTS
If a sectional corner reference is not shown on the plan sheet, then the Section number of where the plan sheet lies will be entered in the data field here, below the north arrow and above the County.

HELPFUL HINTS
LTB's shall be used on all curved segments where the straight line segments on either side are not tangent to said curve.

HELPFUL HINTS
The r/w width dimensions should be shown at control point stations and/or where the width changes occur.

REFERENCE FILE
--rw--_pln.dgn
Attachment: Coincident
RW_V8.cel
AC=RWPCPT
LV=228
CO=28
LC=0
WT=3

TEXT
LV=225 FT=23
CO=25 TX=22.5
LC=0 ACTIVE
WT=4 TXJ=CT

Curve Data
RW_V8.cel
AC=RWCUR4
LV=228
CO=28
LC=0
WT=3

DATA FIELD
LV=228 FT=23
CO=28 TX=15
LC=0 ACTIVE
WT=3 TXJ=LB

REFERENCE FILE
RW_V8.cel
AC=RWCUR6
LV=228
CO=28
LC=0
WT=3

HELPFUL HINTS
See Exhibit E1 for details on patterning centerlines. Geometry will typically be shown only for the $\frac{1}{2}$ to which the New R/W is referenced, but this will vary for each project.

HELPFUL HINTS
The station and offset reference for new R/W corners that are opposite a centerline spiral will be a P.O.S. from the actual centerline.

HELPFUL HINTS
Show a tie to the controlling centerline for the New R/W Line. In some cases ties to other centerlines may be required.

HELPFUL HINTS
Crosshatching can be used to aid in identifying areas with special needs.

HELPFUL HINTS
Identify all Equation stations

HELPFUL HINTS
For rural projects, the non-Adot existing r/w is typically not shown on the vicinity map and not referenced with the hexagon symbol, but is portrayed on the plansheet as shown here

DATA TABLE

1	N34°58'15"E	207.28'
2	S67°55'32"E	49.06'
3	S69°12'20"E	154.47'
4	S69°21'50"E	228.91'
5	N60°30'44"E	59.03'
6	S69°52'10"E	186.28'
7	S67°55'35"E	51.05'
8	S69°18'43"E	181.09'
9	R=1092.93' L=130.09'	
10	N60°30'44"E	129.24'
11	R=1193.29' L=45.56'	

CHANGE ORDER REVISIONS

C.O. NO.	DATE	BY	DESCRIPTION OF REVISIONS
9405	8-14-02	JC	Added Unpatented Mining Claim
9406	8-15-02	JC	Revised New R/W line from Sta 830+75.51 to Sta 834+40.32 right side

DRAWING NO.	D-13-T-446	ARIZONA DEPARTMENT OF TRANSPORTATION INFRASTRUCTURE DELIVERY AND OPERATIONS RIGHT OF WAY PLANS SECTION
SURVEY	See Attached Survey	HIGHWAY NAME: PRESCOTT - FLAGSTAFF
DRAWN/DATE	J. Crume/Sep 01	FEDERAL AID NO.:
ADOT REVIEW	B. Gurney	S 366-814
HUBBARD ENGINEERING 480-892-3313 Gilbert, AZ jcume@hbeaz.us # 20047	PROJECT NO.:	089A YV 366 H2741 02R
ROUTE NO.:	S.R. 89A	LOCATION: Dry Creek - Sedona
		PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING --Created-- 12/13/16 11:38:53 AM
		SHEET P-5