



Arizona Department of Transportation

Environmental Planning

PM10 Quantitative Hot-Spot Air Quality Technical Report

**City of Douglas New Commercial Land Port of Entry (LPOE)
Connector Road Study**

**Federal Project No. 999-A(561)T
ADOT Project No. F0534 01L**

Approved January 15, 2025

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by ADOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated June 25, 2024, and executed by FHWA and ADOT.

**ARIZONA DIVISION**

4000 North Central Avenue
Suite 1500
Phoenix, Arizona 85012-3500
Phone: (602) 379-3646
Fax: (602) 382-8998

<http://www.fhwa.dot.gov/azdiv/index.htm>

January 15, 2025

In Reply Refer To:
999-A(561)T
F0534 01L

City of Douglas New Commercial Land
Port of Entry (LPOE) Connector Road Study
Air Quality Conformity Determination

Paul O'Brien, P.E., Environmental Planning Administrator
Environmental Planning
Arizona Department of Transportation
205 South 17th Avenue, MD 612E
Phoenix, Arizona 85007-3212

Dear Mr. O'Brien:

The Federal Highway Administration (FHWA) received a request from the Arizona Department of Transportation (ADOT) dated January 6, 2025, for a project-level air quality conformity determination for the 999-A(561)T | F0534 01L City of Douglas New Commercial Land Port of Entry (LPOE) Connector Road Study. The recommended alternative alignment of the connector road would consist of constructing a new roadway along the existing James Ranch Road alignment, providing a straight connection from the proposed LPOE to SR 80 (about 1.4 miles).

The project is located in an isolated rural area about 4.5 miles west of the City of Douglas city limits. The project area is also in the Paul Spur / Douglas nonattainment area, which is designated nonattainment for Particulate Matter (PM10) under the National Ambient Air Quality Standards (NAAQS) which is subject to project-level conformity requirements. This project required a regional conformity analysis as it is located in an isolated rural area without an approved State Implementation Plan (SIP). As a regionally significant project a regional conformity analysis was required for this project. Interagency consultation for the regional conformity analysis concluded on April 17, 2024.

Interagency consultation determined that the project is a project of air quality concern for PM10 and requires a quantitative hot-spot analysis for transportation conformity. Interagency consultation for the project level hot-spot analysis concluded October 10, 2024. Both the regional and project level conformity analysis were provided for further public review, as

provided to agencies on October 25, 2024. The Public Review period ran through December 9, 2024.

Based on our review of the PM10 air quality analyses and interagency consultation reviews of the information provided by the ADOT regarding this project and scope of work, FHWA is making the determination that this project meets the air quality conformity requirements listed in 40 CFR Part 93. If there are any questions on this determination, please contact Dan Gabiou at 602-382-8966 or Dan.Gabiou@dot.gov.

Sincerely,

Karla S. Petty
Division Administrator

ALAN ROBERT HANSEN

Digitally signed by
ALAN ROBERT HANSEN
Date: 2025.01.15
06:58:27 -07'00'

By: Alan Hansen

ecc:
DGabiou, FHWA
SWebber, FHWA
Beverly Chenausky, ADOT
Andrew Ledezma, EPA Region IX

PM₁₀ Quantitative Hot-Spot Air Quality Technical Report
City of Douglas Land Port of Entry Connector Road
Cochise County, Arizona

Federal Project No. 999-A(561)T
ADOT Project No. F0534 01L

Prepared by:

Kimley»Horn

Prepared for:
Arizona Department of Transportation
Environmental Planning

ADOT

October 2024

Revised December 2024

TABLE OF CONTENTS

Executive Summary.....	iii
1 Introduction	1
2 Affected environment	4
2.1 Regional Climate	4
2.2 National Ambient Air Quality Standards	4
2.3 Mobile Source Air Toxics	12
2.4 Attainment Status.....	13
3 PM10 Hot-Spot Analysis	15
3.1 Overview of Analysis Approach.....	15
3.2 PM10 Modeling Results	24
3.3 Conformity.....	25
3.4 Public Involvement	26

TABLES

<i>Table 1: National Ambient Air Quality Standards.....</i>	5
<i>Table 2: Road Dust Emissions Factors</i>	19
<i>Table 3: Predicted PM₁₀ Concentrations from the LPOE.....</i>	20
<i>Table 4: Paul Spur/Douglas PM₁₀ Monitoring Data (2021-2023).....</i>	23
<i>Table 5: Predicted Project PM₁₀ Concentration</i>	25

FIGURES

Figure 1: Project Vicinity Map.....	1
Figure 2: Connector Road Alignment Alternatives Map	2
Figure 3: Existing Truck Traffic Route.....	3
Figure 4: Proposed Truck Traffic Route	3
Figure 5: National Trend in CO Concentrations.....	6
Figure 6: Southwest Regional Trend in CO Concentrations ⁴	6
Figure 7: Particulate Matter Size Comparison ⁵	7
Figure 8: National Trend in PM ₁₀ Concentrations.....	8
Figure 9: Southwest Regional Trend in PM ₁₀ Concentrations ⁷	8
Figure 10: National Trend in PM _{2.5} Concentrations	9

Figure 11: Southwest Regional Trend in PM _{2.5} Concentrations ⁸	9
Figure 12: National Trend in NO ₂ Concentrations.....	10
Figure 13: Southwest Regional Trend in NO ₂ Concentrations ¹⁰	10
Figure 14: Formation of Ozone	11
Figure 15: National Trend in O ₃ Concentrations	11
Figure 16: Southwest Regional Trend in O ₃ Concentrations ¹⁴	12
Figure 17: FHWA Projected National MSAT Emission Trends 2020-2060 for Vehicles Operating on Roadways.....	13
Figure 18: Paul Spur/Douglas Nonattainment Area	14
Figure 19: EPA's PM Hot-spot Analysis Process	15
Figure 20: Project Links	17
Figure 21: Project Links Intersection Zoom	18
Figure 22: PM10 Concentrations at the LPOE	20
Figure 23: AERMOD Receptor Locations	22
Figure 24: PM ₁₀ Air Quality Monitor Locations	23
Figure 25: AERMOD PM ₁₀ Model Results.....	25

APPENDICES

APPENDIX A – Project Level PM Quantitative Hot-Spot Analysis - Consultation Document for Project of Air Quality Concern

APPENDIX B – City of Douglas International Port of Entry Connector Road Final Traffic Report

APPENDIX C – Agency Comments and Responses

APPENDIX D – PM₁₀ Modeling Results by Receptor

APPENDIX E – PM₁₀ Hot Spot Air Quality Memorandum - City of Douglas Commercial Land Port of Entry (LPOE)

APPENDIX F – PM₁₀ MOVES and AERMOD Modeling Files

EXECUTIVE SUMMARY

This Air Quality Technical Report supports the City of Douglas Land Port of Entry Connector Road project, which connects the proposed Commercial Land Port of Entry (LPOE) west of the City of Douglas to State Route (SR) 80. The report analyses the project's potential particulate matter (PM_{10}) impacts and evaluates whether the project would contribute to the study area exceeding the National Ambient Air Quality Standards (NAAQS). The report also analyses the project's potential impacts on carbon monoxide (CO), mobile source air toxics (MSAT), and greenhouse gases (GHG). Based on the analysis, the project is not expected to contribute to a violation of the NAAQS for PM_{10} .

1 INTRODUCTION

This Project Level PM₁₀ Quantitative Hot-Spot Analysis Technical Report has been developed to support the Design Concept Report (DCR) for a connector road between the proposed City of Douglas Commercial LPOE at the United States (US)-Mexico border and SR 80. The project is in the Arizona Department of Transportation (ADOT) Southeast District in Cochise County west of Douglas, Arizona and is anticipated to open in 2028. The impacts to air quality were evaluated based on traffic data presented in the project's Final Traffic Report (Kimley-Horn, 2024) and additional modeling developed in the Paul Spur / Douglas April 2024 Regional Conformity Analysis.

ADOT is preparing an Environmental Assessment (EA) for the project. There are three alignment alternatives currently being considered for the proposed connector road west of United States Route 191 (US 191), two of which intersect SR 80 at James Ranch Road and one of which intersects SR 80 at Brooks Road. The project vicinity is shown in *Figure 1*, and the three alignment alternatives are shown in *Figure 2*. For the purposes of this analysis, the preferred alignment alternative (Alternative 1) for the connector road is assumed to intersect SR 80 at the existing SR 80 / James Ranch Road intersection. The results of the analysis at the SR 80 / James Ranch Road intersection are anticipated to be similar at the SR 80 / Brooks Road intersection if the preferred alignment alternative for the connector road intersects SR 80 at Brooks Road instead of James Ranch Road.



Figure 1: Project Vicinity Map




Figure 2: Connector Road Alignment Alternatives Map

The primary goal of the proposed LPOE is to move commercial vehicle traffic away from the existing LPOE in the City of Douglas and US 191 to a location west of the City of Douglas. The proposed LPOE will only accommodate commercial vehicle traffic. This will help to improve operations at the existing LPOE and reduce congestion on US 191 south of SR 80. Commercial Vehicles will still have to stop at the ADOT Commercial Weigh Station on the northeast corner of SR 80 and US 191, after crossing the US-Mexico border, but the new route will allow for fewer impacts of commercial vehicles on the residents of the City of Douglas. The current route has 10 schools, 1 healthcare facility, and 7 parks, as well as numerous playgrounds and civic uses within a one-mile radius. *Figure 3* shows the route between the current LPOE and the ADOT Commercial Weigh Station. The proposed connector road falls entirely outside the Douglas municipal limits. One school and one healthcare facility fall within a one-mile radius of the proposed route. *Figure 4* shows the route between the proposed connector road and the ADOT Commercial Weigh Station.



Figure 3: Existing Truck Traffic Route




Figure 4: Proposed Truck Traffic Route

On March 10, 2006, the U.S. Environmental Protection Agency (EPA) published a Final Rule (71 FR 12468) that establishes transportation conformity criteria and procedures for determining which transportation projects must be analyzed for local air quality impacts in PM_{2.5} and PM₁₀ nonattainment and maintenance areas. A quantitative PM hot-spot analysis using EPA's MOVES emission model is required for those projects that are identified as projects of local air quality

concern. Quantitative PM hot-spot analyses are not required for other projects. The interagency consultation process plays an important role in evaluating which projects require quantitative hot-spot analyses and determining the methods and procedures for such analyses. An interagency consultation group was established to help guide the development of the air quality analysis, consisting of members from:

- Arizona Department of Transportation (ADOT)
- Arizona Department of Environmental Quality (ADEQ)
- Federal Highway Administration (FHWA)
- Environmental Protection Agency (EPA)
- The City of Douglas
- The Southeastern Arizona Governments Organization (SEAGO)
- General Services Administration (GSA)
- Customs and Border Protection (CBP)

This air quality analysis includes modeling techniques to estimate project-specific emission factors from vehicle exhaust and local PM10 concentrations due to project operation. Emissions and dispersion modeling techniques were consistent with the EPA quantitative PM hot-spot analysis guidance, “*Transportation Conformity Guidance for Quantitative Hot-spot Analysis in PM2.5 and PM10 Nonattainment and Maintenance Areas*” that was released in October 2021.¹

2 AFFECTED ENVIRONMENT

2.1 Regional Climate

The project is located in rural Cochise County in the southeastern corner of the state. A large portion of Arizona is classified as semiarid, and long periods of time often occur with little or no precipitation. The average annual precipitation in Cochise County is 14 inches. The air is generally dry and clear, with low relative humidity and a high percentage of sunshine. Cochise County has a hot desert climate with long, extremely hot summers with temperatures exceeding 90 degrees Fahrenheit and short, mild to warm winters with temperatures ranging from 50 to 60 degrees Fahrenheit.

2.2 National Ambient Air Quality Standards

As required by the Clean Air Act (CAA), NAAQS have been established for six major air pollutants: carbon monoxide, nitrogen dioxide, ozone, particulate matter (PM10 and PM2.5), sulfur dioxide, and lead. These standards are summarized in *Table 1* along with the current attainment status of Cochise County. “Primary” standards have been established to protect the public health; “secondary” standards are intended to protect the nation's welfare and account for air pollutant effects on soil, water, visibility, materials, vegetation, and other aspects of the general welfare. Brief descriptions of those criteria pollutants relevant to transportation projects (carbon monoxide, particulate matter, nitrogen dioxide, and ozone) are provided in the following sections.

¹ <https://nepis.epa.gov/Exe/ZyPDF.cgi?Dockey=P1013C6A.pdf>

Table 1: National Ambient Air Quality Standards²

Pollutant		Primary / Secondary	Averaging Time	Level	Form	Attainment Status
Ozone (O_3) ¹		Primary & Secondary	1-hour	0.070 ppm	Annual fourth-highest daily maximum 8-hour concentration, averaged over 3 years	Attainment
Carbon Monoxide (CO)		Primary	8 hours	9 ppm	Not to be exceeded more than once per year	Attainment
			1 hour	35 ppm		Attainment
Nitrogen Dioxide (NO_2)		Primary	1 hour	100 ppb	98 th percentile of 1-hour daily maximum concentrations, averaged over 3 years	Attainment
		Primary & Secondary	1 year	53 ppb	Annual Mean	Attainment
Particulate Pollution (PM)	PM _{2.5}	Primary	1 year	12 $\mu\text{g}/\text{m}^3$	Annual Mean, averaged over 3 years	Attainment
		Secondary	Annual	15.0 $\mu\text{g}/\text{m}^3$	Annual Mean, averaged over 3 years	Attainment
		Primary & Secondary	24 hours	35 $\mu\text{g}/\text{m}^3$	98 th percentile, averaged over 3 years	Attainment
	PM ₁₀	Primary & Secondary	24 hours	150 $\mu\text{g}/\text{m}^3$	Not to be exceeded more than once per year on average over 3 years	Moderate Non-Attainment
Sulfur Dioxide (SO_2)		Primary	1 hour	75 ppb	98 th percentile of 1-hour daily maximum concentrations, averaged over 3 years	Attainment
		Secondary	3 hour	0.5 ppm	Not to be exceeded more than once per year	Attainment

1. In areas designated nonattainment for the Pb standards prior to the promulgation of the current (2008) standards, and for which implementation plans to attain or maintain the current (2008) standards have not been submitted and approved, the previous standards (1.5 $\mu\text{g}/\text{m}^3$ as a calendar quarter average) also remain in effect.

2. The level of the annual NO_2 standard is 0.053 ppm. It is shown here in terms of ppb for the purposes of clearer comparison to the 1-hour standard level.

3. Final rule signed October 1, 2015, and effective December 28, 2015. The previous (2008) O_3 standards are not revoked and remain in effect for designated areas. Additionally, some areas may have certain continuing implementation obligations under the prior revoked 1-hour (1979) and 8-hour (1997) O_3 standards.

4. The previous SO_2 standards (0.14 ppm 24-hour and 0.03 ppm annual) will additionally remain in effect in certain areas: 1) any area for which it is not yet 1 year since the effective date of designation under the current (2010) standards, and 2) any area for which an implementation plan providing for attainment of the current (2010) standard has not been submitted and approved and which is designated nonattainment under the previous SO_2 standards or is not meeting the requirements of a SIP call under the previous SO_2 standards (40 CFR 50.4(3)). A SIP call is an EPA action requiring a state to resubmit all or part of its State Implementation Plan to demonstrate attainment of the required NAAQS.

² <https://www.epa.gov/criteria-air-pollutants/naaqs-table>

2.2.1 Carbon Monoxide

EPA defines Carbon Monoxide (CO) as a colorless, odorless gas that is emitted when the carbon in fuel is not burned completely³. The largest source of CO is vehicle exhaust from on-road motor vehicles. CO is sensitive to variations in temperature and vehicle speeds. CO emissions are higher in winter months than during the summer. CO emissions also decrease with an increase in speed, so idling and low speeds produce the highest levels of CO. Health issues related to prolonged CO exposure include dizziness, confusion, and unconsciousness due to a reduction of the amount of oxygen being transported to vital organs. The national trend in average CO concentrations shows a substantial improvement over the past 40 years, as seen in *Figure 5*. Similarly, trends in the Southwest Region show a 34% decrease in CO concentrations since 2010, as seen in *Figure 6*. This trend is primarily the result of stricter regulations on motor vehicle exhaust.




Figure 5: National Trend in CO Concentrations⁴




Figure 6: Southwest Regional Trend in CO Concentrations⁴

³<https://www.epa.gov/co-pollution/basic-information-about-carbon-monoxide-co-outdoor-air-pollution#What%20is%20CO>

⁴ <https://www.epa.gov/air-trends/carbon-monoxide-trends>

2.2.2 Particulate Matter

Particle pollution is a term used to describe particles suspended in the air including dust, dirt, soot, smoke, and liquid droplets. Another name for this is particulate matter, or PM. PM can be emitted directly from sources such as motor vehicles, construction activities, and unpaved roads, or it can be formed in the air through reactions involving chemicals, sunlight, and water vapor. There are two main types of PM that are of particular concern: PM₁₀, which includes coarse particles with diameters of 10 micrometers and smaller, and PM_{2.5} which includes fine particles with diameters of 2.5 micrometers and smaller. The size of these particles can be seen in *Figure 7* below compared to other small materials⁵. Exposure to PM can cause various health problems because the particles are inhaled during regular breathing and can end up in the lungs. Some of these health problems include decreased lung function, asthma, other respiratory issues, irregular heartbeat, and heart attacks. PM_{2.5} is also one of the leading causes of haze in parts of the U.S. Additionally, wind can carry these particles large distances before they settle on the ground, which could impact various environmental features such as changing nutrients balance in soil and coastal waters, increasing acidity in waterways, harming forests and crops, and contributing to acid rain.⁶




Figure 7: Particulate Matter Size Comparison⁵

National trends in PM show a general decrease in both PM₁₀ and PM_{2.5} since 2000 as shown in Figure 8 and Figure 10, respectively. Southwest regional trends show a slightly different situation, however, where PM₁₀ has actually increased by 14% and PM_{2.5} has decreased by 14% since 2010 as seen in Figure 9 and Figure 11, respectively. The PM₁₀ data shows that there have been a few spikes in concentration between 2011-2013 and in 2018 where it was at or above the national standard. Since the spike in 2018, the PM₁₀ concentration has leveled out and the 2023 data reported one of the lowest concentrations during the time frame.

⁵ <https://www.epa.gov/pm-pollution/particulate-matter-pm-basics>

⁶ <https://www.epa.gov/pm-pollution/health-and-environmental-effects-particulate-matter-pm>




Figure 8: National Trend in PM₁₀ Concentrations⁷




Figure 9: Southwest Regional Trend in PM₁₀ Concentrations⁷

⁷ <https://www.epa.gov/air-trends/particulate-matter-pm10-trends>




Figure 10: National Trend in PM_{2.5} Concentrations⁸




Figure 11: Southwest Regional Trend in PM_{2.5} Concentrations⁸

2.2.3 Nitrogen Dioxide

Nitrogen oxides (NO_x) are a group of highly reactive gases. One of these, Nitrogen Dioxide (NO₂), is emitted from the burning of fuel. The primary sources of NO₂ include motor vehicles, power plants, and industrial and commercial equipment. Respiratory issues like coughing, wheezing, difficulty breathing, and asthma are the primary health issues related to breathing air with high concentrations of NO₂. Ozone and particulate matter are formed when NO_x, specifically NO₂, reacts with other chemicals, so NO₂ is considered a precursor of each criteria pollutant. Environmental effects from high concentrations of NO₂ in the air include the development of acid rain, haze, and nutrient pollution in coastal waters.⁹ The national trend in average NO₂ concentrations shows a substantial improvement over the past 40 years, as seen in *Figure 12*. Similarly, trends in the Southwest Region show a 17% decrease in NO₂ concentrations since 2010, as seen in *Figure 13*.

⁸ <https://www.epa.gov/air-trends/particulate-matter-pm25-trends>

⁹ <https://www.epa.gov/no2-pollution/basic-information-about-no2>




Figure 12: National Trend in NO₂ Concentrations¹⁰




Figure 13: Southwest Regional Trend in NO₂ Concentrations¹⁰

2.2.4 Ozone

Ozone (O₃) is a gas that can be both naturally occurring and human made. O₃ is naturally occurring in the Earth's atmosphere and protects the Earth from the sun's ultraviolet rays. O₃ at the ground-level is a harmful pollutant that is formed through chemical reactions between NO_x and volatile organic compounds (VOC) in the presence of sunlight. NO_x, as mentioned previously, and VOC are pollutants emitted by motor vehicles and industrial sources. O₃ is generally a concern during hot summer months in urban areas due to the steady presence of heat, sunlight, and pollutants¹¹. Figure 14 gives a visual representation of how ground-level O₃ is created.

¹⁰ <https://www.epa.gov/air-trends/nitrogen-dioxide-trends>




Figure 14: Formation of Ozone¹¹

O₃ is the primary component of smog. When O₃ reaches unhealthy levels, it can contribute to various health issues such as breathing problems, inflammation in the respiratory system, coughing, sore throat, and can increase or aggravate existing conditions like asthma.¹² O₃ can also have negative effects on sensitive vegetation and ecosystems by slowing plant growth and making them more susceptible to disease and insects.¹³ The national trend in average O₃ concentrations shows a gradual improvement over the past 40 years, but has leveled off since 2013 as seen in *Figure 15*. Similarly, trends in the Southwest Region show a steady level of O₃ concentrations since 2010, as seen in *Figure 16*.




Figure 15: National Trend in O₃ Concentrations¹⁴

¹¹ <https://www.epa.gov/ground-level-ozone-pollution/ground-level-ozone-basics>

¹² <https://www.epa.gov/ground-level-ozone-pollution/health-effects-ozone-pollution>

¹³ <https://www.epa.gov/ground-level-ozone-pollution/ecosystem-effects-ozone-pollution>

¹⁴ <https://www.epa.gov/air-trends/ozone-trends>




Figure 16: Southwest Regional Trend in O3 Concentrations¹⁴


2.3 Mobile Source Air Toxics

Although not a criteria pollutant under the NAAQS, mobile source air toxics (MSAT) are also regulated by EPA. Many air toxics are formed from human made sources such as motor vehicles, dry cleaners, and other industrial and commercial sources. Controlling air toxic emissions became a national priority with the passage of the CAAA, whereby Congress mandated that the EPA regulate 188 air toxics, also known as hazardous air pollutants. The EPA assessed this expansive list in its rule on the Control of Hazardous Air Pollutants from Mobile Sources (Federal Register, Vol 72, No. 37, page 8430, February 26, 2007), and identified a group of 93 compounds emitted from mobile sources that are part of EPA's Integrated Risk Information System (IRIS)¹⁵. In addition, EPA identified nine compounds with significant contributions from mobile sources that are among the national and regional-scale cancer risk drivers or contributors and non-cancer hazard contributors from the 2014 National Air Toxics Assessment (NATA)¹⁶. These are 1,3-butadiene, acetaldehyde, acrolein, benzene, diesel particulate matter (diesel PM), ethylbenzene, formaldehyde, naphthalene, and polycyclic organic matter. While FHWA considers these the priority MSAT, the list is subject to change and may be adjusted in consideration of future EPA rules.

Using EPA's MOVES3 model, as shown below in *Figure 17*, FHWA estimates that even if VMT increases by 31 percent from 2020 to 2060 as forecast, a combined reduction of 76 percent in the total annual emissions for the priority MSAT is projected for the same time period. This substantial decrease in emissions is primarily due to the strict regulations on fuels and motor vehicles that were required under the EPA's 2007 rule.

¹⁵ <https://www.epa.gov/iris>

¹⁶ <https://www.epa.gov/national-air-toxics-assessment/2014-nata-assessment-results>



Notes: Trends for specific locations may be different, depending on locally derived information representing vehicle-miles travelled, vehicle speeds, vehicle mix, fuels, emission control programs, meteorology, and other factors.

Source: EPA MOVES3 model runs conducted by FHWA in March 2021¹⁷

Figure 17: FHWA Projected National MSAT Emission Trends 2020-2060 for Vehicles Operating on Roadways

2.4 Attainment Status

The project is located within the Paul Spur/Douglas planning area, which is currently in nonattainment for large particulates, otherwise known as PM_{10} , and in attainment for all other pollutants as noted previously in *Table 1*. The Paul Spur/Douglas PM_{10} nonattainment area is located along the Mexico-United States border in Cochise County, as shown in *Figure 18*. The Paul Spur/Douglas area was designated as a nonattainment area under the 1987 24-hour PM_{10} standard, which was retained under the Environmental Protection Agency's (EPA's) 2006 PM National Ambient Air Quality Standards (NAAQS) review (effective December 18, 2006). The area is classified as a "moderate" nonattainment area. As an isolated rural nonattainment area, the Paul Spur/Douglas planning area is subject to a regional air quality conformity process. Arizona Department of Environmental Quality (ADEQ) is in the process of developing a nonattainment State Implementation Plan (SIP) which will include an emission inventory, modeling demonstration, strategy for Exceptional Events, and requirements for PM_{10} controls. ADEQ identifies six sources of PM_{10} for the

¹⁷https://www.fhwa.dot.gov/environment/air_quality/air_toxics/policy_and_guidance/msat/fhwa_nepa_msat_memorandum_2023.pdf

area – agricultural activities, unpaved roads, cleared areas/vacant lots, open burning and wildfires, windblown dust, and emissions coming across the border from areas outside the U.S. border¹⁸.




Figure 18: Paul Spur/Douglas Nonattainment Area

¹⁸ <https://azdeq.gov/paul-spurdouglas-pm-10-nonattainment-area>

3 PM10 HOT-SPOT ANALYSIS

3.1 Overview of Analysis Approach

The project study area is located in the Paul Spur/Douglas PM₁₀ nonattainment area. The project was presented to the interagency consultation group, which classified it as a project of air quality concern. Therefore, a PM₁₀ hot-spot analysis was conducted.

EPA released guidance for quantifying the local air quality impacts of certain transportation projects for the PM_{2.5} and PM₁₀ NAAQS in October, 2021.¹ This guidance must be used by state and local agencies to conduct quantitative hot-spot analyses for new or expanded highway or transit projects with significant increases in diesel traffic in nonattainment or maintenance areas.

The steps required to complete a quantitative PM hot-spot analysis are summarized in Figure 19. The hot-spot analysis compares the air quality concentrations with the proposed project PM₁₀ NAAQS. These air quality concentrations are determined by calculating a future design value, which is a statistic that describes a future air quality concentration in the project area that can be compared to a particular NAAQS. This report serves as documentation of the methodology for the PM hot-spot analysis.




Figure 19: EPA's PM Hot-spot Analysis Process

Determine Need for Hotspot Analysis

Section 93.109(b) of the conformity rule outlines the requirements for project-level conformity determinations. A PM₁₀ hot-spot analysis is required for projects of local air quality concern, per Section 93.123(b)(1). The need for a quantitative PM₁₀ analysis for the project was discussed by the interagency consultation group. The group agreed that this project is considered a Project of Air Quality Concern (POAQ) due to the increase in diesel truck traffic to the area and therefore a project level hot-spot analysis would be required for the project.

Determine Approach, Model, and Data

The PM₁₀ hot-spot analysis methodology and modeling files were presented to the interagency consultation group through multiple meetings over a period ending on September 6, 2024. Based on guidance in Section 3.3.2 of EPA's PM Hot-Spot Guidance document,¹ and in consultation with

FHWA, EPA, and other agencies, the intersection of James Ranch Road and SR 80 was chosen for the purpose of demonstrating conformity. This intersection represents the location with the largest traffic volumes, lowest speeds due to the installation of a traffic signal, and most overall delay along the project. While the focus is on the intersection, the limits of the Connector Road/James Ranch Road extend to the entrance to the proposed LPOE and the limits of SR 80 extend roughly ½ mile in each direction.

The MOVES on-road vehicle emissions model requires a variety of data to accurately develop emission factors for project. This data was gathered from the Paul Spur/Douglas Regional Conformity Analysis and the Final Traffic Report for the project and formed into input files for use in the MOVES software.

The AERMOD dispersion model requires meteorological data to predict pollutant concentrations at receptors within the project area. Five years of meteorological data files were provided by Arizona DEQ based on observed surface data and upper air data from Bisbee-Douglas Airport for the 5-year period from 2015 through 2019. This meteorological data was determined to be representative of the project area conditions because of its proximity to the project site (7 miles), similarity in land use and terrain, and the data meets the completeness requirements of Section 5.3.2 of EPA's *Meteorological Monitoring Guidance for Regulatory Modeling Applications*.¹⁹ Information from ADEQ that describes the processing steps and summarizes completeness determination is included in Appendix A.

All model inputs and assumptions are included in Appendix A.

Estimate On-Road Vehicle Emissions

On-road vehicle emissions were estimated using EPA's MOVES3.1 software. MOVES uses a variety of input files to determine project level emissions. These input files were developed using different sources including data from the Paul Spur/Douglas Regional Conformity Analysis, the Final Traffic Report for the Connector Road, and default data from MOVES. Vehicle age distribution and meteorological data were developed during the Regional Conformity Analysis and were carried over into this analysis. Default fuel specifications from MOVES were used in the absence of any additional local data. MOVES requires link specific data to estimate emissions at the project level. The intersection of the Connector Road/James Ranch Road and SR 80 was broken down into 22 links depending on movement (left turn, through, right turn) and link type (acceleration, cruise, queue). Link specific information was derived from a combination of data from the Traffic Report for the project and information from the Regional Conformity Analysis. Link information included link length, total volume, average speed, and road grade. A unique vehicle mix was also calculated for each link based on the volumes of three vehicle types (passenger, medium vehicle, and heavy vehicle) provided in the traffic data. Within each of the vehicle types, the volumes were allocated to the associated MOVES source types using the distribution of vehicle population from the Regional Conformity Analysis. Each input is described further in Appendix A and the Traffic Report is provided in Appendix B.

PM₁₀ emission factors were developed for an analysis year of 2050, which represents the year with the highest vehicle volume along the Connector Road due to the proposed LPOE and potential development in the area. Therefore, 2050 will also contain the highest levels of road dust, which is the largest contributor to PM₁₀ emissions. PM₁₀ emissions also vary by time of day and month. The Traffic Report contains volumes for the AM and PM peak hours but does not have volumes for midday

¹⁹ U.S. EPA, *Meteorological Monitoring Guidance for Regulatory Modeling Applications*, February 2002. https://www.epa.gov/sites/default/files/2020-10/documents/mmgrma_0.pdf, accessed June 2024.

or overnight time periods. Therefore, to be conservative, the AM volumes were used for both the midday and overnight time periods. Speed data was calculated for each link based on the link's characteristics, including speed limits, average acceleration rate, and factors related to proposed signal timing at the intersection. The Traffic Report did not associate any seasonality with the developed traffic data. A preliminary default MOVES model run was conducted to determine the month of highest emissions rates from each of the four seasons (January, April, July, and October), based on the seasonal fuel specifications. From this model run, the highest emissions occurred in July. MOVES was then run for July for each of the four time periods (AM peak, midday, PM peak, and overnight). These runs resulted in each link having a set of 4 emission factors in units of grams per hour for the year 2050. The project links are shown in *Figure 20* and *Figure 21*.




Figure 20: Project Links




Figure 21: Project Links Intersection Zoom

Estimate Emissions from Road Dust, Construction and Additional Sources

Re-entrained road dust must be included in all PM₁₀ hot-spot analyses. Section 13.2.1 of AP-42 provides a method for estimating emissions of re-entrained road dust using local values for precipitation, average vehicle weight, and silt loading.²⁰ In the Regional Conformity Analysis, re-entrained road dust was calculated based on factors supplied by the 2020 National Emissions Inventory (NEI). The 2020 NEI documentation provides a table for silt loading based on FHWA road type and average daily traffic volumes, as well as a table for average vehicle weights by FHWA vehicle class.²¹ Using this same methodology, emission factors for road dust were developed for each segment of the Connector Road/James Ranch Road and SR 80 intersection. This data is provided below in *Table 2*.

²⁰ https://www.epa.gov/sites/default/files/2020-10/documents/13.2.1_paved_roads.pdf

²¹ https://www.epa.gov/system/files/documents/2023-03/NEI2020_TSD_Section23_Dust_PavedRoads.pdf

Table 2: Road Dust Emissions Factors

Facility	ADT	K	W (tons)	sL (g/m ²)	E (g/VMT)
SR 80 (West of James Ranch Rd)	23,168	1	4.56	0.015	0.102857
SR 80 (East of James Ranch Rd)	49,580	1	5.17	0.015	0.117018
James Ranch Rd (North of SR 80)	1,440	1	1.99	0.2	0.467048
James Ranch Rd (South of SR 80)	38,676	1	6.20	0.03	0.264481

Emission factors for road dust were added to the emission factors generated for each link by MOVES for use in the AERMOD dispersion model.

Construction emissions were not included because construction will not occur at any individual location for more than five years. EPA guidance requires nearby sources of PM₁₀ emissions to be included in air quality modeling when those sources are not appropriately reflected in the background data or would be affected by the project. The potential PM₁₀ impacts associated with the idling activities at the LPOE were analyzed in detail in the *PM₁₀ Hot Spot Air Quality Memorandum – City of Douglas Commercial Land Port of Entry (POE)* (Kimley-Horn, 2024), which is provided in Appendix E. Figure 22 displays the PM₁₀ concentrations at the LPOE respective to the proposed Connector Road with the receptor with the 6th highest concentration denoted by a star. From this gradient, the total concentrations for the LPOE have a de minimis impact to the background emissions along the proposed Connector Road. The maximum predicted 24-hour concentrations for this receptor and the receptor at the driveway from the LPOE to the proposed Connector Road are shown in Table 3 relative to the background concentration in the area.




Figure 22: PM₁₀ Concentrations at the LPOE

Table 3: Predicted PM₁₀ Concentrations from the LPOE

Location	6 th Highest PM ₁₀ Value (ug/m ³)	Background PM ₁₀ Value (ug/m ³) ¹	Total Concentration (ug/m ³)
6 th -highest maximum concentration receptor	0.11	107	107.11
Driveway at the Proposed Connector Road receptor	0.02	107	107.02

Notes:

1. Background values taken from the fourth highest concentration from three years of monitoring data from the Douglas Red Cross monitor (discussed further in this section).
2. PM₁₀ concentrations at the receptors decrease with increasing distance from the source, as PM₁₀ disperses and dilutes with distance.

It is assumed that PM₁₀ concentrations due to any other nearby emissions sources are included in the ambient monitor values used for background concentrations. In addition, this project is not expected to result in changes to emissions from nearby sources.

Set Up and Run Air Dispersion Model (AERMOD)

EPA's AERMOD (version 23132) air dispersion model was used to estimate concentrations of PM₁₀ due to the project. The model uses traffic data, emission factor data, and meteorological data to estimate ground-level concentrations of PM₁₀ at a series of receptors. The model setup included a series of sources representing the roadway links provided by MOVES. The links were represented in AERMOD using a series of line sources. Link specific inputs included source location, source length and width, emission rate, release height, and initial vertical dimension.

AERMOD was run using five years of meteorological data provided by ADEQ, based on observed surface data and upper air data from Bisbee-Douglas Airport for the 5-year period from 2015 through 2019. This data meets EPA completeness criteria for dispersion modeling and is considered representative of the project area.

Receptors were placed to estimate the highest concentrations of PM₁₀ in the study area to determine any possible violations of the NAAQS. The highest concentrations are expected to occur near the links with the highest estimated daily volume. Receptors were placed starting five meters from the roadway edge, extending up to 105 meters away with a spacing of 25 meters. Receptors were placed at a height of 1.8 meters. Locations where the public does not have access cannot be determined at this time because the proposed roadway is located in a rural, undeveloped area. As a result, receptors were placed at all possible locations. The receptor grid is shown below in *Figure 23*.




Figure 23: AERMOD Receptor Locations

Determine Background Concentrations

The Arizona Department of Environmental Quality (ADEQ) maintains two active air quality monitoring stations in the Paul Spur/Douglas PM₁₀ nonattainment area:

- AQS Site ID 04-003-0011 – Paul Spur Chemical Lime Plant
- AQS Site ID 04-003-1005 – Douglas Red Cross

The locations of the two PM₁₀ monitoring stations are shown in Figure 24. Table 4 shows the 24-hour PM₁₀ monitoring data for the last three full years for 2021 through 2023.



Figure 24: PM₁₀ Air Quality Monitor Locations

Table 4: Paul Spur/Douglas PM₁₀ Monitoring Data (2021-2023)²²

Year	PM ₁₀ Maximum Concentration ($\mu\text{g}/\text{m}^3$)		Number of Days Exceeding NAAQS	
	Paul Spur	Douglas	Paul Spur	Douglas
2021	161	107	1	0
2022	91	130	0	0
2023	99	155	0	1

²² <https://www.epa.gov/outdoor-air-quality-data/interactive-map-air-quality-monitors>

Annual mean PM₁₀ concentrations for both the Paul Spur Chemical Lime Plant (ID 04-003-0011) and the Douglas Red Cross (ID 04-003-1005) monitoring stations have followed a similar trend with concentrations decreasing from 2021 to 2022 and then increasing slightly from 2022 to 2023. Each monitoring station had one day of exceedance of the National Ambient Air Quality Standards (NAAQS) for PM₁₀ over the three-year period with max concentrations of 161 µg/m³ at the Paul Spur station in 2021 and 155 µg/m³ at the Douglas Red Cross station in 2023.

The fourth highest concentrations from three years of monitoring data for each monitor is 107 µg/m³ for the Douglas Red Cross monitor and 93 µg/m³ for the Paul Spur monitor. The proposed Connector Road is roughly halfway between the two monitors, so to be conservative, the fourth highest concentration at the Douglas Red Cross monitor was chosen as the background concentration and approved during the interagency consultation process.

The background value was added to the AERMOD modeled values for comparison to the PM₁₀ NAAQS of 150 µg/m³. The background values are conservative, because it is expected that ambient PM concentrations will be lower in future years as a result of the State Implementation Plan currently in development and the general trend in declining vehicle emissions due to technological advances. It is assumed that emissions from other nearby sources are already included in the ambient monitoring data.

Calculate Design Values and Determine Conformity

The model results were added to the background concentrations to calculate the design values. To determine the 24-hour PM₁₀ design value, the following steps were used, as outlined in the guidance:

1. From the air quality modeling results from the build scenario, identify the sixth highest 24-hour concentration for each receptor. AERMOD output provides the sixth-highest modeled concentration from the 5-year period for each receptor.
2. Identify the receptor with the highest sixth-highest 24-hour concentration.
3. Identify the appropriate 24-hour background concentration from the three most recent years of air quality monitoring data. This value is 107 µg/m³, as described above.
4. For the receptor identified in Step 2, add the sixth-highest 24-hour modeled concentration to the appropriate 24-hour background concentration (from Step 3).
5. Round to the nearest 10 µg/m³. The result is the highest 24-hour PM₁₀ design value in the build scenario. The final results are summarized in *Table 5*.

Consider Mitigation or Control Measures

If the total concentration of the highest 24-hour PM₁₀ design value is greater than the PM₁₀ NAAQS, mitigation or control measures would need to be considered to reduce emissions in the project area.

Document Analysis

This Air Quality Report documents the PM hot-spot results from the project.

3.2 PM₁₀ Modeling Results

The modeled concentrations, including background, were compared to the PM₁₀ NAAQS. The receptor with the 6th-highest maximum concentration was located along the proposed Douglas Connector Road. *Figure 25* shows the receptor concentrations at the intersection with the maximum value denoted by a star.




Figure 25: AERMOD PM₁₀ Model Results

Table 5 presents the values used to determine the maximum predicted 24-hour PM₁₀ concentrations for the intersection. The total concentrations for the project do not exceed the PM₁₀ NAAQS when rounded to the nearest 10 µg/m³. Therefore, the project meets conformity requirements. Mitigation or control measures to reduce emissions in the project area do not need to be considered by the project sponsors. Modeling files are available by request.

Table 5: Predicted Project PM₁₀ Concentration

Modeled Group	6 th Highest PM ₁₀ Value (µg/m ³)	Background PM ₁₀ Value ¹ (µg/m ³)	Total Concentration (µg/m ³)	Total Concentration Rounded to the nearest 10 µg/m ³	PM ₁₀ NAAQS (µg/m ³)
All Project Level Links	31.06	107	138.06	140	150

Notes:

1. Background values taken from the fourth high concentration from three years of monitoring data from the Douglas Red Cross monitor.

3.3 Conformity

Section 176c of the CAA requires that transportation projects conform to the approved air quality State Implementation Plan (SIP) for meeting federal air quality standards. Conformity requirements were made substantially more rigorous in the CAA Amendments. The conformity determinations for federal actions related to transportation projects must meet the requirements of 40 CFR Parts 51 and 93. This project is not likely to cause or contribute to the severity or number of violations of the NAAQS. As an isolated rural nonattainment area, the Paul Spur/Douglas planning area is subject to

a regional air quality conformity process. The planned Douglas Commercial Port of Entry Connector Road is likely to be classified as regionally significant and is not within a conforming Transportation Improvement Program (TIP). This project is included in the Southeastern Arizona Governments Organization (SEAGO) FY 2024-2028 Transportation Improvement Program.

3.4 Public Involvement

Public meetings were held on April 27 and August 3, 2023, to provide information on the project's purpose and need and to present the alternatives being evaluated, respectively. The study timeline of 24 months was also presented to inform the meeting attendees of how long it would take to prepare a Design Concept Report and an Environmental Assessment to gain project approval by ADOT. Approximately 75 comments were received at these meetings. No comments were received regarding air quality.


The Draft Air Quality Report was published on ADOT's website on October 25, 2024, with the latest modeling assumptions in force on October 25th, with no additional modeling change. Comments from the Interagency Consultation group and the public were welcome through December 9, 2024. The Interagency Consultation group was notified by email with a link to the Draft Air Quality Report for their review. Four comments were received during the review period and were addressed in this report. Interagency Consultation Documentation is available in Appendix A.

**Appendix A: Project Level PM Quantitative Hot-Spot Analysis -
Consultation Document for Project of Air Quality Concern**

Project Level PM Quantitative Hot-Spot Analysis – Consultation Document for Project of Air Quality Concern

Completing a Particulate Matter (PM) Hot-Spot Analysis

The general steps required to complete a quantitative PM hot-spot analysis are outlined below and described in detail in the EPA Office of Transportation and Air Quality guidance document "Transportation Conformity Guidance for Quantitative Hot-spot Analyses in PM_{2.5} and PM₁₀ Nonattainment and Maintenance Areas" EPA-420-B-15-084, November 2015.



* Described in Attachment A (Air Quality Concern Questionnaire).

** These Steps will be described and documented in a final air quality analysis report.

Step 2: Determine the Approach, Models, and Data

- Describe the project area (area substantially affected by the project, 58 FR 62212) and emission sources.
- Determine general approach and analysis year(s) – year(s) of peak emissions during the time frame of the transportation plan (69 FR 40056).
- Determine National Ambient Air Quality Standards (NAAQS) and PM types to be evaluated.
- Select emissions and dispersion models and methods to be used.
- Obtain project-specific data (e.g., fleet mix, peak-hour volumes and average speed).

Step 3: Estimate On-Road Motor Vehicle Emissions

- Estimate on-road motor vehicle emissions using MOVES.

Step 4: Estimate Dust and Other Emissions

- Estimate road dust emissions using AP-42 Paved Roads.
- Do emissions from other sources (e.g., locomotives) need to be considered?

Step 5: Set Up and Run Air Quality Model (AERMOD)

- a. Obtain and input required site data (e.g., meteorological).
- b. Input MOVES and AP-42 outputs (emission factors).
- c. Determine number and location of receptors, roadway links, and signal timing.
- d. Run air quality dispersion model and obtain concentration results.

Step 6: Determine Background Concentrations

- a. Determine background concentrations from nearby and other emission sources excluding the emissions from the project itself.

Step 7: Calculate Design Concentrations and Compare Build/No-Build Results

- a. Add step 5 results to background concentrations to obtain values for the Build scenario.
- b. Determine if the design values allow the project to conform.

Step 8: Consider Mitigation or Control Measures

- a. Consider measures to reduce emissions and redo the analysis. If mitigation measures are required for project conformity, they must be included in the applicable SIP and be enforceable.
- b. Determine if the design values from allow the project to conform after implementing mitigation or control measures.

Step 9: Document Analysis

- a. Determine if the project conforms or not based on the results of step 7 or step 8.
To support the conclusion that a project meets conformity under 40 CFR 93.116 and 93.123, at a minimum the documentation will include:
 - Description of proposed project, when it is expected to open, and projected travel activity data.
 - Analysis year(s) examined and factors considering in determining year(s) of peak emissions.
 - Emissions modeling data, model used with inputs and results, and how characterization of project links.
 - Model inputs and results for road dust, construction emissions, and emissions from other source if needed.
 - Air Quality modeling data, included model used, inputs and results and receptors.
 - How background concentrations were determined.
 - Any mitigation and control measures implemented, including public involvement or consultation if needed.
 - How interagency and public participation requirements were met.
 - Conclusion that the proposed project meets conformity requirements.
 - Sources of data for modeling.

Interagency Consultation

ADOT will circulate the following Tables along with the *Project Level Conformity – Particulate Matter Project of Air Quality Concern Questionnaire* to describe in detail how the steps listed in EPA hot spot guidance will be followed. It is requested that consulted parties provide comments or questions on the methods, models and assumptions within 30 business days, a non-response will be interpreted to mean that the party concurs with the planning assumptions as describe in the Table. Table 1 includes ADOT's recommended methods, models, and assumptions, while Table 2 displays proposed inputs, parameters, and data sources for the project.

Table 1. Methods, Models and Assumptions

Estimate On-Road Motor Vehicle Emissions (Step 3) – Modeling highways and/or intersections for PM10 (Contact ADOT if modeling off-network data such as terminals and parking lots or performing a PM2.5 analysis)

MOVES3.1	Description	Reference
Scale	<i>Onroad, Project Scale and Inventory</i>	EPA Hot Spot Guidance Section 4.4.2
Time Spans	<i>4-weekday runs for each of the following months January (Quarter 1), April (Quarter 2), July (Quarter 3); October (Quarter 4) for each year. Each of these 4 runs will further be split by Morning peak hours, Midday Emissions, Evening Peak and Overnight hours as defined by TDM model.</i>	EPA Hot Spot Guidance Sections 2.8, 4.3 & 4.4.3
Geographic Bounds	<i>County (If a project spans multiple counties, see the EPA Guidance)</i>	EPA Hot Spot Guidance Section 4.4.4
Onroad Vehicles	<i>All Fuels and Source Use Types will be selected.</i>	EPA Hot Spot Guidance Section 4.4.5
Road Type	<i>Based on the project location</i>	EPA Hot Spot Guidance Section 4.4.6
Pollutants and Processes	<i>Primary Exhaust PM10-Total(for Running Exhaust and Crankcase Running Exhaust), Break Wear Particulate, Tire Wear Particulate</i>	EPA Hot Spot Guidance Sections 2.5 & 4.4.7
General Output and Output Emissions Detail	<i>Database will be created, Grams, Joules, Miles, Distance Traveled, Population will be selected. Output Aggregation is set to Hour and Link by default and the "for All Vehicle/Equipment Categories" and "Onroad" selections are optional in the Output Emissions Detail. After running MOVES3.1 for a particular hour/day/month scenario, the PM10_Grams_Per_Veh_Hour script (for Inventory mode) can be run on the output database.</i>	EPA Hot Spot Guidance Section 4.4.8, 4.4.9 & 4.6
Create Input Database	<i>Input database will be created and modified for Project level using required Regional Inputs from latest Regional Conformity Analysis.</i>	EPA Hot Spot Guidance Section 4.4.10 and See Project Data Manager below
Project Data Manager	<i>Database will be created and MOVES3.1 templates will be created to include local project data and information provided by xx, e.g., Fuel, Age Distribution, Meteorology Data, to be consistent with the regional model. Links and Link Source Type will be specific to project as provided by the traffic study, any missing information will use default MOVES3.1 data.</i>	EPA Hot Spot Guidance Sections 4.5 & Appendix D
Meteorology	<i>Same for build and no-build scenarios. A minimum of four hours (AM, PM, MD & ON), for one day (weekday) and for January, April, July and October is required. May use the County meteorology file for the county</i>	EPA Hot Spot Guidance Section 4.5.1

	<i>used in the latest SIP or regional conformity analysis.</i>	
Age Distribution	<i>Same for build and no-build scenarios, unless something about the project would change them.</i>	EPA Hot Spot Guidance Section 4.5.2
Fuel	<i>Same for build and no-build scenarios. Fuel files should be consistent with those used in the latest SIP or regional conformity analysis if local information is available. Otherwise, MOVES default fuel supply and formulation information can be used.</i>	EPA Hot Spot Guidance Section 4.5.3, PM hot-spot training slides Module 2
I/M Programs	<i>No impact on PM emissions.</i>	EPA Hot Spot Guidance Section 4.5.4
Retrofit Data	<i>If necessary. For example, a bus terminal project might include plans to mitigate emissions by retrofitting the bus fleet.</i>	Project specific modeling EPA Hot Spot Guidance Section 4.5.5
Links	<i>Unique inputs needed for each run. Requires information on each link's length (in miles), traffic volume (vehicle per hour), average speed (miles per hour) and road grade (percent).</i>	EPA Hot Spot Guidance Section 4.5.6 & Appendix D
Link Source Types	<i>Unique inputs needed for each run. Project-specific data are preferred. If the source type distribution can be represented by that of the regional fleet, the data used in the latest regional emissions analysis can be provided.</i>	EPA Hot Spot Guidance Section 4.5.7
Link Drive Schedules, Operating Mode Distribution	<i>Unique inputs needed for each run. Three options are available: 1. Provide average speed and road type through the Links Importer; 2. Provide a link drive schedule using the Link Drive Schedule Importer; 3. Provide a detailed operation distribution for the link.</i>	EPA Hot Spot Guidance Section 4.5.8
Off-Network, Hotelling, Generic	<i>If necessary. For example, a project analysis includes areas where vehicles are not driving on the project links, but still contributing to the project's emissions.</i>	EPA Hot Spot Guidance Section 4.5.9

Estimate Dust and Other Emissions (Step 4)

(AP-42 emission factors below should be based on SIP or Regional Conformity Analysis provided by ADEQ, MAG, PAG or YMPO depending on the project's location)

AP-42, Fifth Edition, 2011	Description	Reference
Average Weight Vehicles	<i>All roads xx Ton, Freeway xx Ton, Arterials xx Ton</i>	Source of Data TIP or RTP, Regional Conformity Analysis
Silt Loading	<i>Section 13.2.1 Paved Roads from AP 42 will be used, consistent with the Regional analysis from xx. Emission factors for road and construction dust should be added to the emission factors generated for each link by MOVES3.1. Ex. Silt loading - Freeways .02 g/m^2, Arterials >10,000 ADT .067g/m^2, Low traffic roads <10,000 ADT .23g/m^2.</i>	EPA Hot Spot Guidance Section 6, When estimating emissions of re-entrained road dust from paved roads, site-specific silt loading data must be consistent with the data used for the project's county in the regional emissions analysis (40 CFR 93.123(c)(3)).

Construction Dust	<i>If Construction Dust is temporary, it will not be included. If there are other sources (e.g., locomotives), they need to be considered.</i>	EPA Hot Spot Guidance Section 6.5
Precipitation	<i>In xxx SIP/Regional Conformity used average of xx days with at least .01 inch of precipitation County</i>	Source of Data TIP or RTP, Regional Conformity Analysis, SIP
Set Up and Run Air Quality Model (AERMOD) (Step 5)		
AERMOD v.23132	Description	Reference
Model Setup (CO Pathway)	<i>Control Pathway defines the primary model settings.</i>	EPA Hot Spot Guidance Section 7.1, 7.2 & Appendix J, AERMOD User's Guide Section 2.3.2 & 3.2
TITLEONE	<i>Model title</i>	
MODELOPT	<i>CONC FLAT (Use IAC if modeling nearby elevated source)</i>	Modeling Concentrations and Flat Terrain
AVERTIME	24	Average across each 24-hour period from the available met data
URBANOPT	<i>Population for Urban Area</i>	
FLAGPOLE	1.8	
POLLUTID	PM10	
Source Types and Characters (SO Pathway)	<i>For highway and interaction sources, characterize area sources with the LINE source keyword (Use IAC if volume sources are needed).</i>	EPA Hot Spot Guidance Section 7.3, 7.4 & Appendix J.2, J.3, AERMOD User's Guide Section 2.3.3 & 3.3
LOCATION	<i>Srcid Srctyp (LINE)</i>	
SRCPARAM	<i>Srcid Lnemis Relhgt Width Szinit</i>	LINE Source parameters See EPA Hot Spot Guidance Appendix J.3.1
URBANSRC	<i>Srcid</i>	Urban source IDs
EMISFACT	<i>Emission rate=1, Use SEASHR</i>	Total 16 MOVES run=4 seasons x 4 time periods to 96 factors (4 seasons/24 hours) See PM hot-spot training slides (FHWA, 2022)
SRCGROUP	<i>GroupID or All</i>	
Meteorological Data (ME Pathway)	<i>The meteorological data will be based on the pre-processed met files from ADEQ or the met files produced by AERMET program.</i>	EPA Hot Spot Guidance Section 7.5, Appendix J.4, AERMOD User's Guide Section 2.3.5 & 3.5
SURFFILE	<i>Surface file name</i>	*.sfc
PROFILE	<i>Profile (upper air) file name</i>	*.pfl
SURFDATA	<i>Surface data station</i>	
UAIRDATA	<i>Upper air data station</i>	
PROFBASE	<i>Met data station elevation</i>	
Run Met Pre-Processor	<i>If necessary</i>	AERMET User's Guide (for AERMOD)
Urban or Rural Sources	<i>Specifications for URBANOPT (CO Pathway) and URBANSRC (SO Pathway)</i>	EPA Hot Spot Guidance Section 7.5.5 & Appendix J.4, AERMOD Implementation Guide,

		Section 7.2.3 of Appendix W to 40 CFR Part 51
Receptors (RE Pathway)	<i>Receptors should begin 5 m from roadway edge, extending up to 105 m (or further if needed). Spacing of 25 m is typically sufficient.</i>	EPA Hot Spot Guidance Section 7.6, AERMOD User's Guide Section 2.3.4 & 3.4, Section 7.2.2 of Appendix W to 40 CFR Part 51, See PM hot-spot training slides
DISCCART	X Y (Z)	Z is optional if FLAGPOLE is already defined in CO Pathway.
GRIDCART	<i>Use a 3rd party program if available.</i>	e.g., AERMOD View
Output (OU Pathway)	<i>PLOTFILE and/or POSTFILE will be generated if necessary.</i>	EPA Hot Spot Guidance Appendix J.6, AERMOD User's Guide Section 2.3.6 & 3.7
RECTABLE	24 6th	Since PM should be one or less exceedance per year, with 5 years of met data, the 6 th highest concentration at each receptor
PLOTFILE	<i>Optional</i>	
POSTFILE	<i>Optional</i>	
Model Runs	<i>Use AERMOD User's Guide Appendix B to decode and correct errors.</i>	EPA Hot Spot Guidance Section 7.7, AERMOD User's Guide Section 2.3.7, 2.3.8, 3.8 & Appendix B
Determine Background Concentrations (Step 6)		
Source Type	Description	Reference
Nearby Sources	<i>If necessary</i>	EPA Hot Spot Guidance Section 8.2
Other Sources (Ambient Monitoring Data)	<i>Using a Single Monitor (Most likely option) or Interpolating Between Several Monitors. When using a single monitor: Select a monitor with similar land use to the project, upwind from project, and isn't impacted by Exceptional Events. Three years of monitoring data (20xx-20xx) using the 4th highest readings based on total number of sampling days of 1076 days, the 4th highest monitor value over these three years is xxx. To estimate the sixth-highest concentration, for each receptor, the six highest 24-hour concentrations from each quarter and year of meteorological data will be arrayed together and ranked, then added to the xxx monitor value.</i>	EPA Hot Spot Guidance Section 8.3, PM hot-spot training slides Module 5 & 6

Table 2. Proposed Inputs, Parameters and Data Sources

Estimate On-Road Motor Vehicle Emissions (Step 3)		
MOVES3.1	Input	Data Source/Detail
Scale	Onroad, Project Scale and Inventory	Paul Spur/Douglas Regional Conformity Data (April 2024)
Time Spans	July 2050, 4 runs	2050 represents the year with the highest vehicle volume along the Connector Road due to the proposed POE and potential development in the area. Therefore, 2050 will also contain the highest levels of road dust, which is the largest contributor to PM10 emissions. Because there is no seasonality associated with the traffic data developed in the Traffic Study, preliminary runs were conducted for each season (Jan, Apr, July & Oct) with July having the highest emissions. 4 weekday time periods (6-9AM, 9AM-4PM, 4-7PM & 7PM-6AM) will be analyzed for July 2050.
Geographic Bounds	Cochise County, Arizona	EPA Hot Spot Guidance Section 4.4.4
Onroad Vehicles	All Fuels and Source Use Types will be selected.	EPA Hot Spot Guidance Section 4.4.5
Road Type	Rural Unrestricted Access	EPA Hot Spot Guidance Section 4.4.6
Pollutants and Processes	Primary Exhaust PM10-Total (for Running Exhaust and Crankcase Running Exhaust), Break Wear Particulate, Tire Wear Particulate	EPA Hot Spot Guidance Sections 2.5 & 4.4.7
General Output and Output Emissions Detail	Database will be created, Grams, Joules, Miles, Distance Traveled, Population will be selected. Output Aggregation is set to Hour and Link by default and Source Use Type is selected in the "Onroad" selection. All other items in the "for All Vehicle/Equipment Categories" and "Onroad" selections are left unchecked in the Output Emissions Detail. After running MOVES3.1 for a particular hour/day/month scenario, the PM10_Grams_Per_Veh_Hour script can be run on the output database.	EPA Hot Spot Guidance Section 4.4.8, 4.4.9 & 4.6
Create Input Database	Input database will be created and modified for Project level using required Regional Inputs from latest Regional Conformity Analysis.	EPA Hot Spot Guidance Section 4.4.10 and See Project Data Manager below
Project Data Manager	Database will be created and MOVES3.1 templates will be created to include local	EPA Hot Spot Guidance Sections 4.5 & Appendix D

	project data and information, e.g., Fuel, Age Distribution, Meteorology Data, to be consistent with the Regional Conformity Analysis. Links and Link Source Type will be specific to project as provided by the traffic study, any missing information will use default MOVES3.1 data.	
Meteorology	2019 Data from Douglas-Bisbee Airport	NOAA, Paul Spur/Douglas Regional Conformity Data (April 2024) EPA Hot Spot Guidance Section 4.5.1
Age Distribution	2020 Data from ADOT MVD Reports for Cochise County Projected to Year 2050 from EPA's Age Distribution Projection Tool.	ADOT, Paul Spur/Douglas Regional Conformity Data (April 2024) EPA Hot Spot Guidance Section 4.5.2
Fuel	Default fuel information provided by MOVES3.1 will be used for all fuel inputs.	MOVES Default Data EPA Hot Spot Guidance Section 4.5.3, PM hot-spot training slides Module 2
I/M Programs	No I/M Program active for the project area.	ADOT EPA Hot Spot Guidance Section 4.5.4
Retrofit Data	Not applicable for this project.	Project specific modeling EPA Hot Spot Guidance Section 4.5.5
Links	Unique inputs to be used for each run based on each link's length (miles), volume (vehicles/hour) average speed (miles/hour), and road grade (%). The proposed links are shown in Attachment B.	EPA Hot Spot Guidance Section 4.5.6 & Appendix D
Link Source Types	Unique inputs to be used for each run, based on project specific data from the Traffic Study. The distribution of passenger, medium, and heavy vehicles was available from the Study. The vehicles in these three source types were allocated to the associated MOVES source types using the SourceTypePopulation breakdown from the Regional Conformity Analysis.	EPA Hot Spot Guidance Section 4.5.7 City of Douglas International Port of Entry Connector Road Traffic Study Section 3.4.4, Section 7.1, and Section 7.2. Paul Spur/Douglas Regional Conformity Data (April 2024)
Link Drive Schedules, Operating Mode Distribution	Average speed and road type will be provided through the Links Importer. Precise drive schedules and operating mode distributions are not available based on information developed in the Traffic Study.	EPA Hot Spot Guidance Section 4.5.8 City of Douglas International Port of Entry Connector Road Traffic Study analysis files

Off-Network, Hotelling	This project analysis focuses on the Connector Road and its intersection with SR 80. There are no sources of off-network or hotelling emissions that are affected by the project.	EPA Hot Spot Guidance Section 4.5.9
Estimate Dust and Other Emissions (Step 4)		
AP-42, Fifth Edition, 2011	Parameter	Data Source/Detail
Average Weight Vehicles	Average Weight of Vehicles to be determined using the average vehicle weights from MOVES used in the Regional Conformity Analysis	Paul Spur/Douglas Regional Conformity Data (April 2024)
Silt Loading	Silt loading values for each road will be consistent with the Regional Conformity Analysis based on daily traffic volume	Paul Spur/Douglas Regional Conformity Data (April 2024)
Construction Dust	Construction Dust is temporary and not included	EPA Hot Spot Guidance Section 6.5
Precipitation	Cochise County has an average of 60 days with at least 0.01 inch of precipitation	Figure 13.2.1-2 of Section 13.2.1 of AP-42
Set Up and Run Air Quality Model (AERMOD) (Step 5)		
AERMOD v.23132	Parameter	Data Source/Detail
Model Setup (CO Pathway)		EPA Hot Spot Guidance Section 7.1, 7.2 & Appendix J, AERMOD User's Guide Section 2.3.2 & 3.2
TITLEONE	Douglas Connector Road_PM10	
MODELOPT	Non-Default - CONC FLAT	Modeling Concentrations and Flat Terrain per EPA Hotspot Guidance Section J.5
AVERTIME	24-hour	Average across each 24-hour period from the available met data
URBANOPT	Population for Urban Area - 125,663	
FLAGPOLE	Flagpole receptor heights of 1.8 m will be used.	
POLLUTID	PM10	
Source Types and Characters (SO Pathway)	Line Source	EPA Hot Spot Guidance Section 7.3, 7.4 & Appendix J.2, J.3, AERMOD User's Guide Section 2.3.3 & 3.3
LOCATION	Srcid: LINE Srctyp ALINE	
SRCPARAM	Srcid: LINE Lnemis: TBD Relhgt: Szinit*0.5 Width: The width of the traveled way (all travel lanes) + 6 meters Szinit: optional	LINE Source parameters See EPA Hot Spot Guidance Appendix J.3.1
URBANSRC	Srcid	Urban source IDs
EMISFACT	Emission rate=TBD	Total 16 MOVES run=4 seasons x 4 time periods to 96 factors (4 seasons/24 hours)
SRCGROUP	GroupID or All	

Meteorological Data (ME Pathway)	The meteorological data for the Bisbee-Douglas International Airport will be based on the pre-processed met files from ADEQ or the met files produced by AERMET program	EPA Hot Spot Guidance Section 7.5, Appendix J.4, AERMOD User's Guide Section 2.3.5 & 3.5
SURFFILE	Douglas2015-2019	*.sfc
PROFILE	Douglas2015-2019	*.pfl
SURFDATA	Surface data station: 93026 2015 Bisbee-Douglas	
UAIRDATA	Upper air station: 93026 2015 Bisbee-Douglas	
PROFBASE	Met data station elevation: 1,270 m	
Run Met Pre-Processor	N/A	
Urban or Rural Sources	Specifications for RURALOPT (CO Pathway) and RURALSRC (SO Pathway)	EPA Hot Spot Guidance Section 7.5.5 & Appendix J.4, AERMOD Implementation Guide, Section 7.2.3 of Appendix W to 40 CFR Part 51
Receptors (RE Pathway)	Receptors begin 5 m from roadway edge, extending up to 105 m with a spacing of 25 m. Please refer to AERMOD Receptor Grid Figure in Attachment B.	EPA Hot Spot Guidance Section 7.6, AERMOD User's Guide Section 2.3.4 & 3.4, Section 7.2.2 of Appendix W to 40 CFR Part 51, See PM hot-spot training slides
DISCCART	X Y	
GRIDCART	Using AERMOD View	
Output (OU Pathway)	PLOTFILE and/or POSTFILE will be generated if necessary.	EPA Hot Spot Guidance Appendix J.6, AERMOD User's Guide Section 2.3.6 & 3.7
RECTABLE	24 6th	Since PM should be one or less exceedance per year, with 5 years of met data, the 6 th highest concentration at each receptor
PLOTFILE	Optional	
POSTFILE	Optional	
Model Runs		
Determine Background Concentrations (Step 6)		
Source Type	Description	Data Source/Detail
Nearby Sources	If necessary	EPA Hot Spot Guidance Section 8.2
Other Sources (Ambient Monitoring Data)	Background concentrations will be taken from AQS Site ID 04-003-0011 – Paul Spur Chemical Lime Plant. Selection of Paul Spur Chemical Lime Plant is based on highest upwind wind speeds from the monitor in relation to the project site. Refer to Figure 5 of the PM Questionnaire (Attachment A of this document) for the locations of the monitoring site.	

	As stated above, meteorological data will be taken from the Bisbee-Douglas International Airport, please refer to Attachment B for location and wind rose.	
--	--	--

References

PM Hot-spot guidance, EPA-420-B-21-037, October 2021.

User's Guide for the AMS/EPA Regulatory Model (AERMOD), EPA-454/B-21-001, April 2021.

AERMOD Implementation Guide, EPA-454/B-21-006, July 2021.

User's Guide for the AERMOD Meteorological Preprocessor (AERMET), EPA-454/B-22-006, June 2022.

Completing Quantitative PM Hot-spot Analyses: 3-Day Course, FHWA, October 2022.

**Attachment A: Project Level PM Quantitative Hot-Spot
Analysis – Project of Air Quality Concern Questionnaire**

Project Level PM Quantitative Hot-Spot Analysis – Project of Air Quality Concern Questionnaire

To: Beverly Chenausky, Assistant Environmental Administrator
Arizona Department of Transportation (ADOT)

From: Allison Fluitt, P.E., AICP
Kimley-Horn and Associates, Inc.

Date: June 4, 2024

Subject: Douglas Commercial International Port of Entry Connector Road
Federal Project No.: 999-A(561)T
ADOT Project No.: 103686

The Arizona Department of Transportation (ADOT) developed the following questionnaire to aid in determining if a project that is administered using Federal Highway Administration (FHWA) and/or Federal Transit Administration (FTA) funding requires a quantitative PM hot-spot analysis. The responses to the questionnaire are intended to be used for interagency consultation purposes only.

Project Setting and Description

This PM Questionnaire was developed to support the Design Concept Report (DCR) for a connector road between the proposed Douglas Commercial International Port of Entry (IPOE) at the United States (U.S.)-Mexico border and Arizona State Route 80 (SR 80). The project is in the ADOT Southeast District in Cochise County west of Douglas, Arizona and is anticipated to open in 2028.

There are three alignment alternatives currently being considered for the proposed connector road west of United States Route 191 (US 191), two of which intersect SR 80 at James Ranch Road and one of which intersects SR 80 at Brooks Road. The project vicinity is shown in **Figure 1**, and the three alignment alternatives are shown in **Figure 2**. For the purposes of this report, the preferred alignment alternative for the connector road is assumed to intersect SR 80 at the existing SR 80 / James Ranch Road intersection. The results of the analysis at the SR 80 / James Ranch Road intersection are anticipated to be similar at the SR 80 / Brooks Road intersection if the preferred alignment alternative for the connector road intersects SR 80 at Brooks Road instead of James Ranch Road.



Figure 1. Project Vicinity Map




Figure 2. Connector Road Alignment Alternatives Map

The existing IPOE accommodates both commercial and passenger traffic. Trucks entering or exiting the existing IPOE must travel through the City of Douglas on US 191. The current route has 10 schools, 1 healthcare facility, and 7 parks, as well as numerous playgrounds and civic uses within a one-mile radius.

Figure 3 shows the route between the current commercial IPOE and the ADOT Commercial Weigh Station.

The proposed Douglas Commercial IPOE Connector Road falls entirely outside the Douglas municipal limits. One school and one healthcare facility fall within a one-mile radius of the proposed facility. As a result of the relocated Commercial IPOE and the proposed connector road, there will not be any commercial traffic going through the IPOE within the City of Douglas, with all commercial traffic redirected to a rural area. The routing of commercial traffic onto this proposed connector road will result in a reduction in congestion on US 191 through the City of Douglas.

Figure 4 shows the route between the proposed connector road and the ADOT Commercial Weigh Station.



Figure 3. Existing Truck Traffic Route




Figure 4. Proposed Truck Traffic Route

The Paul Spur/Douglas planning area is currently in nonattainment for large particulates, otherwise known as PM10. This area was designated as a moderate nonattainment area on Oct. 31, 1990 ([55 FR 45799](#)). The Paul Spur/Douglas PM10 nonattainment area is located along the Mexico-United States border in Cochise County. The Arizona Department of Environmental Quality (ADEQ) maintains two active air quality monitoring stations in the Paul Spur/Douglas PM10 nonattainment area:

- AQS Site ID 04-003-0011 – Paul Spur Chemical Lime Plant
- AQS Site ID 04-003-1005 – Douglas Red Cross

The Paul Spur/Douglas PM10 nonattainment area and the locations of the two PM10 monitoring stations are shown in **Figure 5**. **Table 1** shows the 24-hour PM10 monitoring data for the last three full years for 2020 through 2022 and 2023 through September 30, 2023.



Figure 5. PM10 Monitoring Station Locations

Table 1: Paul Spur/Douglas PM10 Monitoring Data (2020-2023)

Year	PM10 Annual Mean Concentration (ug/m ³)		PM10 Maximum Concentration (ug/m ³)		Number of Days Exceeding NAAQS	
	Paul Spur	Douglas	Paul Spur	Douglas	Paul Spur	Douglas
2020	22.4	28.7	154	129	1	0
2021	21.3	31.9	161	107	1	0
2022	18.8	26.2	91	130	0	0
2023 ¹	19.0	27.7	99	155	0	1

1 – Partial year data through September 30, 2023

Source: <https://www.epa.gov/outdoor-air-quality-data/interactive-map-air-quality-monitors>

Annual and maximum PM10 concentrations for the Paul Spur Chemical Lime Plant monitoring station (ID 04-003-0011) have generally decreased over the past four years. The average PM10 concentration for the Douglas Red Cross monitoring station (ID 04-003-1005) has been steady over time, ranging between 26.3 and 31.9 ug/m³. The maximum concentration for this monitoring station was steady for 2020 through 2022 but had one day of exceedance of the NAAQS for PM10 in 2023.

As an isolated rural nonattainment area, the Paul Spur/Douglas planning area is subject to a regional air quality conformity process. The planned Douglas Commercial Port of Entry Connector Road is likely to be classified as regionally significant and is not within a conforming Transportation Improvement Program (TIP). The area also does not have motor vehicle emissions budgets (MVEBs) established within the State Implementation Plan (SIP). An interagency consultation group was established to help guide the development of the air quality analysis, consisting of members from:

- Arizona Department of Transportation (ADOT)
- Arizona Department of Environmental Quality (ADEQ)
- Federal Highway Administration (FHWA)
- Environmental Protection Agency (EPA)
- General Services Administration (GSA)
- Customs and Border Protection (CBP)

Project Assessment

There are six project types for which ADOT requires a quantitative hot-spot analysis of local particulate emissions in nonattainment or maintenance areas. The following compares the proposed Douglas Commercial Port of Entry Connector Road project to these six project types to determine if a hot-spot analysis is required. If the proposed project is not considered a project of local air quality concern and a hot-spot analysis is not required for the proposed project, a qualitative analysis will be completed instead.

New Highway Capacity

Is this a new highway project that has a significant number of diesel vehicles?

The proposed project includes a new roadway that connects the proposed Douglas Commercial IPOE to SR 80 at the existing intersection with James Ranch Road. In the summary tables and traffic study, the new roadway is referred to as James Ranch Road. Based on the traffic study completed for the

proposed project, the average annual daily traffic (AADT) on the new roadway is projected to be 6,300 in 2028 and 19,200 in 2050. The projected truck percentages for 2028 and 2050 are 30% and 24%, respectively. The truck percentages and corresponding AADT volumes are provided in **Table 2** through **Table 5**. This proposed commercial IPOE will relocate trucks from the existing Douglas Port of Entry within the Douglas city limits to the proposed location outside the city. In both 2028 and 2050, the introduction of this project results in no more than a 10% increase in truck volumes to the existing network. As a result of the relocation of commercial trips to the new Commercial IPOE, this project will move truck traffic from relatively high-density populated areas within the Douglas city limits to a rural location west of the city.

Table 2: Existing and 2028 Truck Percentages for SR 80/James Ranch Road

Location	Existing			No-Build (2028)			Build (2028)			Difference (2028 Build - No-Build)		
	Total Truck %	Medium Vehicle %	Heavy Vehicle %	Total Truck %	Medium Vehicle %	Heavy Vehicle %	Total Truck %	Medium Vehicle %	Heavy Vehicle %	Total Truck %	Medium Vehicle %	Heavy Vehicle %
James Ranch Road south of SR 80	0%	0%	0%	2%	0%	2%	30%	5%	25%	28%	5%	23%
James Ranch Road north of SR 80	0%	0%	0%	2%	0%	2%	2%	0%	2%	0%	0%	0%
SR 80 west of James Ranch Road	11%	6%	5%	11%	6%	5%	18%	6%	12%	7%	0%	7%
SR 80 east of James Ranch Road	11%	6%	5%	11%	6%	5%	21%	5%	15%	10%	-1%	10%

Source: *City of Douglas International Port of Entry Connector Road Final Traffic Report*, prepared in June 2023 by Kimley-Horn, and associated traffic analysis.

Table 3: Existing and 2028 AADT for SR 80/James Ranch Road

Location	Existing				No-Build (2028)				Build (2028)				Difference (2028 Build - No-Build)			
	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles
James Ranch Road south of SR 80	0	0	0	0	300	6	0	6	6,300	1,883	322	1,561	6,000	1,877	322	1,555
James Ranch Road north of SR 80	0	0	0	0	300	6	0	6	300	6	0	6	0	0	0	0
SR 80 west of James Ranch Road	5,667	623	340	283	6,700	705	381	324	8,000	1,407	441	966	1,300	702	60	642
SR 80 east of James Ranch Road	5,667	623	340	283	6,700	715	387	328	13,200	2,713	725	1,988	6,500	1,998	338	1,660

Source: *City of Douglas International Port of Entry Connector Road Final Traffic Report*, prepared in June 2023 by Kimley-Horn, and associated traffic analysis.

Table 4: 2050 Truck Percentages for SR 80/James Ranch Road

Location	No-Build (2050)				Build (2050)				Difference (2050 Build - No-Build)			
		Total Truck %	Medium Vehicle %	Heavy Vehicle %		Total Truck %	Medium Vehicle %	Heavy Vehicle %		Total Truck %	Medium Vehicle %	Heavy Vehicle %
James Ranch Road south of SR 80		2%	0%	2%		24%	6%	19%		22%	6%	17%
James Ranch Road north of SR 80		2%	0%	2%		2%	0%	2%		0%	0%	0%
SR 80 west of James Ranch Road		10%	6%	5%		17%	6%	11%		7%	0%	6%
SR 80 east of James Ranch Road		11%	6%	5%		20%	6%	14%		9%	0%	9%

Source: *City of Douglas International Port of Entry Connector Road Final Traffic Report*, prepared in June 2023 by Kimley-Horn, and associated traffic analysis.

Table 5: 2050 AADT for SR 80/James Ranch Road

Location	No-Build (2050)				Build (2050)				Difference (2050 Build - No-Build)			
	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles
James Ranch Road south of SR 80	700	14	0	14	19,200	4,629	1,075	3,554	18,500	4,615	1,075	3,540
James Ranch Road north of SR 80	700	14	0	14	700	14	0	14	0	0	0	0
SR 80 west of James Ranch Road	10,500	1,091	587	504	14,100	2,381	790	1,591	3,600	1,290	203	1,087
SR 80 east of James Ranch Road	10,500	1,110	600	510	30,500	5,989	1,730	4,259	20,000	4,879	1,130	3,749

Source: *City of Douglas International Port of Entry Connector Road Final Traffic Report*, prepared in June 2023 by Kimley-Horn, and associated traffic analysis.

Expanded Highway Capacity

Is this an expanded highway project that has a significant increase in the number of diesel vehicles?

It is expected that all commercial vehicles entering the United States will be required to go through the ADOT Commercial Inspection Facility. This facility is currently located on the northeast corner of the intersection of SR 80 and US 191, which is east of the connector road. Therefore, this project is expected to increase the AADT and truck percentage on SR 80 between the proposed connector road and US 191. The AADT on SR 80 is projected to increase from 6,400 to 12,600 in 2028 and from 10,000 to 29,500 in 2050 from No-Build to Build. The Existing and No-Build truck percentage on

SR 80 is 11%. In the Build scenarios, the truck percentages are projected to increase to 23% in 2028 and 21% in 2050. The truck percentages and corresponding AADT volumes are provided in **Table 6** through **Table 9**. SR 80 has sufficient capacity for the No-Build and Build scenarios and no improvements are recommended to expand the capacity as part of this project. The increase in truck volumes on SR 80 between the connector road and the ADOT Commercial Inspection Facility will correspond to fewer truck volumes at the existing port and within the Douglas city limits.

Table 6: Existing and 2028 Truck Percentages for SR 80/US 191

Location	Existing			No-Build (2028)			Build (2028)			Difference (2028 Build - No-Build)		
	Total Truck %	Medium Vehicle %	Heavy Vehicle %	Total Truck %	Medium Vehicle %	Heavy Vehicle %	Total Truck %	Medium Vehicle %	Heavy Vehicle %	Total Truck %	Medium Vehicle %	Heavy Vehicle %
Chino Road south of SR 80	0%	0%	0%	0%	0%	0%	5%	0%	5%	5%	0%	5%
US 191 north of SR 80	11%	7%	4%	11%	7%	4%	27%	6%	21%	16%	-1%	17%
SR 80 west of US 191	11%	7%	4%	11%	7%	4%	23%	6%	17%	12%	-1%	13%
SR 80 east of US 191	11%	7%	4%	11%	7%	4%	15%	8%	7%	4%	1%	3%

Source: *City of Douglas International Port of Entry Connector Road Final Traffic Report*, prepared in June 2023 by Kimley-Horn, and associated traffic analysis.

Table 7: Existing and 2028 AADT for SR 80/US 191

Location	Existing				No-Build (2028)				Build (2028)				Difference (2028 Build - No-Build)			
	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles
Chino Road south of SR 80	0	0	0	0	0	0	0	0	3,500	167	0	167	3,500	167	0	167
US 191 north of SR 80	3,681	405	221	184	5,000	550	350	200	6,900	1,841	395	1,446	1,900	1,291	45	1,246
SR 80 west of US 191	5,667	623	340	283	6,400	704	448	256	12,600	2,849	750	2,099	6,200	2,145	302	1,843
SR 80 east of US 191	8,941	984	805	179	9,400	1034	658	376	11,900	1,829	962	867	2,500	795	304	491

Source: *City of Douglas International Port of Entry Connector Road Final Traffic Report*, prepared in June 2023 by Kimley-Horn, and associated traffic analysis.

Table 8: 2050 Truck Percentages for SR 80/US 191

Location	No-Build (2050)				Build (2050)				Difference (2050 Build - No-Build)			
	Total Truck %	Medium Vehicle %	Heavy Vehicle %		Total Truck %	Medium Vehicle %	Heavy Vehicle %		Total Truck %	Medium Vehicle %	Heavy Vehicle %	
Chino Road south of SR 80	0%	0%	0%		5%	0%	5%		5%	0%	5%	
US 191 north of SR 80	11%	7%	4%		24%	6%	18%		13%	-1%	14%	
SR 80 west of US 191	11%	7%	4%		21%	6%	15%		10%	-1%	11%	
SR 80 east of US 191	11%	7%	4%		17%	8%	9%		6%	1%	5%	

Source: *City of Douglas International Port of Entry Connector Road Final Traffic Report*, prepared in June 2023 by Kimley-Horn, and associated traffic analysis.

Table 9: 2050 AADT for SR 80/US 191

Location	No-Build (2050)				Build (2050)				Difference (2050 Build - No-Build)			
	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles	AADT	Total Trucks	Medium Vehicles	Heavy Vehicles
Chino Road south of SR 80	0	0	0	0	5,400	257	0	257	5,400	257	0	257
US 191 north of SR 80	7,700	847	539	308	11,900	2,844	704	2,140	4,200	1,997	165	1,832
SR 80 west of US 191	10,000	1,100	700	400	29,500	6,185	1,777	4,408	19,500	5,085	1,077	4,008
SR 80 east of US 191	14,500	1,595	1,015	580	28,000	4,667	2,102	2,564	13,500	3,072	1,087	1,984

Source: *City of Douglas International Port of Entry Connector Road Final Traffic Report*, prepared in June 2023 by Kimley-Horn, and associated traffic analysis.

Projects with Congested Intersections

Is this a project that affects a congested intersection (LOS D or greater) that has a significant number of diesel trucks, OR will change LOS to D or greater because of an increase in traffic volumes from a significant number of diesel trucks related to the project?

The existing intersection of SR 80 and James Ranch Road has two-way stop control (TWSC) for James Ranch Road. In the Existing and 2028 No-Build scenarios, the worst movement at this intersection operates at a level of service (LOS) B. After reviewing the results of the traffic analysis and considering other potential factors, ADOT determined that signalized traffic control is the preferred intersection alternative in the 2028 Build and 2050 Build scenarios. Diagrams showing the

signalized intersection geometry with 2050 Build AM and PM peak hour traffic volumes are shown in **Figure 6** and **Figure 7**, respectively. In all Build scenarios, the intersection is expected to operate at LOS C or better.

All intersections on James Ranch Road south of SR 80 associated with the proposed commercial IPOE are anticipated to operate as well as or better than the intersection of SR 80 and James Ranch Road due to the lower traffic volumes expected at these intersections.




Figure 6. 2050 Build AM Signalized Intersection Alternative




Figure 7. 2050 Build PM Signalized Intersection Alternative

The intersection of SR 80 and US 191/Chino Road is signalized and operates/is expected to operate at LOS A in all scenarios except the 2050 Build scenario, where it is expected to operate at LOS C.

The existing, 2028 No-Build, and 2028 Build LOS fall below (i.e., are less congested than) LOS defined as congested by the EPA. Intersection LOS by scenario is shown in **Table 10** and **Table 11**.

Table 10: SR 80 at James Ranch Road Intersection Level of Service by Scenario

Intersection	Existing (TWSC)*		No-Build TWSC (2028)*		No-Build TWSC (2050)*		Build Signalized (2028)		Build Signalized (2050)	
	AM Peak	PM Peak	AM Peak	PM Peak	AM Peak	PM Peak	AM Peak	PM Peak	AM Peak	PM Peak
	LOS	LOS	LOS	LOS	LOS	LOS	LOS	LOS	LOS	LOS
SR 80 at James Ranch Road	B	B	B	B	C	C	A	B	C	C

* TWSC values represent worst movement LOS instead of overall intersection LOS

Source: *City of Douglas International Port of Entry Connector Road Final Traffic Report*, prepared in June 2023 by Kimley-Horn, and associated traffic analysis.

Table 11: SR 80 at US 191/Chino Road Intersection Level of Service by Scenario

Intersection	Existing		No-Build (2028)		No-Build (2050)		Build (2028)		Build (2050)	
	AM Peak	PM Peak	AM Peak	PM Peak	AM Peak	PM Peak	AM Peak	PM Peak	AM Peak	PM Peak
	LOS	LOS	LOS	LOS	LOS	LOS	LOS	LOS	LOS	LOS
SR 80 at US 191/ Chino Road	A	A	A	A	A	A	A	A	C	C

Source: *City of Douglas International Port of Entry Connector Road Final Traffic Report*, prepared in June 2023 by Kimley-Horn, and associated traffic analysis.

New Bus and Rail Terminals

Does the project involve construction of a new bus or intermodal terminal that accommodates a significant number of diesel vehicles?

This project does not involve construction of a new bus or intermodal terminal.

Expanded Bus and Rail Terminals

Does the project involve an existing bus or intermodal terminal that has a large vehicle fleet where the number of diesel buses (or trains) increases by 50% or more, as measured by arrivals?

This project does not involve an existing bus or intermodal terminal.

Projects Affecting PM Sites of Violation or Possible Violation

Does the project affect locations, areas or categories of sites that are identified in the PM10 or PM2.5 applicable plan or implementation plan submissions, as appropriate, as sites of violation or potential violation?

There is no established implementation plan for this area. Therefore, this project does not affect locations, areas, or categories of sites of violation or potential violation.

POAQC Determination

Based on the initial consultation with the Interagency Consultation Group, this project is considered a Project of Air Quality Concern (POAQC) due to the increase in diesel truck traffic to the area.

**Attachment B: Additional MOVES and AERMOD Modeling
Data**

Modeling Extent

EPA's PM Hot-Spot Guidance Section 3.3.2 states that it may be appropriate to only analyze locations that would have the highest emissions concentrations. If conformity is met at these specific locations, then conformity throughout the project can be assumed.

The location with the highest concentration of PM emissions for the project is likely the intersection of the Connector Road/James Ranch Road and SR 80. This location represented the area with the highest traffic volumes (more than three times the entering volume of the next busiest intersection along the Connector Road/James Ranch Road), lowest speeds (due to the presence of a traffic signal), and most overall delay for the Connector Road/James Ranch Road (due to intersecting with the higher-volume SR 80). Attachment A of this document contains background information from the Traffic Study. Tables 3 and 5 display the existing and projected volumes at the intersection, while Tables 2 and 4 provide the existing and projected truck percentages. Table 10 shows the projected LOS for the intersection for each scenario.


In addition, it should be noted that the proposed Commercial Land Port of Entry adjacent to the Connector Road has previously been studied under a general conformity analysis in the Environmental Impact Statement (EIS) for the Proposed Commercial Land Port of Entry (January 2023) developed by GSA.

The following figures illustrate the proposed project-level links and receptors for this analysis, as well as the location and wind rose information for the Bisbee-Douglas International Airport Meteorological Station.


Project Links (Connector Road / James Ranch Road & SR 80)



Project Links Zoomed In View (Intersection of Connector Road / James Ranch Road & SR 80)




AERMOD Receptor Grid Map



Douglas Met Station


Location and Wind Rose



WIND ROSE PLOT:

Station #93026

DISPLAY:

**Wind Speed
Direction (blowing from)**

COMMENTS:	DATA PERIOD: Start Date: 1/1/2015 - 00:00 End Date: 12/31/2019 - 23:59	COMPANY NAME:
	MODELER:	
	CALM WINDS: 1.63%	TOTAL COUNT: 43127 hrs.
	AVG. WIND SPEED: 3.79 m/s	DATE: 7/15/2024
		PROJECT NO.:

Meteorological Data Processing Details

The Arizona Department of Environmental Quality (ADEQ) has compiled pre-processed AERMET meteorological data files that could be used for air quality permit applications for sources located in Arizona under ADEQ jurisdiction. Currently pre-processed AERMET meteorological data files are available for 11 National Weather Service (NWS) meteorological stations across Arizona. The closest NWS station to the proposed Connector Road with pre-processed data is located at the Nogales International Airport. Upon further inspection of the Nogales data, it was determined that it does not represent the wind conditions at the project site. Instead, data from the Bisbee-Douglas International Airport was processed by ADEQ for use in the analysis. The following document provides an overview of the dataset specifically tailored to Bisbee-Douglas International Airport.

Meteorological Data

The AERMET meteorological preprocessor requires input of hourly observations of wind speed, wind direction, cloud cover, and ambient temperature. A full morning upper air sounding (rawinsonde) is also required in order to calculate the convective mixing height throughout the day.

AERMET utilizes upper air data sourced from the NWS Rawinsonde Network. In Arizona, there are two radiosonde stations, Tucson and Flagstaff. The Tucson radiosonde station is located in a similar climatic region and is most representative of upper air conditions at the project site.

ADEQ obtained standard hourly weather observations from the National Centers for Environmental Information (NCEI) websites:

NCEI's Integrated Surface Hourly Data (ISHD) TD-3505
<ftp://ftp.ncdc.noaa.gov/pub/data/noaa/>

NCEI's 1-Minute ASOS Wind Data
<ftp://ftp.ncdc.noaa.gov/pub/data/asos-onemin/>

Upper air data are available at the Earth System Research Laboratory Global Systems Divisions web site:
<http://esrl.noaa.gov/gsd>

Completeness of Meteorological Data

Section 5.3.2 of “Meteorological Monitoring Guidance for Regulatory Modeling Applications” states that, to be acceptable for use in regulatory dispersion modeling, a meteorological dataset must be 90% complete on a quarterly basis. The 90% requirement applies to wind direction, wind speed, and temperature. The data completeness for each year of processed data for input to AERMOD is presented in **Table 1**.

Table 1: Meteorological Data Completeness

Year	Quarter	Wind Direction	Wind Speed	Temperature	Cloud Cover
2015	1	98.94%	99.81%	99.77%	99.68%
2015	2	97.30%	99.36%	99.86%	99.73%
2015	3	90.26%	91.35%	91.94%	91.89%
2015	4	98.14%	99.28%	99.46%	99.32%
2016	1	99.40%	99.82%	99.91%	99.68%
2016	2	97.76%	99.27%	99.63%	99.86%
2016	3	98.91%	99.73%	99.68%	99.68%
2016	4	99.82%	99.91%	99.86%	99.82%
2017	1	99.54%	99.95%	100.00%	100.00%
2017	2	98.67%	98.76%	99.91%	99.91%
2017	3	99.23%	99.32%	99.77%	99.68%
2017	4	99.64%	99.86%	99.82%	99.86%
2018	1	99.81%	99.95%	99.91%	99.86%
2018	2	99.68%	99.86%	99.86%	100.00%
2018	3	98.60%	99.77%	99.91%	99.82%
2018	4	98.64%	99.37%	99.91%	99.86%
2019	1	96.48%	99.40%	98.70%	99.81%
2019	2	99.63%	99.82%	99.86%	100.00%
2019	3	98.78%	99.59%	99.28%	98.60%
2019	4	99.00%	99.68%	99.50%	99.14%

As shown in **Table 1** the meteorological data meets the completeness requirements for regulatory modeling purposes.

Meteorological Data Processing

According to ADEQ, AERMET (version 23132) and AERMINUTE (version 15272) were used to process five years (2015-2019) of surface meteorological data obtained from Bisbee-Douglas International Airport along with concurrent upper air radiosonde data obtained from Tucson. ADEQ also used the EPA's AERSURFACE tool (version 20060) to calculate surface characteristic parameters (albedo, Bowen ratio and surface roughness) required by AERMET.

AERMET has two stages of data processing. Stage 1 extracts the meteorological data from the input data files (the NWS surface file and the upper air data file), processes the data through various quality assessment checks, and creates intermediate files in a standardized AERMET format. The second stage reads the output from Stage 1, calculates the boundary layer parameters required by AERMOD, and generates two AERMOD-ready meteorological data files. AERMINUTE processes 1-minute ASOS wind data to generate hourly average winds for input to AERMET in Stage 2. Based on EPA's guidance for AERMINUTE, a minimum wind speed threshold of 0.5 m/s was applied to the hourly averaged wind speeds provided by AERMINUTE. To address issues with model overprediction due to underprediction of the surface friction velocity (u^*) during light wind/stable conditions, EPA has

integrated the ADJ_U* option into AERMET. Based on EPA's evaluations, using the ADJ_U* option is appropriate when standard NWS data are used. Therefore, the ADJ_U* option was used as a regulatory option in the data processing.

Stage 2 also requires the input of surface characteristic data that are used to estimate boundary layer parameters. National Land Cover Data 2016 (NLCD 2016) obtained from the U.S. Geological Survey was input to AERSURFACE. In addition to the NLCD 2016 data, the following inputs were used:

Method for determining surface roughness length – ZORAD;
Study radius for surface roughness (km) – 1 kilometer;
Number of sectors – 12;
Temporal resolution – Monthly;
Continuous snow cover most of the winter? – No;
Surface moisture: Average;
Arid Region? – No;
Month/Season assignments – Default.

**Attachment C: Agency Comments and Responses from
Consultation**

FHWA Comments on Initial Consultation Document (Received 6/21/2024)

- General comment – As FHWA mentioned on our recent call, it appears modeling is being done only for the intersection of Connector Road/James Ranch Road and SR 80. Please add discussion about why this is the likely area of highest concentration. Typically, you would need to model the entire project. So make sure you can justify the decision to limit the scope (which does seem to make sense – most delay/lowest speeds/highest volumes, etc. at that location).
 - Response: Justification will be added to the consultation document. EPA's PM Hot-Spot Guidance Section 3.3.2 states that it may be appropriate to only analyze locations that would have the highest emissions concentrations. If conformity is met at these specific locations, then conformity throughout the project can be assumed. The location with the highest concentration of PM emissions for the project is likely the intersection of the Connector Road/James Ranch Road and SR 80. This location represented the area with the highest traffic volumes, lowest speeds, and most overall delay for the Connector Road. Tables for traffic volumes, intersection level of service, and truck percentages for the intersection are found in Attachment A of the consultation document. Attachment B contains a more detailed explanation of the modeling extent.
- Pg 3 – Can you clarify what is meant by “each of these 4 runs will be further split...” under time spans? Assuming you mean the appropriate hour within each of these periods is selected in the MOVES timespans panel.
 - Response: This is in the ADOT draft text Table (Table 1). The proposed inputs and assumptions for this analysis are in Table 2 starting on page 7. This text was referring to having 4 time period runs (6-9AM, 9AM-4PM, 4-7PM & 7PM-6AM) for each season (Jan, Apr, July, Oct). After our discussion, only 1 season will be analyzed. Preliminary model runs were completed for each season to determine the month with the highest emissions rates, which was July. So, there will now be a total of 4 runs, instead of the original 16. The consultation document will be updated to include this change.
- Pg 5 – Please use the latest version of AERMOD (23132)
 - Response: The latest version of AERMOD will be used.
- Pg 7 – Explain why 2050 was selected as the year with highest emissions (e.g., road dust dominant – highest VMT will result in maximum emissions in 2050)
 - Response: Justification will be added to the consultation document. 2050 was selected as the analysis year because this will be the peak year for emissions from the project. 2050 will contain the highest vehicle volumes for the project, and therefore, the highest levels of road dust which is the largest contributor to PM10 emissions.
- Pg 9 – Use flagpole receptor heights of 1.8 m (or make sure they're set at 1.8 meter under RE pathway)
 - Response: Flagpole receptor heights of 1.8 m will be used.

- Pg 9 – Confirm with ADEQ that Nogales met data is appropriate for the project area (based on their permitting website, it appears this is indeed the closest surface met monitor to Douglas).
 - Response: After discussing with ADEQ, met data from the Bisbee-Douglas Airport was found to be available. ADEQ had not previously processed this data or made it available on their website. ADEQ was able to process it and provide it for our use. There were issues with missing data for recent years so the years 2015-2019 were selected for use.
- Pg 9 – Why is the PROFILE data set labeled as “Nogales2017-2021” when it seems to be coming from the Tucson airport?
 - Response: This will be changed to reference the Douglas dataset.
- Pg 10 – Our understanding is that the project area is quite rural and does not experience urban heat island met effects. Is there a reason why the URBAN option is being selected?
 - Response: This will be switched to RURAL.
- Pg 10 – Please add some discussion about why the Paul Spur Chemical Lime Plan monitor was selected. Is it the closest? Similar land-use/source mix? Up-wind?
 - Response: The use of a single monitor versus the use of interpolation between two monitors was discussed at the Interagency Coordination Call on August 8, 2024. Based on the recommendation from FHWA during this meeting, we revisited our approach to determine if the use of a single monitor was viable. To do this, we compared the Douglas Airport Meteorological Station wind speeds and direction to the locations of the two air quality monitors in the region and the project site. Based on this comparison, the Paul Spur Chemical Lime Plant exhibits higher wind speeds that are upwind from the project site. Therefore, this monitor is the most appropriate monitor to use in this exercise.

EPA Comments on Initial Consultation Document (Received 7/23/2024)

- Comment 1: The EPA agrees with, and would like to reiterate the Federal Highway Administration (FHWA)'s comments on the MOVES & AERMOD modeling.
 - Response: FHWA's comments have been integrated into the revised consultation document.
- Comment 2: Please provide justification as to why the Nogales met data best represents the project area and confirm five years of data is being used as per the *PM Hotspot Guidance, Section 7.5.3*. Table 2 (pg. 7) lists the met data as just "2019 Data from Douglas-Bisbee Airport."
 - Response: After discussing with ADEQ, met data from the Bisbee-Douglas Airport was found to be available. ADEQ had not previously processed this data or made it available on their website. ADEQ was able to process it and provide it for our use. There were issues with missing data for recent years so the years 2015-2019 were selected for use.
- Comment 3: As stated in ADOT's June 4, 2024 Memorandum "*Project Level PM Quantitative Hot-Spot Analyses – Project of Air Quality Concern Questionnaire*," the City of Douglas IPOE Connector Road is being developed to connect the proposed Douglas IPOE at the U.S.-Mexico Border and Arizona State Route 80 (SR 80).

On June 13, 2024, ADOT proposed modeling for this PM Hotspot Analysis for the intersection of James Ranch Road & SR 80 as well as the entirety of the Douglas Connector Road. On July 10, 2024, ADOT stated that at the advice of interagency partners was to narrow the study area to focus on the intersection of the Douglas Connector Road and SR 80 since the area represents the worst case conditions.

As per EPA's "*Transportation Conformity Guidance for Quantitative Hot-Spot Analyses in PM2.5 and PM10 Nonattainment and Maintenance Areas*" (PM Hotspot Guidance), Section 3.3.2:

- Hot-spot analyses must include the entire project (40 CFR 93.123(c)(2)). However, it may be appropriate in some cases to focus the PM hot-spot analysis only on the locations of highest air quality concentrations.
- Note that interagency consultation should be used to help identify the appropriate receptor locations in the area substantially affected by the project.

Additionally, as per the EPA's *PM Hotspot Guidance*, Section 7.6.2:

- Receptors should be sited at all locations at which high concentrations may occur, rather than simply focusing on the expected worst-case location.
- Receptors should be placed to capture the impacts of the project and any nearby source that needs to be modeled.

The EPA recognizes that according to the U.S General Services Administration's (GSA's) "*Final Environmental Impact Statement for the Expansion and Modernization of the Raul Hector Castro Land Port of Entry and Proposed Commercial Land Port of Entry in Douglas Arizona*," (EIS) the proposed, commercial IPOE would include commercial vehicle inspection lanes, commercial vehicle inspection, and a commercial inspection building. The GSA's EIS further notes:

- Air Quality and Greenhouse Gas Impacts:
 - "Operation: For both sites, long-term, minor adverse impact on air quality due to emissions from onsite equipment and increased commuter vehicles."
- Traffic and congestion:
 - "Operation: Overall, long-term, minor adverse impacts to transportation resources (SR-80 and US-191)."

The EPA would like to see traffic, queuing, and idling impacts from the IPOE on the connector road considered in the PM Hotspot Analysis, and for receptors to be placed adjacent to the proposed IPOE and the U.S.-Mexico border. Alternatively, the EPA would like to see a detailed justification as to why this section of the connector road is not considered an area of high concentration as per the *PM Hotspot Guidance* Sections 3.3.2 and 7.6.2.

- Response: Additional information has been provided in the consultation document to address the proposed modeling extent to justify just including the intersection of the Connector Road/James Ranch Road and SR 80. Tables for traffic volumes, intersection level of service, and truck percentages for the intersection are found in Attachment A of the consultation document. Attachment B contains a more detailed explanation of the modeling extent.

**Appendix B: City of Douglas International Port of Entry
Connector Road Final Traffic Report**

FINAL TRAFFIC REPORT

**CITY OF DOUGLAS INTERNATIONAL PORT OF ENTRY CONNECTOR ROAD
ADOT SOUTHEAST DISTRICT/COCHISE COUNTY**

**ADOT CONTRACT NO. 2023-003
ADOT PROJECT NO. F0534 01L
FEDERAL PROJECT NO. 999-A(561)T**

Prepared For:



**ARIZONA DEPARTMENT OF TRANSPORTATION
MULTIMODAL PLANNING DIVISION
CORRIDOR PLANNING GROUP**

Prepared By:

Kimley»Horn

REVISED APRIL 2024



Table of Contents

1. Introduction.....	1
2. Existing Conditions	3
2.1 Transportation System Overview	3
2.2 Existing Ports of Entry	4
2.3 Existing Traffic Volumes and Operations	4
3. Future Traffic Volumes Analysis and Alternatives	6
3.1 Available Future Conditions Models and Data	6
3.2 Future Build Analysis Alternatives	6
3.3 Future Land Use Forecast	7
3.4 Future Traffic Volumes.....	8
4. Crash Summary	14
5. Operational Analysis	16
5.1 Intersection Analysis Methodology	16
5.2 Existing Intersection Conditions.....	16
5.3 No-Build Intersection Analysis	17
5.4 SR 80 / James Ranch Road Future Build Analysis.....	18
5.5 SR 80 / US 191 Future Build Analysis	21
5.6 Proposed IPOE Intersections Future Build Analysis.....	22
5.7 Grade Separation Sensitivity Analysis.....	25
5.8 Connector Road Cross-Section Analysis.....	25
6. Other Traffic Considerations	26
6.1 Motorist Safety	26
6.2 Intersection Type Familiarity	26
6.3 Oversize Vehicle Accommodation	26
6.4 Pedestrian and Bicyclist Accommodation and Safety.....	26
6.5 Transit Accommodation.....	27
6.6 Access.....	27
6.7 Truck Parking.....	27
6.8 ITS Devices	27
6.9 Proposed IPOE Intersection Queue Accommodation.....	27
7. Environmental Report Data Summary	28
7.1 Noise Report Data Summary.....	28
7.2 Air Quality Report Data Summary.....	30
8. Summary	31

List of Figures

Figure 1.1 – Project Location Map	1
Figure 1.2 – Project Vicinity Map.....	2
Figure 1.3 – Connector Road Alignment Alternatives Map	2
Figure 2.1 – Existing Conditions: SR 80 / James Ranch Road Intersection	4
Figure 2.2 – Existing Conditions: SR 80 / US 191 Intersection	4
Figure 3.1 – Intersection Configuration Alternatives	6
Figure 3.2 – Proposed IPOE Intersections.....	7
Figure 3.3 – Adjacent Parcel Area Assumptions	7
Figure 3.4 – SR 80 / James Ranch Road: 2028 No-Build Traffic Volumes & Lane Configuration.....	10
Figure 3.5 – SR 80 / James Ranch Road: 2028 Build Traffic Volumes & Lane Configuration.....	10
Figure 3.6 – SR 80 / James Ranch Road: 2050 No-Build Traffic Volumes & Lane Configuration.....	10
Figure 3.7 – SR 80 / James Ranch Road: 2050 Build Traffic Volumes & Lane Configuration.....	10
Figure 3.8 – SR 80 / US 191: 2028 No-Build Traffic Volumes & Lane Configuration	11
Figure 3.9 – SR 80 / US 191: 2028 Build Traffic Volumes & Lane Configuration	11
Figure 3.10 – SR 80 / US 191: 2050 No-Build Traffic Volumes & Lane Configuration	11
Figure 3.11 – SR 80 / US 191: 2050 Build Traffic Volumes & Lane Configuration	11
Figure 3.12 – IPOE East Intersection: 2028 Build Traffic Volumes & Lane Configuration	12
Figure 3.13 – IPOE East Intersection: 2050 Build Traffic Volumes & Lane Configuration	12
Figure 3.14 – IPOE West Intersection: 2028 Build Traffic Volumes & Lane Configuration.....	12
Figure 3.15 – IPOE West Intersection: 2050 Build Traffic Volumes & Lane Configuration.....	12
Figure 4.1 – Crash Type by Year	14
Figure 4.2 – Crash Severity by Year	14
Figure 4.3 – Crash Map	15
Figure 5.1 – SR 80 / James Ranch Road - TWSC Intersection Diagram	18
Figure 5.2 – SR 80 / James Ranch Road - Signalized Intersection Diagram	19
Figure 5.3 – SR 80 / James Ranch Road - Roundabout Diagram.....	20
Figure 5.4 – SR 80 / US 191 – Future Intersection Diagram	22
Figure 5.5 – IPOE East Intersection Diagram - 2028 Build	23
Figure 5.6 – IPOE West Intersection Diagram - 2028 Build	23
Figure 5.7 – IPOE East/West Intersection Diagram - 2050 Build	24

List of Tables

Table 2.1 – Existing Traffic Data Summary.....	5
Table 3.1 – SR 80 / James Ranch Road Future Traffic Summary.....	9
Table 3.2 – SR 80 / US 191/ Chino Road Future Traffic Summary	9
Table 3.3 – IPOE East Intersection Future Traffic Summary	9
Table 3.4 – IPOE West Intersection Future Traffic Summary	9
Table 5.1 – Level of Service Thresholds for Signalized and Unsignalized Intersections	16
Table 5.2 – Existing Intersection Capacity Analysis Results: AM Peak Hour.....	16
Table 5.3 – Existing Intersection Capacity Analysis Results: PM Peak Hour	16
Table 5.4 – 2028 No-Build Capacity Analysis Results: AM Peak Hour	17
Table 5.5 – 2028 No-Build Capacity Analysis Results: PM Peak Hour.....	17
Table 5.6 – 2050 No-Build Capacity Analysis Results: AM Peak Hour	17
Table 5.7 – 2050 No-Build Capacity Analysis Results: PM Peak Hour.....	17
Table 5.8 – SR 80 / James Ranch Road - 2028 Build with TWSC Capacity Analysis Results: AM Peak Hour.....	18
Table 5.9 – SR 80 / James Ranch Road - 2028 Build with TWSC Capacity Analysis Results: PM Peak Hour.....	18
Table 5.10 – SR 80 / James Ranch Road - 2050 Build with TWSC Capacity Analysis Results: AM Peak Hour.....	18
Table 5.11 – SR 80 / James Ranch Road - 2050 Build with TWSC Capacity Analysis Results: PM Peak Hour.....	19
Table 5.12 – SR 80 / James Ranch Road - 2028 Build with Traffic Signal Capacity Analysis Results: AM Peak Hour	19
Table 5.13 – SR 80 / James Ranch Road - 2028 Build with Traffic Signal Capacity Analysis Results: PM Peak Hour.....	20
Table 5.14 – SR 80 / James Ranch Road - 2050 Build with Traffic Signal Capacity Analysis Results: AM Peak Hour	20
Table 5.15 – SR 80 / James Ranch Road - 2050 Build with Traffic Signal Capacity Analysis Results: PM Peak Hour.....	20
Table 5.16 – SR 80 / James Ranch Road - 2028 Build with Roundabout Capacity Analysis Results: AM Peak Hour	21
Table 5.17 – SR 80 / James Ranch Road - 2028 Build with Roundabout Capacity Analysis Results: PM Peak Hour	21
Table 5.18 – SR 80 / James Ranch Road - 2050 Build with Roundabout Capacity Analysis Results: AM Peak Hour	21
Table 5.19 – SR 80 / James Ranch Road - 2050 Build with Roundabout Capacity Analysis Results: PM Peak Hour	21
Table 5.20 – SR 80 / US 191 - 2028 Build Capacity Analysis Results: AM Peak Hour.....	22
Table 5.21 – SR 80 / US 191 - 2028 Build Capacity Analysis Results: PM Peak Hour	22
Table 5.22 – SR 80 / US 191 - 2050 Build Capacity Analysis Results: AM Peak Hour.....	22
Table 5.23 – SR 80 / US 191 - 2050 Build Capacity Analysis Results: PM Peak Hour	22
Table 5.24 – Proposed IPOE Intersections - 2028 Build Capacity Analysis Results: AM Peak Hour	23
Table 5.25 – Proposed IPOE Intersections - 2028 Build Capacity Analysis Results: PM Peak Hour.....	23
Table 5.26 – Proposed IPOE Intersections - 2050 Build Capacity Analysis Results: AM Peak Hour	24
Table 5.27 – Proposed IPOE Intersections - 2050 Build Capacity Analysis Results: PM Peak Hour.....	24
Table 7.1 – 2028 / 2050 No-Build Noise Report Vehicle Classification Percentages.....	28
Table 7.2 – 2050 No-Build Noise Report Vehicle Classification Percentages	28
Table 7.3 – 2028 Build Noise Report Vehicle Classification Percentages	28
Table 7.4 – 2050 Build Noise Report Vehicle Classification Percentages	28
Table 7.5 – SR 80 / James Ranch Road Noise Report Traffic Volumes	29
Table 7.6 – SR 80 / US 191 Noise Report Traffic Volumes	29
Table 7.7 – SR 80 / James Ranch Road Air Quality Report Daily Traffic Volumes and Truck Percentages.....	30
Table 7.8 – SR 80 / US 191 Air Quality Report Daily Traffic Volumes and Truck Percentages.....	30
Table 7.9 – Air Quality Report Overall Intersection Level of Service by Scenario	30
Table 8.1 – Overall Level of Service/Longest Queue by Scenario	31
Table 8.2 –Intersection Configuration Evaluation Matrix - SR 80 / James Ranch Road	32
Table 8.3 – Recommended Intersection Control and Geometry.....	33

List of Appendices

Appendix 1. Stantec 2018 <i>Douglas Arizona Regional Feasibility Study</i> Excerpts	
Appendix 2. ADOT Commercial Inspection Facility Data	
Appendix 3. Collected Traffic Volume Data	
Appendix 4. Volume Development Calculations	
Appendix 5. Relevant Standards	
Appendix 6. Existing Signal Timings	
Appendix 7. Synchro and Rodel Output Reports	

1. INTRODUCTION

This Final Traffic Report has been developed to support the Design Concept Report (DCR) for a connector road between the proposed Douglas Commercial International Port of Entry (proposed commercial IPOE) at the United States (U.S.)-Mexico border and Arizona State Route 80 (SR 80). The project is located in the Arizona Department of Transportation (ADOT) Southeast District in Cochise County west of Douglas, Arizona and is anticipated to open in 2028. The project location and vicinity maps are shown in **Figure 1.1** and **Figure 1.2**, respectively.

There are three alignment alternatives currently being considered for the proposed connector road west of United States Route 191 (US 191), two of which intersect SR 80 at James Ranch Road and one of which intersects SR 80 at Brooks Road. The three alignment alternatives are shown in **Figure 1.3**. For the purposes of this report, the preferred alignment alternative for the connector road is assumed to intersect SR 80 at the existing SR 80 / James Ranch Road intersection. The results of the analysis at the SR 80 / James Ranch Road intersection are anticipated to be similar at the SR 80 / Brooks Road intersection if the preferred alignment alternative for the connector road intersects SR 80 at Brooks Road instead of James Ranch Road.

The purpose of this report is to document the existing safety and operational characteristics of the SR 80 / James Ranch Road intersection, develop and evaluate intersection configuration alternatives at the SR 80 / James Ranch Road intersection, identify appropriate roadway geometry for the connector road, and provide recommendations for improvements within the study area that provide acceptable future traffic operations, promote safety, and enhance regional mobility.

The traffic analysis includes the evaluation of the following intersection configuration alternatives at the intersection of SR 80 / James Ranch Road:

- Two-Way Stop Control (TWSC)
- Traffic Signal Control
- Roundabout

Additionally, it is anticipated that all truck traffic entering the U.S. will continue to be required to travel to the ADOT Commercial Inspection Facility, which is currently located on the northeast corner of the intersection of SR 80 / US 191, for additional processing. Because the location of the proposed commercial IPOE would change the travel patterns of commercial trucks accessing the ADOT Commercial Inspection Facility, the intersection of SR 80 / US 191 was also studied in this analysis to determine the necessary lane configuration and signal phasing at the intersection. No changes in intersection control type were analyzed for this intersection.

The two proposed intersections adjacent to the proposed commercial IPOE (“proposed IPOE intersections”) were also analyzed in this report to determine appropriate lane geometry and traffic control at the intersections.




Figure 1.1 – Project Location Map

City of Douglas International Port of Entry Connector Road



Figure 1.2 – Project Vicinity Map




Figure 1.3 – Connector Road Alignment Alternatives Map

2. EXISTING CONDITIONS

2.1 Transportation System Overview

The existing roadway system within the study area includes SR 80, US 191, and James Ranch Road. Other notable roadways in the project vicinity include US 191 Business (Pan American Avenue) and Chino Road. This report analyzes the intersections of SR 80 / James Ranch Road and SR 80 / US 191.

2.1.1 Regional Roadway Network

SR 80 generally runs east-west in the study area and is owned, operated, and maintained by ADOT. Per the ADOT "Arizona Roads by Federal Functional Classifications" GIS map, ADOT classifies SR 80 as an "urban principal arterial – other" roadway within the study area. The posted speed limit on SR 80 is 65 miles per hour (mph) in the vicinity of James Ranch Road and is 55 mph in the vicinity of US 191. The existing SR 80 roadway section in the study area typically includes two 12-foot-wide through lanes in both the eastbound (EB) and westbound (WB) directions. An approximately 28-foot-wide median separates the EB and WB through lanes. The median is generally unpaved except for raised medians for left-turn lanes at intersections and bridge crossings. Inside paved shoulders are typically four feet wide or less and outside paved shoulders are typically ten feet wide.

US 191 generally runs north-south in the study area and is owned, operated, and maintained by ADOT. US 191 extends north from SR 80 approximately four miles east of James Ranch Road and approximately 1.5 miles west of US 191 Business (Pan American Avenue) in Douglas. ADOT classifies US 191 as an "urban minor arterial" roadway within the study area. The posted speed limit on US 191 is 45 mph within the study area. The existing US 191 roadway section in the study area typically includes one 12-foot-wide through lane in both the northbound (NB) and southbound (SB) directions separated by a 12-foot-wide two-way left-turn lane (TWLTL) that converts to an exclusive SB left-turn lane approaching SR 80.

US 191 Business (also known as Pan American Avenue) is located outside the study area but is notable because it serves as a connector road between SR 80 and the existing Raul H. Castro IPOE (RHC IPOE). US 191 Business generally runs north-south and is owned, operated, and maintained by the City of Douglas. US 191 Business goes from the U.S.-Mexico border to where SR 80 has a 90-degree bend in Douglas. The existing Raul H. Castro IPOE (RHC IPOE) is located at the southern terminus of US 191 Business at the U.S.-Mexico border. ADOT classifies US 191 Business as an "urban principal arterial – other" roadway between SR 80 and the U.S.-Mexico border. The posted speed limit on US 191 Business is 35 mph. The existing US 191 Business roadway section includes two through lanes in both the NB and SB directions, separated by a TWLTL, along with curb/gutter, sidewalk, and a shared use path on the west side.

2.1.2 Local Roadway Network

James Ranch Road runs north-south in the study area and is currently a privately-owned unpaved two-lane local roadway. James Ranch Road is anticipated to serve as the connector road between the proposed commercial IPOE at the U.S.-Mexico border and SR 80 (assuming that James Ranch Road is the preferred alignment alternative for the connector road). The parcels along the James Ranch Road alignment south of SR 80 are zoned as "C-Developing" by Cochise County and are anticipated to contain industrial and/or commercial land uses in the future when the proposed commercial IPOE connector road is constructed.

Chino Road is currently located outside the study area but is notable because it serves as a connector road between SR 80 and US 191 Business. Chino Road generally runs north-south and is owned, operated, and maintained by the City of Douglas. Chino Road currently intersects SR 80 approximately 0.45 miles east of US 191 and intersects US 191 Business approximately 0.15 miles north of the RHC IPOE. ADOT classifies Chino Road as an "urban minor arterial" roadway. The existing Chino Road roadway section near SR 80 includes one through lane in both the NB and SB directions along with paved shoulders that vary from one foot to eight feet in width. The City of Douglas is planning to realign Chino Road to tie into the currently barricaded south leg of the intersection of SR 80 / US 191 by 2028 but this improvement is not yet funded.

2.1.3 Intersections

The TWSC intersection of **SR 80 / James Ranch Road** is located near milepost 360.6 along SR 80. The EB and WB approaches to the intersection each have a left-turn lane, a through lane, and a shared through/right-turn lane. The NB and SB approaches each have a shared left-turn/through/right-turn lane. The existing SR 80 / James Ranch Road intersection lane geometry is shown in **Figure 2.1**. The area surrounding the SR 80 / James Ranch Road intersection is largely undeveloped. A single-family residence is located near the northeast corner of the intersection and some other structures exist to the east and west of the road south of SR 80.

The signalized intersection of **SR 80 / US 191** is located near milepost 364.7 along SR 80. The intersection is currently constructed as a four-legged intersection but functions as a three-legged T-intersection because the south leg is barricaded. As mentioned previously, the City of Douglas is planning to realign Chino Road by 2028 to tie into the currently barricaded south leg of the intersection of SR 80 / US 191. The EB and WB approaches to the intersection each have a left-turn lane, two through lanes, and a right-turn lane. The NB and SB approaches each have a left-turn lane and a shared through/right-turn lane. The existing SR 80 / US 191 intersection lane geometry is shown in **Figure 2.2**. Three quadrants of the SR 80 / US 191 intersection are undeveloped. The ADOT Commercial Inspection Facility and an ADOT Motor Vehicle Division Customer Service Center are located on the northeast corner of the intersection.




Figure 2.1 – Existing Conditions: SR 80 / James Ranch Road Intersection




Figure 2.2 – Existing Conditions: SR 80 / US 191 Intersection

2.1.4 Transit and Active Transportation

The City of Douglas currently has bus routes that run along SR 80 between the RHC IPOE east of the study area and Cochise College, located approximately 2.5 miles west of James Ranch Road. Current pedestrian traffic is estimated to be very low along SR 80, US 191, and James Ranch Road in the study area due to the study area's distance from the City of Douglas, minimal adjacent development, and lack of pedestrian accommodations. Bicyclists are currently accommodated along SR 80 by the approximately ten-foot-wide paved outside shoulders in each travel direction.

2.2 Existing Ports of Entry

The existing RHC IPOE located along the U.S.-Mexico border at the southern terminus of US 191 Business (Pan American Avenue) is open from 9 AM to 5 PM daily. The RHC IPOE has seven lanes that process vehicular traffic entering the United States. One of these lanes is a designated Secure Electronic Network for Travelers Rapid Inspection (SENTRI) lane that allows expedited processing for pre-approved travelers. The number of dedicated commercial vehicle lanes varies, with a maximum of two lanes dedicated to commercial vehicles at a time. Per information provided by ADOT staff, all commercial vehicles entering the United States at the RHC IPOE are required to continue to the ADOT Commercial Inspection Facility on the northeast corner of the intersection of SR 80 / US 191 for additional processing before traveling to their ultimate destination. The RHC IPOE also has a facility east of the vehicle lanes to process pedestrian traffic. The facility has three booths for processing pedestrians; however, not all booths are open at all times.

The existing ADOT Commercial Inspection Facility on the northeast corner of the SR 80 / US 191 intersection is typically open the same hours as the RHC IPOE (9AM to 5PM daily). All inbound commercial vehicles from Mexico, as well as commercial vehicles traveling in both directions on US 191 and SR 80, are required to be processed at the ADOT Commercial Inspection Facility when it is open. The ADOT Commercial Inspection Facility has one driveway on SR 80 and one driveway on US 191. Internal site circulation follows a counterclockwise direction. Access at the SR 80 driveway is restricted to right-in/right-out movements due to the presence of the median on SR 80.

2.3 Existing Traffic Volumes and Operations

2.3.1 Truck Traffic at the Ports of Entry

Existing truck traffic volume data at the RHC IPOE was obtained from the Douglas Arizona Regional Feasibility Study prepared by Stantec in June 2018 (Stantec Study). The study obtained traffic data from the U.S. Customs and Border Patrol (CBP) collected from February 2017 to January 2018 for vehicles entering the United States. The collected vehicle data differentiated between passenger cars, also referred to as personally-owned vehicles (POVs), and trucks, also referred to as commercially-operated vehicles (COVs). The peak number of trucks processed at the RHC IPOE was 24 trucks per hour, with a total estimated

demand of 31 trucks per hour. The truck volumes reported by the Stantec Study were utilized to represent anticipated truck volumes at the proposed commercial IPOE as detailed in Section 3.4.2 of this report.

ADOT provided 2021 and 2022 monthly statistics for processing of trucks at the ADOT Commercial Inspection Facility. This data indicates that truck volumes vary over time throughout the year, but the data is not broken out by hour or direction of travel.

Relevant excerpts from the Stantec Study and ADOT annual volume data from the Douglas State POE are included in **Appendix 1** and **Appendix 2**, respectively.

2.3.2 Intersection and Roadway Traffic Volumes

Existing (2021) morning (AM) and afternoon (PM) peak period turning movement counts (TMCs) were estimated at the intersections of SR 80 / James Ranch Road and SR 80 / US 191 based on bi-directional average daily traffic (ADT) counts from the ADOT Transportation Data Management System (TDMS) and from the Southeastern Arizona Governments Organization (SEAGO) TDMS. Details regarding the ADOT and SEAGO counts are provided in **Appendix 3**.

The EB and WB through volumes at the intersection of SR 80 / James Ranch Road were estimated using the total AM and PM peak hour volumes from the ADOT TDMS counts. Existing volumes on James Ranch Road are anticipated to be very low due to the lack of development along the existing unpaved roadway. Therefore, a small volume was assumed on all movements other than the SR 80 mainline through traffic movements for the purposes of obtaining existing level of service (LOS) results.

Turning movement volumes at the existing intersection of SR 80 / US 191 were estimated based on the relative proportion of ADT volumes on each intersection leg.

The peak hour and ADT volumes at the existing intersections are shown in the previously referenced **Figure 2.1**. Existing traffic volume calculations are included in **Appendix 4**.

The EB and WB through volumes on SR 80 are heavily directional in the AM peak hour and moderately directional in the PM peak hour. The WB volumes are over 100 percent greater than the EB approach volumes in the AM peak hour, and the EB volumes are about 30 percent greater than the WB volumes in the PM peak hour. Daily EB and WB volumes on SR 80 are approximately equal.

Existing medium and heavy vehicle (truck) percentages along the study area roadways were obtained from the 2021 ADOT Average Annual Daily Traffic Reports.

Table 2.1 summarizes the existing ADT, K-factors (design peak hour percentage of daily volume), D-factors (directional split), T-factors (truck percentage), and percent medium and heavy vehicles (per the Federal Highway Administration [FHWA] 13-Class classification scheme detailed later in Section 7.1 of this report) obtained from the ADOT TDMS for the

study area roadways. More information on existing TDMS traffic data can be found in **Appendix 3**.

Table 2.1 – Existing Traffic Data Summary

Input	SR 80 west of James Ranch Road	SR 80 / US 191			
		North Leg	South Leg	East Leg	West Leg
ADT (vpd)	5,667	3,681	-	8,941	5,667
K-Factor	9%	9%	-	8%	9%
D-Factor	59%	60%	-	54%	59%
T-Factor	11%	11%	-	11%	11%
Medium Vehicle %	6%	7%	-	9%	6%
Heavy Vehicle %	5%	4%	-	2%	5%

3. FUTURE TRAFFIC VOLUMES ANALYSIS AND ALTERNATIVES

3.1 Available Future Conditions Models and Data

Future conditions data was obtained from the following travel demand models:

- ADOT statewide model
- Sierra Vista Metropolitan Planning Organization (SVMPO) model

Upon initial analysis of both models, neither was found to adequately predict future traffic conditions within the study area. The ADOT statewide model has not been updated or calibrated for this area in many years and the model volumes and projected growth rates on SR 80 do not appear reasonable compared to existing counted volumes and expected growth rates. The SVMPO model extents are somewhat close to, but do not include, the study area. Information from the SVMPO model end links is not applicable as there are several roadway network connections between the edge of the SVMPO model and the study area. Therefore, neither travel demand model was used to determine future traffic conditions. The ADOT and SVMPO model outputs are included in **Appendix 3** for reference.

Instead of using model projections, 2040 annual average daily traffic (AADT) projections from the ADOT TDMS were used to calculate an average annual growth rate for the study roadway segments. Based on the existing and 2040 AADT projections, a growth rate of two percent per year was applied to the existing traffic volumes on SR 80 and US 191 to estimate opening year 2028 and horizon year 2050 daily and peak hour traffic volumes. Detailed volume calculations can be found in **Appendix 4**.

3.2 Future Build Analysis Alternatives

The following intersection configuration alternatives were analyzed at the study intersection of SR 80 / James Ranch Road under the opening year 2028 Build and horizon year 2050 Build conditions (see illustrations of the general intersection configurations, control types, and control locations shown in **Figure 3.1**):

- TWSC
- Traffic Signal Control
- Roundabout

The TWSC configuration assumes the existing northbound/southbound stop control on James Ranch Road remains; however, different lane geometry than existing was considered in the future analyses. The traffic signal control configuration assumes the installation of a traffic

signal at the study intersection. The roundabout configuration assumes the installation of a two-lane roundabout at the study intersection.




Figure 3.1 – Intersection Configuration Alternatives

Additionally, the SR 80 / US 191 intersection was analyzed for all scenarios to identify how the intersection will be affected by the change in truck traffic routing from the proposed commercial IPOE and other traffic growth. The intersection was analyzed with its current lane geometry in the existing and 2028/2050 No-Build scenarios. The Chino Road reroute described in Section 2.1.2 was assumed to occur in the 2028/2050 Build scenarios; therefore, the currently barricaded south leg of the intersection was analyzed as being open in these scenarios.

Two new intersections are anticipated to be constructed with the proposed IPOE as shown in **Figure 3.2**. These intersections are referred to as the IPOE East and IPOE West intersections in this report and are approximately 570 feet apart from each other measured between the centers of each intersection. Per coordination with ADOT, these intersections are anticipated to have all-way stop control in the opening year 2028 and roundabout traffic control by the horizon year 2050.




Figure 3.2 – Proposed IPOE Intersections

3.3 Future Land Use Forecast

The parcels along the James Ranch Road alignment south of SR 80 are zoned as "C-Developing" by Cochise County and are anticipated to contain commercial and/or industrial land uses. Because no detailed land use plans were available at the time of this report, it was assumed that the parcels fronting James Ranch Road and a portion of other parcels near James Ranch Road will contribute traffic to the proposed connector road. The parcels that were assumed to contribute to traffic on James Ranch Road are shown in **Figure 3.3**. It was assumed that all traffic from the parcels outlined in green and 30 percent of all traffic from the parcels outlined in blue would utilize James Ranch Road to get to and from SR 80. To estimate a leasable floor area for each parcel, a floor-area ratio (FAR) of 0.25 was assumed for all parcels. Additionally, it was assumed that 30 percent of the total adjacent parcel area would be developed by opening year 2028 and 100 percent of the total adjacent parcel area would be developed by horizon year 2050.

To estimate traffic at the new intersections adjacent to the proposed IPOE intersections, it was assumed that all traffic generated by the cross-hatched area in **Figure 3.3** would feed exclusively into the proposed IPOE intersections.




Figure 3.3 – Adjacent Parcel Area Assumptions

3.4 Future Traffic Volumes

3.4.1 Growth of Existing Traffic

Existing traffic on SR 80 and US 191 was grown based on a comparison of the existing and 2040 projected ADT volumes from the ADOT TDMS. From these volumes, an average annual growth rate of two percent per year was determined. This rate was applied to the existing volumes along SR 80, US 191, and Chino Road to obtain opening year 2028 and horizon year 2050 traffic volumes. Like the existing conditions analysis, small traffic volumes were also assumed for movements at the study intersections that are not anticipated to be affected by development along James Ranch Road south of SR 80 or the proposed IPOE to obtain LOS results. This assumed volume was increased in each successive analysis year to account for potential growth.

3.4.2 Proposed Commercial IPOE Traffic Volumes

Future commercial volumes generated by the proposed commercial IPOE were estimated based on the existing traffic count data collected at the RHC IPOE from the Stantec Study previously described in Section 2.2. The study utilized the peak volume day of the 90th percentile peak volume week to determine daily and hourly passenger vehicle and heavy vehicle volumes. From this data, a daily heavy vehicle peak hour volume was determined, and a demand factor of 1.3 was applied to account for additional traffic demand that arrived within the peak hour but was not processed. The same peak hour heavy vehicle demand volume was assumed for the proposed commercial IPOE's trip generation for both trips entering and exiting the United States during both the AM and PM peak hours and represents a conservative estimate of expected traffic. Relevant excerpts from the Stantec Study are included in [Appendix 1](#).

The proposed commercial IPOE trip generation was then distributed to the roadway network based on existing and anticipated traffic patterns in the study area. It is anticipated that all truck traffic entering the U.S. will be required to travel to the ADOT Commercial Inspection Facility located on the northeast corner of the intersection of SR 80 / US 191 for additional processing. Therefore, traffic entering the U.S. was first routed to the ADOT Commercial Inspection Facility before being distributed east and west along SR 80 and north on US 191. Entering and exiting traffic was distributed based on existing and anticipated traffic patterns on SR 80 and US 191.

The proposed commercial IPOE traffic assignment was grown based on the average annual growth rate used in the Stantec Study. The Stantec Study analyzed historical inbound volumes processed at the RHC IPOE between 2011 and 2017 and calculated an average annual growth rate of 1.1 percent per year. The proposed commercial IPOE traffic was assumed to grow at this annual rate to the opening year 2028 and horizon year 2050. Future traffic volume calculations for the proposed commercial IPOE are included in [Appendix 4](#).

Additionally, proposed commercial IPOE employee traffic volumes were estimated based on projected staffing requirements and shift times provided by the U.S. General Services Administration (GSA). An estimated 50 employees will enter the site in both the AM and PM shift, and 50 employees will leave the site at the end of the AM shift, which is also the start of the PM shift. These shifts were assumed to start during the AM and PM peak hours to present a conservative estimate of traffic at the proposed IPOE intersections. All employee traffic was assumed to utilize the proposed parking lot located south of the proposed IPOE east-west road. The additional employee traffic at the study intersections on SR 80 is assumed to be included within the projected adjacent development traffic volumes discussed below.

3.4.3 Adjacent Development Traffic Volumes

Volumes were estimated for the future developments along James Ranch Road south of US 80 using the Institute of Transportation Engineers (ITE) *Trip Generation Manual, 11th Edition*. Trip generation was calculated using the “peak hour of generator” rates for ITE Land Use 150, Warehousing, to provide an estimate of peak hour traffic that could be generated by the future developments. The land use assumptions for the parcels anticipated to contribute traffic to the connector road and proposed IPOE intersections are described previously in Section 3.3.

These adjacent development trips were distributed to the roadway network based on anticipated traffic patterns to and from the developments. Because most peak hour trips to and from warehousing land uses are commuters to and from residential areas, traffic is anticipated to be weighted heavily in the direction of Douglas. Therefore, it was estimated that 85 percent of traffic would travel to and from the east and 15 percent of traffic would travel to and from the west on SR 80. Trip generation calculations for the adjacent developments are shown in [Appendix 4](#).

Heavy vehicle/truck percentages for the adjacent development traffic assignment were estimated based on Appendix I of the ITE *Trip Generation Handbook, 3rd Edition* and a comparison of the heavy vehicle and total vehicle trip generation rates in the ITE *Trip Generation Manual*. Based on the data, 20 percent of trips to and from the adjacent developments were assumed to be heavy vehicles.

3.4.4 Future Volumes and Lane Configuration Summary

The calculated average annual growth rates discussed in Section 3.4.1 were applied to the existing traffic volumes to obtain traffic volumes for the opening year 2028 and horizon year 2050 No-Build scenarios. The No-Build scenarios assume that the proposed commercial IPOE and the future warehousing developments along James Ranch Road are not constructed and that no changes are made to existing roadway geometry.

To determine future Build condition traffic volumes, the existing traffic volumes and the proposed commercial IPOE volumes were grown by the average annual growth rates discussed in Section 3.4.1 and Section 3.4.2, respectively. The grown existing volumes, the

adjacent development volumes discussed in Section 3.4.3, and the grown proposed commercial IPOE traffic volumes were added together to obtain the total traffic volumes for the opening year 2028 and horizon year 2050 Build scenarios. In addition to the geometric improvements of the future Build analysis alternatives, the Build condition assumes that the Chino Road re-route described in Section 2.1.2 is completed by 2028. The No-Build condition was not analyzed at the proposed IPOE intersections because they would not be constructed in the No-Build condition.

The lane configurations at the proposed IPOE intersections were assumed based on preliminary intersection plans and the lane geometry required to provide acceptable LOS and queueing results at the intersections.

The resultant 2028 and 2050 traffic volumes and lane configurations for the different SR 80 / James Ranch Road intersection configurations, the SR 80 / US 191 intersection, and the proposed IPOE intersections are presented in the following figures:

SR 80 / James Ranch Road:

- 2028 No-Build – **Figure 3.4**
- 2028 Build – **Figure 3.5**
- 2050 No-Build – **Figure 3.6**
- 2050 Build – **Figure 3.7**

SR 80 / US 191:

- 2028 No-Build – **Figure 3.8**
- 2028 Build – **Figure 3.9**
- 2050 No-Build – **Figure 3.10**
- 2050 Build – **Figure 3.11**

IPOE East Intersection:

- 2028 Build – **Figure 3.12**
- 2050 Build – **Figure 3.13**

IPOE West Intersection:

- 2028 Build – **Figure 3.14**
- 2050 Build – **Figure 3.15**

Note that the proposed IPOE intersections were analyzed with four legs at each intersection. The potential future east leg of the IPOE East Intersection and north leg of the IPOE West Intersection were included in the analysis to provide a conservative analysis of intersection operations with future development traffic. These legs may be installed after the proposed IPOE buildout if the proposed IPOE is completed prior to development in the area.

Table 3.1, **Table 3.2**, **Table 3.3**, and **Table 3.4** summarize the opening year 2028 and horizon year 2050 ADTs, K-factors, D-factors, and T-factors for each leg of the SR 80 / James Ranch Road, SR 80 / US 191/Chino Road, IPOE East, and IPOE West intersections, respectively.

Table 3.1 – SR 80 / James Ranch Road Future Traffic Summary

Input	North Leg	South Leg	East Leg	West Leg
2028 ADT (vpd)	300	6,300	13,200	8,000
2050 ADT (vpd)	700	19,200	30,500	14,100
AM (PM) K-Factor	9% (9%)	9% (9%)	7% (8%)	7% (8%)
D-Factor	50%	55%	51%	56%
2028 T-Factor	2%	30%	21%	18%
2050 T-Factor	2%	24%	20%	17%

Table 3.2 – SR 80 / US 191/ Chino Road Future Traffic Summary

Input	North Leg	South Leg	East Leg	West Leg
2028 ADT (vpd)	6,900	3,500	11,900	12,600
2050 ADT (vpd)	11,900	5,400	28,000	29,500
AM (PM) K-Factor	6% (8%)	7% (7%)	7% (8%)	6% (7%)
D-Factor	56%	63%	57%	50%
2028 T-Factor	27%	5%	15%	23%
2050 T-Factor	24%	5%	17%	21%

Table 3.3 – IPOE East Intersection Future Traffic Summary

Input	North Leg	South Leg	East Leg	West Leg
2028 ADT (vpd)	3,600	1,300	1,300	1,600
2050 ADT (vpd)	7,900	1,600	4,000	3,600
AM (PM) K-Factor	9% (9%)	9% (9%)	9% (9%)	9% (9%)
D-Factor	51%	60%	53%	55%
2028 T-Factor	32%	2%	17%	54%
2050 T-Factor	29%	2%	18%	39%

Table 3.4 – IPOE West Intersection Future Traffic Summary

Input	North Leg	South Leg	East Leg	West Leg
2028 ADT (vpd)	400	1,000	1,600	800
2050 ADT (vpd)	900	1,400	3,600	2,200
AM (PM) K-Factor	9% (9%)	9% (9%)	9% (9%)	9% (9%)
D-Factor	52%	50%	55%	53%
2028 T-Factor	37%	100%	54%	29%
2050 T-Factor	36%	100%	39%	27%

Note that the K-factors used in the future analysis differ from the existing K-factors from the ADOT TDMS. For the future volumes analysis, these values were recalculated from the hourly TDMS volume data for both the AM and PM peak hours separately to provide an estimate that better reflects the available data for future traffic conditions. Additionally, T-factors were applied per turning movement instead of per approach in the analysis. The approach T-factors reported above represent the weighted average truck percentages by movement volume and are provided for reference.

City of Douglas International Port of Entry Connector Road




Figure 3.4 – SR 80 / James Ranch Road: 2028 No-Build Traffic Volumes & Lane Configuration




Figure 3.6 – SR 80 / James Ranch Road: 2050 No-Build Traffic Volumes & Lane Configuration




Figure 3.5 – SR 80 / James Ranch Road: 2028 Build Traffic Volumes & Lane Configuration




Figure 3.7 – SR 80 / James Ranch Road: 2050 Build Traffic Volumes & Lane Configuration

City of Douglas International Port of Entry Connector Road




Figure 3.8 – SR 80 / US 191: 2028 No-Build Traffic Volumes & Lane Configuration




Figure 3.10 – SR 80 / US 191: 2050 No-Build Traffic Volumes & Lane Configuration




Figure 3.9 – SR 80 / US 191: 2028 Build Traffic Volumes & Lane Configuration








Figure 3.11 – SR 80 / US 191: 2050 Build Traffic Volumes & Lane Configuration

City of Douglas International Port of Entry Connector Road



The recommended storage lengths shown in **Figure 3.5** through **Figure 3.15** were determined using the methodology outlined in ADOT Traffic Guidelines and Processes (TGP) Section 430. Tables 430-1 and 430-2 from the TGP were used to select an appropriate gap and braking distance, respectively. The 95th percentile queues from the different operational analyses presented in Section 5 of this report were used as the queue portion of the storage described in TGP 430.

Per ADOT TGP 245, an exclusive EB right-turn lane is warranted at the intersection of SR 80 / James Ranch Road based on projected 2028 and 2050 peak hour turning movement volumes.

Relevant excerpts from TGP 430 and TGP 245 are included in **Appendix 5**.

4. CRASH SUMMARY

A crash summary was conducted for crashes occurring along SR 80 between approximately 1.5 miles west of James Ranch Road and 1.0 mile east of James Ranch Road to identify any crash patterns or trends that may be present within the study area.

Crash data was obtained from ADOT for the dates between January 1, 2017, and December 31, 2021, the five most current full years available.

Nineteen total crashes were reported along this SR 80 study segment. Of the 19 total crashes, there were two angle crashes (11 percent of total crashes). One angle crash occurred at the driveway on SR 80 approximately 1.5 miles west of James Ranch Road and the other occurred at the intersection of SR 80 / Kings Highway (1.0 mile east of James Ranch Road). The crash reported west of James Ranch Road resulted in a suspected serious injury, while the crash east of James Ranch Road resulted in no injury.

The remaining 17 crashes were all single-vehicle crashes along SR 80 (89 percent of total crashes). Of these crashes, 12 crashes involved an animal, 3 crashes involved an object, and 2 crashes were rollovers. Of the single-vehicle crashes, 13 crashes resulted in no injuries, 2 crashes resulted in possible injury, and 2 crashes resulted in suspected minor injury.

Overall, 12 of the 19 total crashes occurred in dark, not lighted conditions (63 percent), 1 occurred during dusk (5 percent), 1 occurred in dark, lighted conditions (5 percent), and 5 occurred in daylight (27 percent). This may indicate lighting issues on SR 80.

Summaries of the total crashes and crash severity by year are shown in **Figure 4.1** and **Figure 4.2**, respectively. **Figure 4.3** shows the locations of all crashes within the study period by injury severity. Note that in these figures, the crash type of one crash is classified as “other”. This crash was described as occurring with an “other non-fixed object” and was therefore included as a single-vehicle crash for the purposes of this analysis.




Figure 4.1 – Crash Type by Year





Figure 4.2 – Crash Severity by Year

City of Douglas International Port of Entry Connector Road



Source: ADOT

Figure 4.3 – Crash Map

5. OPERATIONAL ANALYSIS

5.1 Intersection Analysis Methodology

An intersection operational analysis was performed at the intersections of SR 80 / James Ranch Road and SR 80 / US 191 for the Existing, 2028 No-Build, 2050 No-Build, 2028 Build, and 2050 Build conditions (for the previously mentioned potential intersection configuration alternatives). The level of service (LOS) and queueing analyses for the TWSC and traffic signal control alternatives were completed using the Highway Capacity Manual, 6th Edition (HCM 6) methodology via Synchro 11 analysis software. Existing signal timing data provided by ADOT at the SR 80 / US 191 intersection were used in the existing and future analyses. The analysis of the Roundabout alternative was completed using Rodel 1.96 analysis software.

An intersection operational analysis was also performed at the proposed IPOE intersections for the 2028 and 2050 Build conditions using the HCM 6 methodology for all-way stop-controlled intersections and roundabouts.

Each intersection, approach, or movement is given a letter designation from LOS A to LOS F. LOS A represents operational conditions with minimal delay and traffic volumes significantly less than available capacity (volume-to-capacity ratio [v/c] < 1). LOS F represents poor operational conditions with a high degree of delay and/or traffic volumes greater than the available capacity (v/c > 1). Each LOS grade represents a range of operational conditions.

Table 5.1 shows the average vehicle delay ranges for signalized and unsignalized intersections (including roundabouts) that correspond with each LOS letter grade. Note that the HCM methodology does not provide an overall intersection LOS for TWSC intersections.

Table 5.1 – Level of Service Thresholds for Signalized and Unsignalized Intersections

Level of Service	Control Delay (s/veh)	
	Signalized Intersections	Unsignalized Intersections
A	≤ 10	≤ 10
B	> 10 and ≤ 20	> 10 and ≤ 15
C	> 20 and ≤ 35	> 15 and ≤ 25
D	> 35 and ≤ 55	> 25 and ≤ 35
E	> 55 and ≤ 80	> 35 and ≤ 50
F	> 80 or v/c > 1.0*	> 50 or v/c > 1.0*

*v/c = volume-to-capacity ratio

Source: HCM 6th Edition

The existing peak hour factors (PHF) were adjusted in all future analysis scenarios based on the projected traffic demand and proposed lane geometry in accordance with the following guidelines from the ADOT TGP Section 240 for future PHFs:

- PHF = 0.80 for < 75 vehicles per hour (vph) per lane
- PHF = 0.85 for 75 - 300 vph per lane
- PHF = 0.90 for > 300 vph per lane

5.2 Existing Intersection Conditions

The LOS, delay, and 95th percentile queues at the existing study area intersections were evaluated using the existing traffic volumes and lane geometry described previously in Section 2. The SR 80 / US 191 intersection was analyzed using current signal timings provided by ADOT. Existing signal timing inputs are provided in **Appendix 6**. The results of the Existing AM and Existing PM intersection capacity analyses are shown in **Table 5.2** and **Table 5.3**, respectively. The Synchro output reports for the Existing analysis scenarios are provided in **Appendix 7**.

Table 5.2 – Existing Intersection Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
SR 80 / James Ranch Road													
LOS	B			B			A	-		A	-		
Average Delay (s)	11			11			8	-		8	-		
95 th Percentile Queue (ft)	0			0			0	-		0	-		
SR 80 / US 191													
LOS				B			B	A	A				A A A
Average Delay (s)				11			10	6	5				6 7 7
95 th Percentile Queue (ft)				25			25	25	25				25 25 -

All movements at the study area intersections under existing conditions operate at LOS B or better in the AM peak hour with reported 95th percentile queues no greater than 25 feet long.

Table 5.3 – Existing Intersection Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
SR 80 / James Ranch Road													
LOS	B			B			A	-		A	-		
Average Delay (s)	11			11			8	-		8	-		
95 th Percentile Queue (ft)	0			0			0	-		0	-		
SR 80 / US 191													
LOS				B			B	A	A				A A A
Average Delay (s)				11			10	7	6				6 6 7
95 th Percentile Queue (ft)				25			25	25	25				25 25 -

All movements at the study area intersections under existing conditions operate at LOS B or better in the PM peak hour with reported 95th percentile queues no greater than 25 feet long.

5.3 No-Build Intersection Analysis

The 2028 and 2050 No-Build LOS, delay, and 95th percentile queues at the study area intersections were evaluated using the 2028 and 2050 No-Build volumes and the existing geometry described previously in Section 2. The No-Build scenarios assume existing lane geometry, including the existing Chino Road alignment, and do not include proposed commercial IPOE or warehousing traffic volumes. The results of the 2028 No-Build AM, 2028 No-Build PM, 2050 No-Build AM and 2050 No-Build PM intersection capacity analyses are shown in **Table 5.4**, **Table 5.5**, **Table 5.6**, and **Table 5.7**, respectively. The Synchro output reports for the No-Build scenarios are provided in **Appendix 7**.

Table 5.4 – 2028 No-Build Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
SR 80 / James Ranch Road													
LOS	B			B	A	-	A		-				
Average Delay (s)	12			12	8	-	8		-				
95 th Percentile Queue (ft)	25			25	0	-	0		-				
SR 80 / US 191													
LOS					B		B	A	A				A A A
Average Delay (s)						15		14	7	5			6 7 8
95 th Percentile Queue (ft)						50		25	25	25			25 50 -

All movements at the study area intersections are expected to operate at LOS B or better in the 2028 No-Build scenario in the AM peak hour with 95th percentile queues no greater than 25 feet long.

Table 5.5 – 2028 No-Build Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
SR 80 / James Ranch Road													
LOS	B			B	A	-	A		-				
Average Delay (s)	13			12	8	-	9		-				
95 th Percentile Queue (ft)	25			25	0	-	0		-				
SR 80 / US 191													
LOS				B			B	A	A				A A A
Average Delay (s)					11	11	7	6		6	7	7	
95 th Percentile Queue (ft)					25	25	25	25		25	25	-	

All movements at the study area intersections are expected to operate at LOS B or better in the 2028 No-Build scenario in the PM peak hour with 95th percentile queues no greater than 25 feet long.

Table 5.6 – 2050 No-Build Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
SR 80 / James Ranch Road													
LOS	B			C			A		-	A		-	
Average Delay (s)	15			16			9		-	8		-	
95 th Percentile Queue (ft)	25			25			0		-	0		-	
SR 80 / US 191													
LOS				B			B	A	A				A A A
Average Delay (s)				15			14	7	5				6 7 8
95 th Percentile Queue (ft)				50			25	25	25				25 50 -

All movements at the study area intersections are expected to operate at LOS C or better in the 2050 No-Build scenario in the AM peak hour with 95th percentile queues no greater than 50 feet long.

Table 5.7 – 2050 No-Build Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
SR 80 / James Ranch Road													
LOS	C			C			A		-	A		-	
Average Delay (s)	20			18			8		-	9		-	
95 th Percentile Queue (ft)	25			25			0		-	0		-	
SR 80 / US 191													
LOS				B			B	A	A				A A A
Average Delay (s)				16			15	8	5				5 6 8
95 th Percentile Queue (ft)				50			50	25	25				25 25 -

All movements at the study area intersections are expected to operate at LOS C or better in the 2050 No-Build scenario in the PM peak hour with 95th percentile queues no greater than 50 feet long.

5.4 SR 80 / James Ranch Road Future Build Analysis

The 2028 and 2050 Build LOS, delay, and 95th percentile queues at the SR 80 / James Ranch Road intersection were evaluated using the 2028 and 2050 Build volumes and the TWSC, traffic signal control, and roundabout intersection configuration alternatives described previously in Section 3 of this report.

5.4.1 Two-Way Stop Controlled Intersection Capacity Analysis Results

An intersection diagram extracted from Synchro showing the TWSC lane geometry used in the 2028 and 2050 Build analyses is presented in **Figure 5.1**. The results of the 2028 Build AM, 2028 Build PM, 2050 Build AM and 2050 Build PM intersection capacity analyses with the TWSC configuration are shown in **Table 5.8**, **Table 5.9**, **Table 5.10**, and **Table 5.11**, respectively. The Synchro output reports for the TWSC configuration are provided in **Appendix 7**.




Figure 5.1 – SR 80 / James Ranch Road - TWSC Intersection Diagram

Table 5.8 – SR 80 / James Ranch Road - 2028 Build with TWSC Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach		
	L	T	R	L	T	R	L	T	R	L	T	R
LOS	E	D	B	E	C		A	-		A	-	
Average Delay (s)	38	32	10	43	22		8	-		9	-	
95 th Percentile Queue (ft)	25	25	25	25	25		0	-		0	-	

The NB and SB left-turn movements at the SR 80 / James Ranch Road intersection are anticipated to operate at LOS E in the 2028 Build with TWSC scenario during the AM peak hour. All other movements are anticipated to operate at LOS D or better. All movements are anticipated to have 95th percentile queues no greater than 25 feet long.

Table 5.9 – SR 80 / James Ranch Road - 2028 Build with TWSC Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach		
	L	T	R	L	T	R	L	T	R	L	T	R
LOS	D	C	B	D	C		A	-		A	-	
Average Delay (s)	30	22	15	35	16		8	-		9	-	
95 th Percentile Queue (ft)	50	25	75	25	25		0	-		25	-	

All movements at the SR 80 / James Ranch Road intersection are anticipated to operate at LOS D or better in the 2028 Build with TWSC scenario during the PM peak hour. All movements are anticipated to have 95th percentile queues no greater than 75 feet long.

Table 5.10 – SR 80 / James Ranch Road - 2050 Build with TWSC Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach		
	L	T	R	L	T	R	L	T	R	L	T	R
LOS	F	F	C	F	F		A	-		E	-	
Average Delay (s)	*	*	16	*	*		9	-		38	-	
95 th Percentile Queue (ft)	*	75	125	*	125		0	-		400	-	

* Value not reported due to HCM limitations. Significant delays and queueing anticipated.

The NB and SB left-turn movements, the NB through movement, and the SB through/right-turn movement at the SR 80 / James Ranch Road intersection are anticipated to operate at LOS F in the 2050 Build with TWSC scenario during the AM peak hour. The WB left-turn movement is anticipated to operate at LOS E. All other movements at the study area intersections are anticipated to operate at LOS C or better. Significant queueing is expected on the NB and SB left-turn movements. The WB left-turn movement experiences a 95th

percentile queue of 400 feet, which exceeds the existing storage length. All other movements are anticipated to have 95th percentile queues no greater than 125 feet long.

Table 5.11 – SR 80 / James Ranch Road - 2050 Build with TWSC Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach		
	L	T	R	L	T	R	L	T	R	L	T	R
LOS	F	F	F	F	F		A	-		B	-	
Average Delay (s)	*	133	*	*	88	8	-	14	-			
95 th Percentile Queue (ft)	*	25	*	*	50	0	-	75	-			

* Value not reported due to HCM limitations. Significant delays and queueing anticipated.

The NB and SB left-turn movements, the NB through and right-turn movements, and the SB through/right-turn movement at the SR 80 / James Ranch Road intersection are anticipated to operate at LOS F in the 2050 Build with TWSC scenario during the PM peak hour. All other movements at the study area intersections are anticipated to operate at LOS B or better. Significant queueing is expected on the NB and SB left-turn movements and the NB right-turn movement. All other movements are anticipated to have 95th percentile queues no greater than 75 feet long.

5.4.2 Signalized Intersection Capacity Analysis Results

An intersection diagram extracted from Synchro showing the signalized intersection lane geometry used in the 2028 and 2050 Build analyses is presented in **Figure 5.2**. The results of the 2028 Build AM, 2028 Build PM, 2050 Build AM and 2050 Build PM intersection capacity analyses with the signalized configuration are shown in **Table 5.12**, **Table 5.13**, **Table 5.14**, and **Table 5.15**, respectively. The Synchro output reports for the signalized configuration are provided in **Appendix 7**.




Figure 5.2 – SR 80 / James Ranch Road - Signalized Intersection Diagram

Table 5.12 – SR 80 / James Ranch Road - 2028 Build with Traffic Signal Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
LOS	B	B		B	B		A	B	B	A	A		A
Average Delay (s)	10	12		10	10		9	10	12	5	4		7
95 th Percentile Queue (ft)	25	25	0	25	0	25	25	25	25	25	25		-

The SR 80 / James Ranch Road intersection is anticipated to operate at an overall LOS A in the 2028 Build with traffic signal scenario during the AM peak hour. All movements are anticipated to operate at LOS B or better, with 95th percentile queues no greater than 25 feet long.

Table 5.13 – SR 80 / James Ranch Road - 2028 Build with Traffic Signal Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
LOS	B		B	A		A	B	B	B	A		A	B
Average Delay (s)	11		13	10		10	11	13	12	7		5	10
95 th Percentile Queue (ft)	25		25	0		25	0	50	25	25		25	-

The SR 80 / James Ranch Road intersection is anticipated to operate at an overall LOS B in the 2028 Build with traffic signal scenario during the PM peak hour. All movements are anticipated to operate at LOS B or better, with 95th percentile queues no greater than 50 feet long.

Table 5.14 – SR 80 / James Ranch Road - 2050 Build with Traffic Signal Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
LOS	C		C	B		B	C	C	C	D		A	C
Average Delay (s)	22		29	19		19	21	22	29	40		6	27
95 th Percentile Queue (ft)	75		175	25		25	25	75	125	325		50	-

The SR 80 / James Ranch Road intersection is anticipated to operate at an overall LOS C in the 2050 Build with traffic signal scenario during the AM peak hour. All movements are anticipated to operate at LOS D or better, with 95th percentile queues no greater than 325 feet long.


Table 5.15 – SR 80 / James Ranch Road - 2050 Build with Traffic Signal Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
LOS	B		C	B		B	C	C	C	D		B	C
Average Delay (s)	16		33	13		12	25	32	29	49		15	30
95 th Percentile Queue (ft)	125		375	25		25	25	225	75	225		125	-

The SR 80 / James Ranch Road intersection is anticipated to operate at an overall LOS C in the 2050 Build with traffic signal scenario during the PM peak hour. All movements are anticipated to operate at LOS D or better, with 95th percentile queues no greater than 375 feet long.

5.4.3 Roundabout Capacity Analysis Results

An intersection diagram extracted from Synchro showing the roundabout lane geometry used in the 2028 and 2050 Build analyses is presented in **Figure 5.3**.



Note: Synchro diagram not to scale and shown for visual purposes only. Analysis done using Rodel.

Figure 5.3 – SR 80 / James Ranch Road - Roundabout Diagram

The roundabout geometry was initially analyzed without a NB right-turn bypass lane and was found to provide poor LOS during the 2050 PM peak scenario. Therefore, the roundabout analysis was modified to include a NB right-turn bypass lane, which provides increased capacity.

The results of the 2028 Build AM, 2028 Build PM, 2050 Build AM and 2050 Build PM intersection capacity analyses with the roundabout configuration are shown in **Table 5.16**, **Table 5.17**, **Table 5.18**, and **Table 5.19**, respectively. The Rodel output reports for the roundabout configuration (both with and without the NB right-turn bypass lane) are provided in **Appendix 7**.

Table 5.16 – SR 80 / James Ranch Road - 2028 Build with Roundabout Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
LOS	A	A		A			A			A			A
Average Delay (s)	3	2		4			5			8			5
95 th Percentile Queue (ft)	25	0		25			25			75			-

The SR 80 / James Ranch Road intersection is anticipated to operate at an overall LOS A in the 2028 Build with roundabout scenario during the AM peak hour. All movements are anticipated to operate at LOS A, with 95th percentile queues no greater than 75 feet long.

Table 5.17 – SR 80 / James Ranch Road - 2028 Build with Roundabout Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
LOS	A	A		A			A			A			A
Average Delay (s)	3	3		4			5			6			4
95 th Percentile Queue (ft)	25	0		25			25			50			-

The SR 80 / James Ranch Road intersection is anticipated to operate at an overall LOS A in the 2028 Build with roundabout scenario during the PM peak hour. All movements are anticipated to operate at LOS A, with 95th percentile queues no greater than 50 feet long.

Table 5.18 – SR 80 / James Ranch Road - 2050 Build with Roundabout Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
LOS	A	A		A			A			C			B
Average Delay (s)	3	3		7			9			19			12
95 th Percentile Queue (ft)	25	0		25			50			450			-

The SR 80 / James Ranch Road intersection is anticipated to operate at an overall LOS B in the 2050 Build with roundabout scenario during the AM peak hour. All movements are anticipated to operate at LOS C or better, with 95th percentile queues no greater than 450 feet long.

Table 5.19 – SR 80 / James Ranch Road - 2050 Build with Roundabout Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
LOS	A	C		A			A			B			B
Average Delay (s)	5	23		6			7			11			14
95 th Percentile Queue (ft)	25	1,025		25			75			125			-

The SR 80 / James Ranch Road intersection is anticipated to operate at an overall LOS B in the 2050 Build with roundabout scenario during the PM peak hour. All movements are anticipated to operate at LOS C or better. The NB right-turn movement has a 95th percentile queue length of 1,025 feet. All other 95th percentile queues are no greater than 125 feet long.

5.5 SR 80 / US 191 Future Build Analysis

The 2028 and 2050 Build LOS, delay, and 95th percentile queues at the SR 80 / US 191 intersection were evaluated using the 2028 and 2050 Build volumes and the existing intersection geometry described previously in Section 3 of this report. The Chino Road realignment (which is planned but not funded) was assumed to be complete in the 2028 and 2050 Build analyses; therefore, the south leg of the SR 80 / US 191 intersection was assumed to be open using its currently barricaded geometry except with an extended NB left-turn lane storage length. Signal timing and phasing were optimized at the intersection.

An intersection diagram extracted from Synchro showing the lane geometry is presented in **Figure 5.4**. The results of the 2028 Build AM, 2028 Build PM, 2050 Build AM and 2050 Build PM intersection capacity analyses with the existing traffic signal configuration are shown in **Table 5.20**, **Table 5.21**, **Table 5.22**, and **Table 5.23**, respectively. The Synchro output reports for the SR 80 / US 191 intersection are provided in **Appendix 7**.




Figure 5.4 – SR 80 / US 191 – Future Intersection Diagram

Table 5.20 – SR 80 / US 191 - 2028 Build Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
LOS	B	B		B	B		B	A	A	A	A	A	A
Average Delay (s)	16	13		14	14		10	6	6	6	7	6	9
95 th Percentile Queue (ft)	25	25		25	50		25	25	25	0	25	25	-

The SR 80 / US 191 intersection is anticipated to operate at an overall LOS A in the 2028 Build scenario during the AM peak hour with current signal timing and phasing provisions. All movements are anticipated to operate at LOS B or better with 95th percentile queues no greater than 50 feet long.

Table 5.21 – SR 80 / US 191 - 2028 Build Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
LOS	C	B		B	B		A	A	A	A	A	A	A
Average Delay (s)	21	16		17	18		10	6	6	7	6	6	9
95 th Percentile Queue (ft)	50	25		25	75		50	50	25	25	25	25	-

The SR 80 / US 191 intersection is anticipated to operate at an overall LOS A in the 2028 Build scenario during the PM peak hour. All movements are anticipated to operate at LOS C or better, with 95th percentile queues no greater than 75 feet long.

Table 5.22 – SR 80 / US 191 - 2050 Build Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
LOS	D	C		C	D		C	B	B	B	C	B	C
Average Delay (s)	46	24		28	41		25	11	10	13	25	17	24
95 th Percentile Queue (ft)	100	50		75	300		100	100	50	25	350	125	-

The SR 80 / US 191 intersection is anticipated to operate at an overall LOS C in the 2050 Build scenario during the AM peak hour, with protected-permitted EB and WB left-turn signal phasing added, which is anticipated to allow all movements to operate at LOS D or better with 95th percentile queues no greater than 350 feet long. All turn lane queues are anticipated to fit within existing storage provisions.

Table 5.23 – SR 80 / US 191 - 2050 Build Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach			Overall
	L	T	R	L	T	R	L	T	R	L	T	R	
LOS	D	C		C	C		C	C	B	B	C	C	C
Average Delay (s)	36	22		24	29		31	21	13	19	25	23	24
95 th Percentile Queue (ft)	100	50		50	250		250	325	100	25	200	100	-

The SR 80 / US 191 intersection is anticipated to operate at an overall LOS C in the 2050 Build scenario during the PM peak hour, with protected-permitted EB and WB left-turn signal phasing added, which is anticipated to allow all movements to operate at LOS D or better with 95th percentile queues no greater than 325 feet long. All turn lane queues are anticipated to fit within existing storage provisions.

5.6 Proposed IPOE Intersections Future Build Analysis

The 2028 and 2050 Build LOS, delay, and 95th percentile queues at the proposed IPOE intersections were evaluated using the 2028 and 2050 Build volumes and the proposed intersection geometry described previously in Section 3 of this report.

5.6.1 2028 Build Capacity Analysis Results

Intersection diagrams extracted from Synchro showing the assumed 2028 Build lane geometry at the IPOE East and West intersections are presented in Figure 5.5 and Figure 5.6, respectively. The results of the 2028 Build AM and 2028 Build PM intersection capacity analyses with the proposed all-way stop-controlled configuration are shown in Table 5.24

and **Table 5.25**, respectively. The Synchro output reports for the proposed IPOE intersections are provided in **Appendix 7**.




Figure 5.5 – IPOE East Intersection Diagram - 2028 Build




Figure 5.6 – IPOE West Intersection Diagram - 2028 Build

Table 5.24 – Proposed IPOE Intersections - 2028 Build Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach		
	L	T	R	L	T	R	L	T	R	L	T	R
IPOE East Intersection												
LOS	A			A			A	B		A		
Average Delay (s)	8			10			7	11		8		
95 th Percentile Queue (ft)	25			25			25	25		25		
IPOE West Intersection												
LOS	A			A			A	B		A		
Average Delay (s)	9			8			7	10		8		
95 th Percentile Queue (ft)	25			25			25	25		25		

All movements at the proposed IPOE intersections are expected to operate at LOS B or better in the 2028 Build scenario in the AM peak hour with 95th percentile queues no greater than 25 feet long.

Table 5.25 – Proposed IPOE Intersections - 2028 Build Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach		
	L	T	R	L	T	R	L	T	R	L	T	R
IPOE East Intersection												
LOS	A			A			A	B		A		
Average Delay (s)	9			9			8	11		8		
95 th Percentile Queue (ft)	25			25			25	25		25		
IPOE West Intersection												
LOS	A			A			A	B		A		
Average Delay (s)	9			8			8	10		8		
95 th Percentile Queue (ft)	25			25			25	25		25		

All movements at the proposed IPOE intersections are expected to operate at LOS B or better in the 2028 Build scenario in the PM peak hour with 95th percentile queues no greater than 25 feet long.

5.6.2 2050 Build Capacity Analysis Results

An intersection diagram extracted from Synchro showing the assumed 2050 Build lane geometry at both the IPOE East and West intersections is presented in **Figure 5.7**. The results of the 2050 Build AM and 2050 Build PM intersection capacity analyses with the proposed roundabout configuration are shown in **Table 5.26** and **Table 5.27**, respectively. The Synchro output reports for the proposed IPOE intersections are provided in **Appendix 7**.




Figure 5.7 – IPOE East/West Intersection Diagram - 2050 Build

Table 5.26 – Proposed IPOE Intersections - 2050 Build Capacity Analysis Results: AM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach		
	L	T	R	L	T	R	L	T	R	L	T	R
IPOE East Intersection												
LOS	A			A			A			A		
Average Delay (s)	5			8			8			5		
95 th Percentile Queue (ft)	25			50			25			25		
IPOE West Intersection												
LOS	A			A			A			A		
Average Delay (s)	7			5			5			6		
95 th Percentile Queue (ft)	25			25			25			25		

All movements at the proposed IPOE intersections are expected to operate at LOS A in the 2050 Build scenario in the AM peak hour with 95th percentile queues no greater than 50 feet long.

Table 5.27 – Proposed IPOE Intersections - 2050 Build Capacity Analysis Results: PM Peak Hour

Intersection	NB Approach			SB Approach			EB Approach			WB Approach		
	L	T	R	L	T	R	L	T	R	L	T	R
IPOE East Intersection												
LOS	A			A			A			A		
Average Delay (s)	5			6			7			10		
95 th Percentile Queue (ft)	25			25			25			50		
IPOE West Intersection												
LOS	A			A			A			A		
Average Delay (s)	8			5			5			6		
95 th Percentile Queue (ft)	25			25			25			25		

All movements at the proposed IPOE intersections are expected to operate at LOS A in the 2050 Build scenario in the PM peak hour with 95th percentile queues no greater than 50 feet long.

5.7 Grade Separation Sensitivity Analysis

Grade separation (i.e., a bridge) is not anticipated to be necessary at the SR 80 / James Ranch Road intersection by the horizon year 2050 based on the at-grade intersection analyses.

However, a sensitivity analysis was performed to approximate at what point grade separation may need to be considered at the intersection. The signalized intersection LOS was analyzed using HCM 6 methodology via Synchro 11 analysis software, and the roundabout LOS was analyzed using Rodel 2017 methodology. Queue lengths at the signalized intersection were observed using SimTraffic traffic simulation software to be able to observe queue build-ups over time during the peak hours.

Total 2050 volumes were grown incrementally to determine the traffic level at which the at-grade intersection operations fail. Reasonable improvements were assumed for the signalized intersection alternative, including dedicated dual northbound right-turn lanes, northbound right-turn overlap phasing, an extension to the WB left-turn storage length, and signal timing modifications.

The analysis results show that grade separation may be needed if future traffic volumes at the signalized intersection alternative are more than 30 percent higher than the 2050 traffic volumes projected in this report. This equates to approximately 700 to 800 more vehicles entering the intersection during the peak hour. For the roundabout alternative, grade separation may be needed if future traffic volumes are more than 10 to 20 percent higher than the 2050 traffic volumes projected in this report. This equates to approximately 300 to 500 more vehicles entering the roundabout during the peak hour. The Synchro and Rodel output reports for the SR 80 / James Ranch Road intersection with the traffic volume increases are provided in

Appendix 7.

5.8 Connector Road Cross-Section Analysis

Projected daily traffic volumes on the connector road were analyzed to determine an appropriate roadway cross-section in the horizon year 2050. The connector roadway was analyzed as an urban roadway because many driveways and intersections are anticipated along the roadway to service future development. Exhibit 16-16 of the HCM 6 gives generalized daily service volumes of urban roadway facilities based on number of travel lanes, K-factor, D-factor, and desired LOS. Based on the projected 2050 volumes (up to 19,200 vehicles per day), it is anticipated that a four-lane cross-section (two through lanes in each direction) will provide LOS D or better on the connector road. Exhibit 16-16 of the HCM 6 is included in **Appendix 5**.

Projected daily traffic volumes on the connector road were also analyzed using the same methodology to determine the appropriate time to widen the connector road from the interim two-lane cross-section (one through lane in each direction and a raised median) to the ultimate four-lane cross-section (two through lanes in each direction and a raised median). Based on an interpolation of the projected 2028 and 2050 volumes, it is anticipated that a two-lane cross-section will provide LOS D or better on the connector road until approximately 80 percent of the

traffic from the surrounding developments is realized. This is estimated to occur around the year 2044.

6. OTHER TRAFFIC CONSIDERATIONS

Other traffic-related considerations besides traffic operations should be evaluated when determining the advantages and disadvantages of various intersection configuration alternatives at the intersection of SR 80 / James Ranch Road. These include motorist safety, intersection type familiarity, oversize vehicle accommodation, and pedestrian and bicyclist accommodation and safety. Additionally, other traffic-related considerations should be evaluated when determining the design of the connector roadway, including transit accommodation, access, truck parking, and intelligent transportation system (ITS) devices.

6.1 Motorist Safety

One measure of motorist safety for intersection configurations is the number of vehicle conflict points, where vehicles may collide if travel right-of-way rules are not observed. Of particular concern are vehicle crossing points, where vehicles traveling different directions could potentially collide (such as in an angle or left-turn crash). These types of crashes are more likely to cause severe injury to vehicle occupants than vehicles traveling the same general direction (such as sideswipe crashes). Perpendicular crossing points have a high potential for severe injury to vehicle occupants.

A standard four-legged intersection (signalized or TWSC) has 32 conflict points, including 16 crossing points (4 of which are perpendicular). A standard four-legged two-lane roundabout has 24 conflict points, including 8 crossing points (none of which are perpendicular).

Head-on/wrong-way crashes have a high potential for severe injury to vehicle occupants. Head-on/wrong-way travel is prohibited only by signage in the TWSC and signalized intersection alternatives, whereas raised curbs and the angles of intersecting lanes make it more difficult to have head-on/wrong-way travel in the roundabout alternative.

Vehicle speeds in the TWSC and signalized intersection alternatives are controlled only by traffic signals and signage, whereas raised curbs and roadway geometry help reduce vehicle speeds in the roundabout alternative. This reduces the likelihood of severe injury to vehicle occupants in the event of a crash.

The TWSC alternative requires drivers on the minor roadway to judge safe gaps in major roadway traffic to safely turn onto or cross the mainline. Improper judgments may lead to crashes involving crossing conflicts, which tend to be more dangerous (as described previously). The signalized alternative allocates dedicated right-of-way cycle time to each movement, removing the need to judge safe gaps in opposing traffic (barring permissive turning movements). However, failure to properly yield right-of-way at the signalized alternative may still lead to severe crashes as the number of crossing conflict points is the same as the TWSC alternative. The roundabout alternative requires all drivers entering the roundabout to yield to traffic inside the roundabout. While drivers must judge safe gaps in traffic, vehicle speeds within a roundabout tend to be much lower than those on mainline roadways. The reduced speeds

combined with the lack of crossing conflict points in a roundabout causes crash at roundabouts to be less severe on average.

6.2 Intersection Type Familiarity

Drivers are likely very familiar with the TWSC and signalized intersection configurations as these traffic control types are very common throughout the U.S. and Mexico. Drivers may be less familiar with how a roundabout operates. While roundabout intersections have become much more prevalent over the last 20 years, they are far less common than TWSC or signalized intersections.

6.3 Oversize Vehicle Accommodation

SR 80 and James Ranch Road are anticipated to be used as routes for oversize vehicles. The SR 80 / James Ranch Road intersection should be designed to accommodate oversize vehicles where feasible. This includes providing adequate vertical clearance and turning radii.

The TWSC intersection alternative can be configured to accommodate oversize vehicles because there are no major horizontal or vertical restrictions. The TWSC intersection alternative can typically be designed to provide adequate turning radii for oversize vehicles.

The signalized intersection alternative can be configured to accommodate oversize vehicles as long as major horizontal and vertical restrictions such as signal poles and mast arms are placed at the correct height and far enough from curbs. The signalized intersection alternative can typically be designed to provide adequate turning radii for oversize vehicles. Because the northbound right-turn movement is anticipated to experience high heavy vehicle traffic volumes, a channelized right-turn bypass lane may be desirable to provide oversize vehicles with a larger turn radius and allow them to bypass the intersection. The bypass lane can be designed as free-flow, yield, or stop-controlled, which eliminates the height restrictions of a traffic signal mast arm.

The roundabout alternative can typically be designed to provide adequate turning radii for oversize vehicles by providing a truck apron and mountable curbs for the central island. However, navigating roundabouts may be difficult for some low-clearance oversize vehicles because of the varying elevation of the intersection from the curbs and islands present. Because the northbound right-turn movement is anticipated to experience high vehicle traffic volumes, a channelized right-turn bypass lane should be considered to provide oversize vehicles with a larger turn radius and allow them to bypass the roundabout.

Vehicle requirements should be coordinated with ADOT's Statewide Permit Services Supervisor during final design to make sure the proper design vehicle is being used.

6.4 Pedestrian and Bicyclist Accommodation and Safety

The TWSC alternative can provide pedestrian crossings on the north and south legs of the intersection but likely cannot accommodate pedestrians crossing SR 80 (unless some kind of

signalized crossing is provided, such as a pedestrian hybrid beacon, or a grade-separated crossing). No pedestrian indications are present, which can make it particularly challenging for those with disabilities to cross.

The signalized alternative can provide pedestrian crossings and crossing indications on all legs of the intersection. Crossing indications can be both visual and audible.

Because the roundabout alternative is yield-controlled, there are typically no signalized crossings for pedestrians, which can make it challenging for those with disabilities to cross. This may be offset to some degree, however, by the lower speed of vehicles at the crossings, as lower vehicle speeds reduce the likelihood of severe injury to pedestrians. Pedestrian-actuated signals or pedestrian hybrid beacons could be added to address this issue but doing so will impede traffic movements entering and exiting the roundabout when the signals/beacons are activated. Grade-separated pedestrian crossings could also be considered.

The TWSC and signalized alternatives typically provide separate facilities for pedestrians (sidewalk) and bicyclists (bike lanes or paved shoulders) on and along each approach. Roundabouts do not typically include bike lanes within the circulating area due to safety concerns. The roundabout alternative could include ramps for bicyclists to transition between the bike lane or paved shoulder and the sidewalk at the intersection.

The design of the connector road should also consider accommodations for pedestrians and bicyclists such as sidewalks and bike lanes due to the anticipated warehousing land uses and other developments along and near the roadway.

6.5 Transit Accommodation

Future bus stops should be considered along or near the connector road to accommodate commuter traffic generated by the anticipated warehousing land uses and other developments along and near the roadway.

6.6 Access

Future access points along the connector road should include adequate access spacing and turning radii should be designed to accommodate heavy vehicles.

6.7 Truck Parking

Truck parking needs should be considered when designing the connector road due to the anticipated high truck volumes utilizing the roadway and the fact that trucks may have to wait to cross the border if it is not open yet.

6.8 ITS Devices

ADOT has indicated there is the potential for the ADOT Commercial Inspection Facility to be relocated from the northeast corner of the intersection of SR 80 / US 191 to a location along the

connector roadway north of the proposed commercial IPOE. The need for ITS devices should be considered when deciding whether/where to relocate the facility. If the ADOT Commercial Inspection Facility stays in its current location, additional cameras, weigh-in-motion sensors, and dynamic message signs may need to be placed east and west of the intersection of SR 80 / James Ranch Road to alert ADOT to heavy vehicles that do not go to the ADOT Commercial Inspection Facility for inspection (i.e., “port runners”). If the ADOT Commercial Inspection Facility is relocated along the connector road, fewer ITS devices may be needed because trucks will have to pass through the inspection station before continuing along their route. ITS devices along SR 80 may still be desirable to detect “port runners” and overweight vehicles.

6.9 Proposed IPOE Intersection Queue Accommodation

The 2028 and 2050 Build analyses at the proposed IPOE intersections did not identify any potential queueing issues at the intersections. However, the previously referenced Stantec Study reported a potential queue of approximately 250 feet for heavy vehicles crossing at the existing RHC IPOE from the U.S. to Mexico based on a Vissim traffic model analysis of 2018 traffic. The proposed westbound left-turn lane into the IPOE West intersection has a storage length of approximately 400 feet which is sufficient to accommodate the aforementioned potential queue of 250 feet during operating hours.

Past experience at the existing RHC IPOE as well as other commercial IPOEs suggests trucks desiring to exit the U.S. may arrive prior to the IPOE opening in the morning and begin to queue. To avoid truck queues backing up onto the existing roadway awaiting the opening of the IPOE, it is recommended that a minimum 10-foot-wide paved shoulder be provided adjacent to the southbound approach of the IPOE East intersection for at least 500 feet to allow trucks to park and queue outside the traveled way until the IPOE opens.

7. ENVIRONMENTAL REPORT DATA SUMMARY

ADOT requires a Noise Report and Air Quality Report as part of the Environmental Planning process, which include documentation of vehicle classifications, traffic projections and intersection LOS analysis at the major study intersections for the Existing, 2028/2050 No-Build, and 2028/2050 Build scenarios. The following section summarizes these results for use in the Noise Report and Air Quality Report.

7.1 Noise Report Data Summary

For the purposes of this analysis, vehicle volumes were divided into the following three vehicle classification categories:

- Passenger cars;
- Medium vehicles; and
- Heavy vehicles.

Traffic volumes were categorically classified using the FHWA 13-Class classification scheme, where passenger cars are in FHWA Classes 1-4, medium vehicles are in FHWA Class 5, and heavy vehicles are in FHWA Classes 6-13. **Table 7.1**, **Table 7.2**, **Table 7.3**, and **Table 7.4** summarize the approximate weighted average percentages of passenger cars, medium vehicles, and heavy vehicles by total traffic volume on each leg of the study area intersections in the No-Build and Build scenarios, respectively.

All vehicles coming to and from the proposed commercial IPOE and all truck volumes on the north leg of SR 80 / James Ranch Road and the south leg of SR 80 / US 191 (Chino Road) were assumed to be heavy vehicles to provide a conservative analysis as detailed truck classification data were not available for these approaches. Additionally, truck trips generated by the adjacent warehousing developments were assumed to be comprised of 30 percent medium vehicles and 70 percent heavy vehicles to provide a conservative analysis.

Table 7.1 – 2028 / 2050 No-Build Noise Report Vehicle Classification Percentages

Roadway Segment	Passenger Cars	Medium Vehicles	Heavy Vehicles
James Ranch Road south of SR 80	98%	0%	2%
James Ranch Road north of SR 80	98%	0%	2%
SR 80 west of James Ranch Road	89%	6%	5%
SR 80 east of James Ranch Road	89%	6%	5%
US 191 south of SR 80	-	-	-
US 191 north of SR 80	89%	7%	4%
SR 80 west of US 191	89%	7%	4%
SR 80 east of US 191	89%	7%	4%

Table 7.2 – 2050 No-Build Noise Report Vehicle Classification Percentages

Roadway Segment	Passenger Cars	Medium Vehicles	Heavy Vehicles
James Ranch Road south of SR 80	98%	0%	2%
James Ranch Road north of SR 80	98%	0%	2%
SR 80 west of James Ranch Road	89%	6%	5%
SR 80 east of James Ranch Road	89%	6%	5%
US 191 south of SR 80	-	-	-
US 191 north of SR 80	89%	7%	4%
SR 80 west of US 191	89%	7%	4%
SR 80 east of US 191	89%	7%	4%

Table 7.3 – 2028 Build Noise Report Vehicle Classification Percentages

Roadway Segment	Passenger Cars	Medium Vehicles	Heavy Vehicles
James Ranch Road south of SR 80	70%	5%	25%
James Ranch Road north of SR 80	98%	0%	2%
SR 80 west of James Ranch Road	82%	6%	12%
SR 80 east of James Ranch Road	79%	5%	15%
Chino Road south of SR 80	95%	0%	5%
US 191 north of SR 80	73%	6%	21%
SR 80 west of US 191	77%	6%	17%
SR 80 east of US 191	85%	8%	7%

Table 7.4 – 2050 Build Noise Report Vehicle Classification Percentages

Roadway Segment	Passenger Cars	Medium Vehicles	Heavy Vehicles
James Ranch Road south of SR 80	76%	6%	19%
James Ranch Road north of SR 80	98%	0%	2%
SR 80 west of James Ranch Road	83%	6%	11%
SR 80 east of James Ranch Road	80%	6%	14%
Chino Road south of SR 80	95%	0%	5%
US 191 north of SR 80	76%	6%	18%
SR 80 west of US 191	79%	6%	15%
SR 80 east of US 191	83%	8%	9%

Table 7.5 and **Table 7.6** summarize the bidirectional ADT volumes and peak hour volumes on each leg of the intersections of SR 80 / James Ranch Road and SR 80 / US 191, respectively. The bidirectional peak hour volumes were calculated using the peak hour volumes shown in **Figure 3.4** through **Figure 3.11** and the vehicle classification percentages shown in the previously referenced **Table 2.1**, **Table 7.1**, and **Table 7.2**.

Table 7.5 – SR 80 / James Ranch Road Noise Report Traffic Volumes

	Roadway Segment	ADT Volume (vpd)	Peak Hour Volume (vph)			
			Total	Passenger Cars	Medium Vehicles	Heavy Vehicles
Existing	James Ranch Road south of SR 80	0	0	0	0	0
	James Ranch Road north of SR 80	0	0	0	0	0
	SR 80 west of James Ranch Road	5,667	475	423	29	24
	SR 80 east of James Ranch Road	5,667	475	423	29	24
2028 No-Build	James Ranch Road south of SR 80	300	30	29	0	1
	James Ranch Road north of SR 80	300	30	29	0	1
	SR 80 west of James Ranch Road	6,700	550	493	31	27
	SR 80 east of James Ranch Road	6,700	550	492	32	27
2050 No-Build	James Ranch Road south of SR 80	700	60	59	0	1
	James Ranch Road north of SR 80	700	60	59	0	1
	SR 80 west of James Ranch Road	10,500	860	771	48	41
	SR 80 east of James Ranch Road	10,500	860	769	49	42
2028 Build	James Ranch Road south of SR 80	6,300	563	395	29	140
	James Ranch Road north of SR 80	300	30	29	0	1
	SR 80 west of James Ranch Road	8,000	643	530	35	78
	SR 80 east of James Ranch Road	13,200	1021	811	56	154
2050 Build	James Ranch Road south of SR 80	19,200	1,728	1,312	97	320
	James Ranch Road north of SR 80	700	60	59	0	1
	SR 80 west of James Ranch Road	14,100	1,122	932	63	127
	SR 80 east of James Ranch Road	30,500	2305	1,852	131	322

Table 7.6 – SR 80 / US 191 Noise Report Traffic Volumes

	Roadway Segment	ADT Volume (vpd)	Peak Hour Volume (vph)			
			Total	Passenger Cars	Medium Vehicles	Heavy Vehicles
Existing	Chino Rd south of SR 80	0	0	0	0	0
	US 191 north of SR 80	3,681	317	282	19	16
	SR 80 west of US 191	5,667	476	423	29	24
	SR 80 east of US 191	8,941	538	479	48	11
2028 No-Build	Chino Rd south of SR 80	0	0	0	0	0
	US 191 north of SR 80	5,000	357	318	25	14
	SR 80 west of US 191	6,400	536	477	37	21
	SR 80 east of US 191	9,400	606	540	42	24
2050 No-Build	Chino Rd south of SR 80	0	0	0	0	0
	US 191 north of SR 80	7,700	552	491	39	22
	SR 80 west of US 191	10,000	828	737	58	33
	SR 80 east of US 191	14,500	937	834	66	37
2028 Build	Chino Rd south of SR 80	3,500	297	282	0	14
	US 191 north of SR 80	6,900	485	356	28	102
	SR 80 west of US 191	12,600	998	772	59	166
	SR 80 east of US 191	11,900	711	601	57	52
2050 Build	Chino Rd south of SR 80	5,400	459	437	0	22
	US 191 north of SR 80	11,900	843	642	50	152
	SR 80 west of US 191	29,500	2,270	1,794	137	339
	SR 80 east of US 191	28,000	1,721	1,434	129	158

7.2 Air Quality Report Data Summary

Table 7.7 and **Table 7.8** summarize the ADTs for all vehicles, ADTs for trucks (includes the combination of medium and heavy vehicles), and truck percentages (both medium and heavy vehicles) on each leg of the intersections of SR 80 / James Ranch Road and SR 80 / US 191, respectively.

Table 7.7 – SR 80 / James Ranch Road Air Quality Report Daily Traffic Volumes and Truck Percentages

Existing	2028 No-Build	2028 Build	Difference (2028 Build vs. No-Build)	2050 No-Build	2050 Build	Difference (2050 Build vs. No-Build)
James Ranch Road south of SR 80						
Total ADT	0	300	6,300	6,000	700	19,200
Truck ADT	0	1	168	168	1	417
Truck %	0%	2%	30%	28%	2%	24%
James Ranch Road north of SR 80						
Total ADT	0	300	300	0	700	700
Truck ADT	0	1	1	0	1	1
Truck %	0%	2%	2%	0%	2%	0%
SR 80 west of James Ranch Road						
Total ADT	5,667	6,700	8,000	1,300	10,500	14,100
Truck ADT	52	58	113	55	89	189
Truck %	11%	11%	18%	7%	10%	17%
SR 80 east of James Ranch Road						
Total ADT	5,667	6,700	13,200	6,500	10,500	30,500
Truck ADT	52	59	210	151	91	453
Truck %	11%	11%	21%	10%	11%	20%

Table 7.8 – SR 80 / US 191 Air Quality Report Daily Traffic Volumes and Truck Percentages

Existing	2028 No-Build	2028 Build	Difference (2028 Build vs. No-Build)	2050 No-Build	2050 Build	Difference (2050 Build vs. No-Build)
Chino Rd south of SR 80						
Total ADT	0	0	3,500	3,500	0	5,400
Truck ADT	0	0	14	14	0	22
Truck %	0%	0%	5%	5%	0%	5%
US 191 north of SR 80						
Total ADT	3,681	5,000	6,900	1,900	7,700	11,900
Truck ADT	35	39	129	90	61	201
Truck %	11%	11%	27%	16%	11%	24%
SR 80 west of US 191						
Total ADT	5,667	6,400	12,600	6,200	10,000	29,500
Truck ADT	52	59	226	167	91	476
Truck %	11%	11%	23%	12%	11%	21%
SR 80 east of US 191						
Total ADT	8,941	9,400	11,900	2,500	14,500	28,000
Truck ADT	59	67	109	43	103	287
Truck %	11%	11%	15%	4%	11%	17%

Table 7.9 summarizes the overall intersection LOS for scenarios with signalized and roundabout intersections or the worst movement LOS for TWSC scenarios at each study intersection during the AM and PM peak hours.

Table 7.9 – Air Quality Report Overall Intersection Level of Service by Scenario

Intersection	Scenario	LOS	
		AM	PM
SR 80 / James Ranch Road	Existing TWSC^	B	B
	2028 No-Build TWSC^	B	B
	2050 No-Build TWSC^	C	C
	2028 Build TWSC^	E	D
	2050 Build TWSC^	F	F
	2028 Build Signalized	A	B
	2050 Build Signalized	C	C
	2028 Build Roundabout	A	A
	2050 Build Roundabout	B	B
SR 80 / US 191/ Chino Road	Existing	A	A
	2028 No-Build	A	A
	2050 No-Build	A	A
	2028 Build	A	A
	2050 Build	C	C

[^]TWSC values represent worst movement LOS instead of overall intersection LOS.

8. SUMMARY

The principal findings of the traffic analysis are summarized below:

SR 80 / James Ranch Road

- The existing TWSC intersection provides LOS B in Existing and 2028 No-Build traffic conditions and LOS C or better in 2050 No-Build traffic conditions on the NB and SB approaches with current intersection geometry.
- The TWSC intersection alternative provides LOS E or better in 2028 Build traffic conditions and LOS F in 2050 Build traffic conditions on the NB and SB approaches, even with an exclusive NB right-turn lane provided.
- The signalized intersection alternative provides overall LOS C or better in 2028 and 2050 Build traffic conditions as long as an exclusive NB right-turn lane with an overlap right-turn signal phase and dual westbound left-turn lanes are provided.
- The roundabout intersection alternative provides overall LOS B or better in 2028 and 2050 Build traffic conditions as long as an exclusive free-flow NB right-turn bypass lane is provided.

SR 80 / US 191

- The existing signalized intersection provides overall LOS A in Existing and 2028 No-Build traffic conditions, and overall LOS B in 2050 No-Build traffic conditions, with current intersection geometry and optimized traffic signal timing.
- The existing signalized intersection provides overall LOS A in 2028 Build traffic conditions and LOS C in 2050 Build traffic conditions with current intersection geometry and the opening of the south leg for the realigned Chino Road as long as protected-permitted left-turn EB and WB signal phasing is provided by 2050.

Proposed IPOE Intersections

- The proposed IPOE East and IPOE West intersections provide LOS B or better for all movements with all-way stop control in 2028 Build traffic conditions.
- The proposed IPOE East and IPOE West intersections provide LOS A for all movements with roundabout control in 2050 Build traffic conditions.

Table 8.1 summarizes the overall intersection LOS for scenarios with signalized and roundabout intersections or the worst movement LOS for TWSC scenarios at each study intersection during the AM and PM peak hours. The longest queue at the intersection is also reported.

Table 8.1 – Overall Level of Service/Longest Queue by Scenario

Intersection	Scenario	LOS / Queue	
		AM	PM
SR 80 / James Ranch Road	Existing TWSC [^]	B / 0'	B / 0'
	2028 No-Build TWSC [^]	B / 25'	B / 25'
	2050 No-Build TWSC [^]	C / 50'	C / 50'
	2028 Build TWSC [^]	E / 25'	D / 75'
	2050 Build TWSC [^]	F / *	F / *
	2028 Build Signalized	A / 25'	B / 25'
	2050 Build Signalized	C / 325'	C / 375'
	2028 Build Roundabout	A / 75'	A / 50'
	2050 Build Roundabout	B / 450'	B / 1,025'
SR 80 / US 191/Chino Road	Existing	A / 25'	A / 25'
	2028 No-Build	A / 25'	A / 25'
	2050 No-Build	A / 50'	A / 50'
	2028 Build	A / 50'	A / 75'
	2050 Build	C / 350'	C / 325'
IPOE East Intersection	2028 Build [^]	B / 25'	B / 25'
	2050 Build [^]	A / 50'	A / 50'
IPOE West Intersection	2028 Build [^]	B / 25'	B / 25'
	2050 Build [^]	A / 25'	A / 25'

* Value not reported due to HCM limitations. Significant delays/queueing anticipated.

[^]LOS values represent worst movement LOS instead of overall intersection LOS.

Comparison of SR 80 / James Ranch Road Intersection Configuration Alternatives

The various SR 80 / James Ranch Road intersection configuration alternatives (TWSC, Traffic Signal Control, and Roundabout) were compared to each other using several different evaluation criteria. Some of the evaluation criteria used do not lend themselves to numerical quantification, so the evaluation was performed on a “qualitative” basis using the following descriptors to describe the relative impacts of each of the alternatives:

- Strong Advantage;
- Advantage;
- Neutral;
- Disadvantage; and
- Strong Disadvantage.

The Strong Advantage and Advantage descriptors apply when implementation of an alternative is anticipated to result in a positive change or improvement compared to the other alternatives. The Strong Disadvantage and Disadvantage descriptors apply when implementation of an alternative is anticipated to result in a negative change or worsening compared to the other alternatives. The Neutral descriptor applies when implementation of an alternative is anticipated to have no impact or result in both positive and negative changes that effectively cancel each other out.

Table 8.2 summarizes the relative advantages and disadvantages of the alternatives.

Table 8.2 – Intersection Configuration Alternatives Evaluation Matrix - SR 80 / James Ranch Road

Evaluation Criteria	No-Build (TWSC)	Two-Way Stop Control (TWSC)	Traffic Signal Control	Roundabout
<i>Traffic Operations (2050 AM/PM)</i>	● - LOS C/C - Maximum queues of 50/50 feet	● - LOS F/F - Significant queueing expected	● - LOS C/C - Maximum queues of 325/375 feet	● - LOS B/B - Maximum queues of 450/1,025 feet
<i>Motorist Safety</i>	● - 32 conflict points, 16 crossing points (4 perpendicular) - Speed and wrong-way control by signs only	● - 32 conflict points, 16 crossing points (4 perpendicular) - Speed and wrong-way control by signs only	● - 32 conflict points, 16 crossing points (4 perpendicular) - Speed and wrong-way control by signals and signs	● - 24 conflict points, 8 crossing points (0 perpendicular) - Speed and wrong-way control by curbs and roadway geometry
<i>Driver Familiarity</i>	● - Very common configuration	● - Very common configuration	● - Very common configuration	● - Somewhat common configuration
<i>Oversize Vehicle Accommodation</i>	● - Open geometry with no major horizontal or vertical restrictions	● - Open geometry with no major horizontal or vertical restrictions	● - Open geometry; vertical restrictions due to signal mast arms	● - Restricted geometry; option for large-radius bypass lanes
<i>Pedestrian and Bicyclist Accommodation and Safety</i>	● - No pedestrian accommodations - Paved shoulders for cyclists - High vehicle speeds negatively affect pedestrian and bicyclist safety and comfort	● - At-grade crossings can be provided on stop-controlled legs - Signalized or grade-separated crossing required to cross SR 80 - Includes standard pedestrian and bicyclist facilities - High vehicle speeds negatively affect pedestrian and bicyclist safety and comfort	○ - At-grade crossings can be provided on all 4 legs; all signalized - Includes standard pedestrian and bicyclist facilities - High vehicle speeds negatively affect pedestrian and bicyclist safety and comfort	● - At-grade crossings can be provided on all 4 legs - Includes standard pedestrian and bicyclist facilities - Moderate vehicle speeds somewhat affect pedestrian and bicyclist safety and comfort - Cyclists must transition from roadway to sidewalk

Legend

Strong Advantage ● Advantage ○ Neutral ◉ Disadvantage ◉ Strong Disadvantage ●

Findings from SR 80 / James Ranch Road Alternatives Evaluation

- If the proposed commercial IPOE and connector road are not built, the existing TWSC configuration is expected to provide acceptable traffic operations through 2050 at SR 80 / James Ranch Road.
- The TWSC alternative likely will not provide acceptable traffic operations where the connector road for the proposed commercial IPOE intersects with SR 80.
- The roundabout alternative provides the most benefit at the SR 80 / James Ranch Road intersection in terms of safety and LOS but will likely have a much longer queue than the signalized alternative.
- Drivers are most familiar with the TWSC and signalized alternatives and may be less familiar with the roundabout alternative.
- Oversize vehicles can most easily be accommodated by the TWSC alternative, followed by the signalized alternative; the roundabout alternative can be challenging for oversize vehicles to navigate if not designed specifically to accommodate oversize vehicles.
- Other factors besides traffic considerations (e.g., right-of-way impacts, cost, etc.) should be considered before determining the preferred intersection configuration at SR 80 / James Ranch Road.

Recommended Intersection Control and Geometry

Table 8.3 summarizes the recommended intersection control and geometry at each study intersection. The table includes references to the corresponding figures in Section 5 above.

Note that the proposed IPOE East and IPOE West intersections were analyzed with four legs at each intersection. The potential future east leg of the IPOE East Intersection and north leg of the IPOE West Intersection were included in the analysis to provide a conservative analysis of intersection operations with future development traffic. These legs may be installed after the proposed IPOE buildout if the proposed IPOE is completed prior to development in the area.

Table 8.3 – Recommended Intersection Control and Geometry

Intersection	2028 Build	2050 Build
SR 80 / James Ranch Road	(See Figure 3.5) <ul style="list-style-type: none"> Traffic signal control NB Approach: left-turn lane (325 feet of storage), shared through/right-turn lane, right-turn lane (575 feet of storage) SB Approach: left-turn lane (100 feet of storage), shared through/right-turn lane EB Approach: left-turn lane (maintain existing storage length), dual through lanes, right-turn lane (400 feet of storage) WB Approach: dual left-turn lanes (600 feet of storage), through lane, shared through/right-turn lane 	(See Figure 3.7) <ul style="list-style-type: none"> Maintain 2028 Build recommendations
SR 80 / US 191	(See Figure 3.9) <ul style="list-style-type: none"> Traffic signal control NB Approach: left-turn lane (150 feet of storage), shared through/right-turn lane SB/EB/WB Approaches: maintain existing lane geometry 	(See Figure 3.11) <ul style="list-style-type: none"> Maintain 2028 Build recommendations
IPOE East Intersection	(See Figure 3.12) <ul style="list-style-type: none"> All-way stop control NB/WB Approaches: shared left-turn/through/right-turn lane SB Approach: shared left-turn/through lane (350 feet of storage), trap right-turn lane EB Approach: trap left-turn lane, shared through/right-turn lane 	(See Figure 3.13) <ul style="list-style-type: none"> Roundabout All Approaches: shared left-turn/through/right-turn lane Optional channelized SB right-turn bypass lane
IPOE West Intersection	(See Figure 3.14) <ul style="list-style-type: none"> All-way stop control NB/SB/EB Approaches: shared left-turn/through/right-turn lane WB Approach: trap left-turn lane, shared through/right-turn lane 	(See Figure 3.15) <ul style="list-style-type: none"> Roundabout All Approaches: shared left-turn/through/right-turn lane

Traffic-Related Considerations for the Connector Road

- Future bus stops should be considered along or near the connector road to accommodate commuter traffic generated by the anticipated warehousing land uses and other developments along and near the roadway.
- Future access points along the connector road should include adequate access spacing and turning radii should be designed to accommodate heavy vehicles.
- Truck parking needs should be considered when designing the connector road due to the anticipated high truck volumes utilizing the roadway and the fact that trucks may have to wait to cross the border if it is not open yet.
- If the ADOT Commercial Inspection Facility stays in its current location, ITS devices such as additional cameras, weigh-in-motion sensors, and dynamic message signs may need to be placed east and west of the intersection of SR 80 / James Ranch Road to alert ADOT to heavy vehicles that do not go to the ADOT Commercial Inspection Facility for inspection (i.e., “port runners”). If the ADOT Commercial Inspection Facility is relocated along the connector road, fewer ITS devices may be needed because trucks will have to pass through the inspection station before continuing along their route. ITS devices along SR 80 may still be desirable to detect “port runners” and overweight vehicles.

- It is anticipated that a two-lane cross-section on the connector road will provide LOS D or better on the connector road until approximately 80 percent of the traffic from the surrounding developments is realized. This is estimated to occur around the year 2044.

Traffic-Related Considerations for the Proposed IPOE Intersections

- To avoid truck queues backing up onto the existing roadway while awaiting the opening of the IPOE, it is recommended that a minimum 10-foot-wide paved shoulder be provided adjacent to the southbound approach of the IPOE East intersection for at least 500 feet to allow trucks to park and queue outside the traveled way until the IPOE opens.
- It is recommended that the all-way stop control at both proposed IPOE intersections in the 2028 Build condition be replaced with roundabouts when the connector road is widened to a four-lane cross-section to help manage speeds and promote safety. This is estimated to occur around the year 2044.
- If desired by ADOT, a SB right-turn bypass lane could be considered in the 2050 Build condition at the IPOE East Intersection roundabout to improve the truck turn radius and reduce circulating volumes within the roundabout.

Appendix 1. Stantec 2018 *Douglas Arizona Regional Feasibility Study* Excerpts



**Douglas Arizona Regional
Feasibility Study**

Traffic Study for the Raul Hector Castro
Land Port of Entry in Douglas, Arizona

June 29, 2018

Prepared for:

General Services Administration

Prepared by:

Stantec Consulting

1.0 DETERMINING BASELINE FUNCTIONS

1.1 VEHICLE VOLUMES

Stantec was provided traffic data by the U.S. Customs and Border Protection (CBP). This data included time-stamped volumes passing through the facility for a 12-month period (February 2017 to January 2018). The 90th percentile weekly volume was recommended for determining volumes to use in the baseline Scenario.

The study team determined that the volumes of both Personally Owned Vehicles (POVs) and Commercially Operated Vehicles (COVs) are the driving factors that affect traffic flow, queues, and wait time. The number of POVs and COVs were therefore combined to determine the peak week.

The 90th percentile peak week for both personal and commercial vehicles was found to be from October 18th to October 24th, 2017, with a total of 37,551 vehicles (POVs and COVs) passing through the facility during this week (see **Figure A**). This 90th percentile volume, which was identified as the 47th highest volume by week, was found using the following method:


To find the 90th percentile weekly volume:

$$n = \text{number of weeks} = 52$$

$$p = \text{percentile} = 0.90$$

$$n \times p = 52 \times 0.90 = 46.8 - \text{or the 47}^{\text{th}} \text{ highest volume week}$$

Figure A: Weekly Combined POV and COV Volumes (February 2017 to January 2018)



Furthermore, it was determined that the highest-volume day of that peak week was Thursday, October 19, 2017, with a total of 5,504 POVs and 129 COVs entering the facility (see **Table 1.1**).

Table 1.1: Daily POV and COV Volumes during the 90th Percentile Peak Week

Date	# POVs	# COVs	Combined Total
Wednesday, October 18, 2017	5,307	106	5,413
Thursday, October 19, 2017	5,504	129	5,633
Friday, October 20, 2017	5,376	117	5,493
Saturday, October 21, 2017	4,957	24	4,981
Sunday, October 22, 2017	5,119	-	5,119
Monday, October 23, 2017	5,305	118	5,423
Tuesday, October 24, 2017	5,381	108	5,489

1.1.1 Peak Period


In analyzing the time-stamped processing times for October 19, 2017, the volume of vehicles that pass through each of the seven POV booths can be determined. The booths are referred to as CW01 on the far-right to CW07 at far-left. One can see from **Figure B** that typically all seven booths are open during the peak period. The far-left booth (CW07) is allocated for SENTRI vehicles.

**Figure B: Aerial Image Looking Northbound from Mexico at the Douglas LPOE
(Date and Time Unknown)**




It can be determined from the data that the peak period for POVs is from 7am to 8am, with 432 vehicles processed during that hour on October 19, 2017 (see **Figure C**). This peak hour also represents the highest volume of SENTRI vehicles that pass through booth CW07.

Figure C: Hourly POV Volumes by Booth on October 19, 2017



However, in an effort to capture the peak time window for both POVs and COVs, it is necessary to focus on the hours between 9am and 5pm, when the COV processing facility is open. The volumes processed during those eight hours were isolated for analysis. **Figure D**, below, displays the 15-minute volumes counted between 9am and 5pm for POVs and COVs combined. When the 15-minute volumes are summed for each hour, the combined peak hour is identified as 9am to 10am, with 374 total vehicles entering the facility during this hour (359 POVs and 15 COVs).

Figure D: 15-minute Volumes for 9am to 5pm on October 19, 2017




1.2 PEDESTRIAN VOLUMES

Pedestrian (PED) volumes were analyzed separately since they have their own processing facility and booths that are detached from the vehicle processing area. Currently, once processed, pedestrians that wish to access the building facility are required to cross the street where POVs drive through either to exit the facility or to park for secondary inspection. It is recommended that any new facility design allows for minimal interaction between pedestrians and vehicles to avoid conflicts.

Figure E shows the weekly PED volumes that entered the facility from February 2017 to January 2018. Although one can see a significant peak during the month of December, the 90th percentile peak week for pedestrians was found to be from September 20th to September 26th, 2017, with a total of 15,935 pedestrians entering the facility during that week. This 90th percentile volume was identified using the same methodology discussed in **Section 1.1**.

Figure E: Weekly PED Volumes (February 2017 to January 2018)



Furthermore, it was determined that the highest day of that peak week was Friday, September 22, 2017, with a total of 2,467 PEDs entering the facility (see **Table 1.4**).


Table 1.4: Daily PED Volumes during the 90th Percentile Peak Week

Date	# PEDs	Weekly Total
Wednesday, September 20, 2017	2,159	15,935
Thursday, September 21, 2017	2,422	
Friday, September 22, 2017	2,467	
Saturday, September 23, 2017	2,457	
Sunday, September 24, 2017	1,917	
Monday, September 25, 2017	2,347	
Tuesday, September 26, 2017	2,166	

1.2.1 Peak Period

A closer look at the pedestrian crossing data for September 22, 2017 shows a peak from 6am to 7am, with 190 PEDs entering the facility (see **Figure F**). There are three processing booths for pedestrians. However, booth CW53 was in operation for only seven minutes on September 22nd, and processed 11 pedestrians from 7:39am to 7:46am.


Figure F: Hourly PED Volumes by Booth on September 22, 2017



It is clear from the data for September 22, 2017 that not all three booths are in operation simultaneously all the time. In comparison, on October 19, 2017, which was the day chosen to model baseline behavior for vehicles, all three booths were in operation for a longer period of time. On that day, all three booths operated from 6am to 8am, and again from 3pm to 4pm (see **Figure G**). The total volume of PEDs entering the facility that day was 2,266, with

volumes of 267 from 6am to 7am and 295 from 7am to 8am. This higher-volume period was utilized going forward to provide a more conservative view of the operations of the pedestrian processing facility.

Figure G: Hourly PED Volumes by Booth on October 19, 2017



1.2.2 Pedestrian Processing Times

Just like vehicles, pedestrians entering the facility are also required to pass through a booth for admittance into the USA. **Table 1.5**, below, shows the processing times by booth from 6am to 8am on October 19, 2017. The average PED processing time was determined to be 29 seconds.

Table 1.5: PED Processing Times by Booth for 6am to 8am on October 19, 2017

Time (min:sec)	CW51	CW52	CW53	Average (CW51 – CW53)
Min Time	00:05	00:04	00:04	00:04
50 th Percentile	00:33	00:27	00:10	00:23
90 th Percentile	01:37	01:35	00:34	01:15
Max Time	06:02	03:58	06:34	05:31


1.2.3 Pedestrian Admittance

The data from CBP also provides insight into the percentage of pedestrians admitted into the USA versus not admitted. An average of 97.38% of PEDs entering the facility pass through into the USA, while 2.62% of PEDs are not admitted.

2.0 DETERMINING DEMAND

To better understand the daily demand for POVs that enter the Douglas LPOE facility, the total number of POVs that passed through on the baseline scenario peak day of October 19, 2017 was assessed. On that day, a total of 5,504 POVs entered the facility through the seven POV booths. **Figure H** shows the flux of volume by hour.

Figure H: Hourly POV Volumes on October 19, 2017



To capture both POV and COV performance in the VISSIM model, the time window between 9am and 3pm was coded into the model. However, without any data regarding arrival information for POVs entering the queue – the actual hourly demand – traffic engineering judgement had to be used to determine the demand. An assumed factor of 1.3 times the actual processed volume was used to calculate a higher demand volume. For consistency, the same methodology was used for POVs, COVs, and PEDs.

Table 2.1 displays the actual volumes of processed POVs per hour on October 19, 2017, as well as the estimated demand volume calculated by applying the factor of 1.3, for all hours between 9am and 3pm. **Table 2.2** shows the same for COVs. **Table 2.3** shows the actual volume of processed PEDs during the peak hour on October 19, 2017, and the demand volume calculated by applying the factor of 1.3.

Table 2.1: Hourly POV Volumes on October 19, 2017

Time Frame	Processed Volume	Demand Volume
9am-10am	359	467
10am-11am	310	403
11am-12pm	296	385
12pm-1pm	320	416
1pm-2pm	321	417
2pm-3pm	313	407

Table 2.2: Hourly COV Volumes on October 19, 2017

Time Frame	Processed Volume	Demand Volume
9am-10am	15	20
10am-11am	15	20
11am-12pm	13	17
12pm-1pm	14	18
1pm-2pm	17	22
2pm-3pm	24	31

Table 2.3: Hourly PED Volumes on October 19, 2017

Time Frame	Processed Volume	Demand Volume
7am-8am	295	384

2.1.1 Computing Growth Rates

The next step in the analysis is determining growth rates to calculate projected volumes for 2018 and 2043.

Using total yearly volumes from 2011 through 2017 for each mode of transportation as shown in **Table 2.4**, a cumulative compound annual growth rate (CAGR) was determined for use in projecting future volumes.

Table 2.4: Yearly Inbound Processed Volumes

Travel Mode	2011	2012	2013	2014	2015	2016	2017
POV	1,393,181	1,405,122	1,470,933	1,571,929	1,716,303	1,614,882	1,765,505
COV	29,883	31,636	32,497	33,104	34,545	30,815	30,649
PED	1,030,357	1,198,838	1,804,110	1,011,564	1,121,717	851,997	854,502
Total	2,453,421	2,635,596	3,307,540	2,616,597	2,872,565	2,497,694	2,650,656

To find the compound annual growth rate (CAGR):

$$V_f = \text{final volume} = 2,650,656$$

$$V_i = \text{initial volume} = 2,453,421$$

$$N = \text{number of years} = 7$$

$$\text{CAGR} = (V_f/V_i)^{(1/N)} - 1 = (2,650,656 / 2,453,421)^{(1/7)} - 1 = 0.011 - \text{or } 1.1\%$$

The same growth rate of 1.1% is assumed for all modes: PED, POV, and COV.

2.1.2 Determining 2018 Baseline Demand

After converting the 2017 processed volumes to 2017 demand volumes using the factor of 1.3, the CAGR of 1.1% can be used to calculate the projected 2018 demand volumes using the peak day of October 19, 2017 as a baseline. **Table 2.5** displays side-by-side the daily 2017 processed volumes, 2017 demand volumes, and 2018 demand volumes for all modes.

Table 2.5: Inbound Daily Border Crossing Volumes

Travel Mode	2017 Processed Volume	2017 Demand Volume	2018 Demand Volume
POV	5,504	7,155	7,234
COV	129	168	170
PED	2,266	2,946	2,978

Focusing in on the peak period used in the VISSIM model for the 2018 Baseline Scenario, the CAGR was applied to the hourly 2017 demand volumes previously discussed in **Section 2.0**. These new hourly 2018 demand volumes are presented below in **Table 2.6** for 9am to 3pm for POVs and COVs and for the single peak hour for PEDs.

Table 2.6: Hourly Volumes for 2018 Baseline Scenario for All Modes

Time Frame	POV Demand Volume	COV Demand Volume	PED Demand Volume
7am-8am	N/A	N/A	388
9am-10am	472	20	N/A
10am-11am	407	20	N/A
11am-12pm	389	17	N/A
12pm-1pm	421	18	N/A
1pm-2pm	422	22	N/A
2pm-3pm	411	32	N/A

2.1.3 VISSIM Model Outputs

The inputs provided in **Appendix A** were used to create a VISSIM model for the Douglas LPOE project location.

Table 2.7 and **Table 2.8**, below, present summarized outputs for inbound and outbound movements, respectively, for both POVs and COVs in the 2018 Baseline Scenario.

Table 2.7: 2018 Baseline Scenario VISSIM Model Outputs – Inbound (Entry to the USA)

VISSIM Outputs	POV	SENTRI	COV
Average Number of vehicles processed in primary station (vehicles/hour)	357	N/A	17
Average Number of vehicles processed in secondary station (vehicles/hour)	10	N/A	16
Maximum Queue Length (before primary inspection) (feet)	3979	N/A	3484
Minimum Wait Time (before primary inspection and booth dwell time) (min:sec)	11:41	12:35	15:51
Average Wait Time (before primary inspection) (min:sec)	34:12	20:11	26:27
Maximum Wait Time (before primary inspection) (min:sec)	52:35	30:20	42:49

Table 2.8: 2018 Baseline Scenario VISSIM Model Outputs – Outbound (Entry to Mexico)

VISSIM Outputs	POV	COV
Average Number of vehicles processed in primary station (vehicles/hour)	159	66
Maximum Queue Length (before primary inspection) (feet)	2435	239
Minimum Wait Time (before primary inspection) (min:sec)	01:09	10:55
Average Wait Time (before primary inspection) (min:sec)	01:19	19:41
Maximum Wait Time (before primary inspection) (min:sec)	01:25	21:47

Figure J: 22-Year Inbound COV Processing Trends





Figure K: 22-Year Inbound PED Processing Trends




3.1.2 Growth Trends

Results from the 1996 to 2017 border crossing data yielded negative growth for both POV's and COV's. Volumes decreased significantly during the early 2000's which led to skewed data. Various historical events could be seen as large contributing factors to the decline in the three modes of transportation (POV, COV, and PED) during this time.

In December of 2006, Mexican President Felipe Calderon deployed troops to the City of Michoacan, in hopes of regaining control over the area and fighting back against Mexican drug cartels. Although this was the first time that war was officially declared, violence due to drug related matters had begun to surge a couple years earlier. As this issue became recognized worldwide, overall travel into and out of Mexico subsequently dropped (*"Mexico's war on drugs: what has it achieved and how is the US involved"*, *The Guardian*, Nina Lakhani, Dec 8 2016).

Given this major impact on the observed volumes, only the years between 2011-2017 were used to compute future growth rates, as described in Section 2.1.1). Since this seven-year period is the most recent data set showing growth, it was determined to be the most pertinent to this study. When these seven years are isolated, growth was noticed amongst all modes. The figure below represents the actual inbound combined total volume of POVs, COVs, and PEDs that entered the USA via the Douglas LPOE from 2011 to 2017.

Figure L: 7-Year Inbound Combined Processing Trends



The CAGR of 1.1% can be applied to the previously determined daily 2017 processed volumes from October 19, 2017 to calculate volumes for POVs, COVs, and PEDs for the horizon year 2043. These estimated future processing volumes are shown below in **Table 3.1**.

Table 3.1: Present and Future Year Inbound Daily Processing Volumes (not Demand)

Travel Mode	October 19, 2017	Projected 2018	Projected 2043	% Growth (2017 – 2043)
POV	5,504	5,565	7,315	32.9%
COV	129	130	171	
PED	2,266	2,291	3,012	

Appendix 2. ADOT Commercial Inspection Facility Data

Douglas State Port Of Entry Stats

January - December 2020

Permits:

Number of Trucks: 2578

Total CVSA inspections for the year: 72

CVSA Inspection: January: 8

February: 30

March: 0

April: 1

May: 0

June: 1

July: 9

August: 6

September: 6

October: 5

November: 4

December: 2

January - December 2021

Permits: 21

Number of Trucks: 2992

Total CVSA inspections for the year: 115

Number of Trucks: January: 391

February: 267

March: 312

April: 375

May: 178

June: 303

July: 242

August: 254

September: 152

October: 233

November: 117

December: 168

CVSA Inspection: January: 1

February: 10

March: 16

April: 15

May: 10

June: 15
July: 14
August: 12
September: 9
October: 5
November: 5
December: 3

January - December 2022

Permits: 6

Number of Trucks: 1816

Total CVSA inspections for the year: 80

Number of trucks: January: 227

February: 229
March: 253
April: 242
May: 153
June: 223
July: 188
August: 132
September: 104
October: 169
November: 27
December: 70

CVSA Inspection: January: 6

February: 13
March: 10
April: 3
May: 5
June: 12
July: 6
August: 10
September: 6
October: 5
November: 2
December: 2

Appendix 3. Collected Traffic Volume Data

Location Info		Count Data Info	
Location ID	100871	Start Date	12/7/2021
Type	LINK	End Date	12/8/2021
Functional Class	3	Start Time	12:00 AM
Located On	SR 80	End Time	12:00 AM
Between	Paul Spur Rd AND US 191 - West of Douglas	Direction	
Direction	2-WAY	Notes	adot
Community	Cochise	Count Source	DOUGLAS00000
MPO_ID	1	File Name	
HPMS ID		Weather	
Agency	Arizona Department of Transportation	Study	
		Owner	adot
		QC Status	Accepted

Interval: 15 mins					
Time	15 Min				Hourly Count
	1st	2nd	3rd	4th	
00:00 - 01:00	7	11	7	9	34
01:00 - 02:00	2	2	4	0	8
02:00 - 03:00	3	3	0	2	8
03:00 - 04:00	7	4	6	16	33
04:00 - 05:00	11	19	16	19	65
05:00 - 06:00	32	51	78	58	219
06:00 - 07:00	51	82	71	60	264
07:00 - 08:00	78	84	100	113	375
08:00 - 09:00	77	77	85	110	349
09:00 - 10:00	128	72	79	78	357
10:00 - 11:00	85	69	99	90	343
11:00 - 12:00	83	67	76	104	330
12:00 - 13:00	98	83	72	106	359
13:00 - 14:00	94	104	116	84	398
14:00 - 15:00	119	81	99	104	403
15:00 - 16:00	128	113	120	110	471
16:00 - 17:00	107	111	113	112	443
17:00 - 18:00	99	132	94	73	398
18:00 - 19:00	54	51	63	54	222
19:00 - 20:00	62	45	34	34	175
20:00 - 21:00	45	42	33	28	148
21:00 - 22:00	18	35	38	24	115
22:00 - 23:00	33	21	18	16	88
23:00 - 24:00	22	17	14	9	62
TOTAL					5667

Location Info		Count Data Info	
Location ID	102213	Start Date	10/20/2020
Type	LINK	End Date	10/21/2020
Functional Class	4	Start Time	12:15 PM
Located On	US 191	End Time	12:15 PM
Between	SR 80 AND Glenn Rd	Direction	
Direction	2-WAY	Notes	adot
Community	Cochise	Count Source	1.4773E+11
MPO_ID	0	File Name	102213300110_147730000009_10191215.prn
HPMS ID		Weather	
Agency	Arizona Department of Transportation	Study	
		Owner	adot
		QC Status	Accepted

Interval: 15 mins					
Time	15 Min				Hourly Count
	1st	2nd	3rd	4th	
00:00 - 01:00	4	3	1	1	9
01:00 - 02:00	3	3	4	2	12
02:00 - 03:00	6	2	5	6	19
03:00 - 04:00	0	5	14	23	42
04:00 - 05:00	12	20	17	30	79
05:00 - 06:00	40	57	43	32	172
06:00 - 07:00	49	56	67	67	239
07:00 - 08:00	42	57	59	75	233
08:00 - 09:00	45	44	40	44	173
09:00 - 10:00	43	53	55	58	209
10:00 - 11:00	40	54	52	48	194
11:00 - 12:00	46	46	60	49	201
12:00 - 13:00	73	48	63	68	252
13:00 - 14:00	61	78	62	87	288
14:00 - 15:00	115	61	78	72	326
15:00 - 16:00	74	63	76	55	268
16:00 - 17:00	72	63	71	65	271
17:00 - 18:00	64	60	38	47	209
18:00 - 19:00	45	31	25	41	142
19:00 - 20:00	42	31	20	20	113
20:00 - 21:00	24	16	20	28	88
21:00 - 22:00	18	28	8	19	73
22:00 - 23:00	38	6	5	9	58
23:00 - 24:00	5	1	1	4	11
TOTAL					3681


Location Info		Count Data Info	
Location ID	100872	Start Date	7/13/2021
Type	LINK	End Date	7/14/2021
Functional Class	3	Start Time	12:30 PM
Located On	SR 80	End Time	12:30 PM
Between	US 191 - West of Douglas AND Chino Rd	Direction	2-WAY
Direction	2-WAY	Notes	adot
Community	Cochise	Count Source	1.47734E+11
MPO_ID	0	File Name	
HPMS ID	VHKCRHTC2014	Weather	
Agency	Arizona Department of Transportation	Study	
		Owner	adot
		QC Status	Accepted

Interval: 15 mins					
Time	15 Min				Hourly Count
	1st	2nd	3rd	4th	
00:00 - 01:00	9	15	9	8	41
01:00 - 02:00	6	16	11	2	35
02:00 - 03:00	8	13	11	22	54
03:00 - 04:00	26	14	24	44	108
04:00 - 05:00	48	33	42	50	173
05:00 - 06:00	68	132	101	89	390
06:00 - 07:00	101	108	130	143	482
07:00 - 08:00	114	115	150	154	533
08:00 - 09:00	101	110	107	110	428
09:00 - 10:00	103	140	125	110	478
10:00 - 11:00	120	135	125	108	488
11:00 - 12:00	126	138	165	151	580
12:00 - 13:00	149	149	152	158	608
13:00 - 14:00	159	146	178	162	645
14:00 - 15:00	192	177	175	179	723
15:00 - 16:00	164	147	156	145	612
16:00 - 17:00	171	166	154	167	658
17:00 - 18:00	186	152	126	134	598
18:00 - 19:00	101	98	77	75	351
19:00 - 20:00	69	57	61	68	255
20:00 - 21:00	64	53	55	54	226
21:00 - 22:00	56	70	48	40	214
22:00 - 23:00	74	34	35	22	165
23:00 - 24:00	31	33	12	20	96
TOTAL					8941

Location Info					Count Data Info	
Location ID	100876				Start Date	7/13/2021
Type	LINK				End Date	7/14/2021
Functional Class				4	Start Time	1:30 PM
Located On	SR 80				End Time	1:30 PM
Between	US 191B / G Ave - Douglas AND A Ave / Leslie Canyon / Fairgrounds Rd				Direction	
Direction	2-WAY				Notes	adot
Community	DOUGLAS				Count Source	1.36973E+11
MPO_ID				0	File Name	
HPMS ID	S00004883101				Weather	
Agency	Arizona Department of Transportation				Study	
					Owner	adot
					QC Status	Accepted
Interval: 15 mins						
Time	15 Min				Hourly Count	
	1st	2nd	3rd	4th		
00:00 - 01:00	8	5	2	6	21	
01:00 - 02:00	5	6	3	1	15	
02:00 - 03:00	1	1	2	4	8	
03:00 - 04:00	13	0	2	10	25	
04:00 - 05:00	4	4	11	8	27	
05:00 - 06:00	22	22	19	33	96	
06:00 - 07:00	21	24	24	29	98	
07:00 - 08:00	23	25	27	48	123	
08:00 - 09:00	33	53	46	50	182	
09:00 - 10:00	44	34	47	52	177	
10:00 - 11:00	35	46	30	41	152	
11:00 - 12:00	39	45	43	40	167	
12:00 - 13:00	56	42	43	69	210	
13:00 - 14:00	72	62	56	60	250	
14:00 - 15:00	51	49	60	47	207	
15:00 - 16:00	51	45	37	40	173	
16:00 - 17:00	44	46	51	68	209	
17:00 - 18:00	57	36	57	46	196	
18:00 - 19:00	40	39	36	29	144	
19:00 - 20:00	36	31	29	23	119	
20:00 - 21:00	37	30	23	29	119	
21:00 - 22:00	29	33	24	31	117	
22:00 - 23:00	18	11	11	11	51	
23:00 - 24:00	13	13	7	7	40	
TOTAL					2926	


Location Info		Count Data Info	
Location ID	c02234	Start Date	6/5/2018
Type	I-SECTION	End Date	6/6/2018
Functional Class	4	Start Time	12:00 AM
Located On	N Chino Rd	End Time	12:00 AM
BETWEEN	W Highway 80 EB	Direction	2-WAY
Direction	2-WAY	Notes	seago
Community	Douglas West	Count Source	2234
MPO_ID		File Name	c02234_vol.prn
HPMS ID		Weather	
Agency	SouthEastern Arizona Governments Organization	Study	
		Owner	adam
		QC Status	Accepted

Interval: 15 mins					
Time	15 Min				Hourly Count
	1st	2nd	3rd	4th	
00:00 - 01:00	8	2	4	3	17
01:00 - 02:00	3	4	3	1	11
02:00 - 03:00	1	2	1	3	7
03:00 - 04:00	1	2	3	2	8
04:00 - 05:00	5	5	7	10	27
05:00 - 06:00	19	11	14	20	64
06:00 - 07:00	12	24	22	24	82
07:00 - 08:00	44	34	45	41	164
08:00 - 09:00	49	32	57	31	169
09:00 - 10:00	36	40	30	40	146
10:00 - 11:00	35	42	58	45	180
11:00 - 12:00	39	52	47	45	183
12:00 - 13:00	62	62	44	47	215
13:00 - 14:00	52	48	35	39	174
14:00 - 15:00	45	43	63	44	195
15:00 - 16:00	69	56	46	46	217
16:00 - 17:00	45	40	50	54	189
17:00 - 18:00	60	55	63	64	242
18:00 - 19:00	42	36	35	32	145
19:00 - 20:00	33	37	38	31	139
20:00 - 21:00	26	22	33	21	102
21:00 - 22:00	29	28	25	15	97
22:00 - 23:00	35	15	20	5	75
23:00 - 24:00	9	8	4	2	23
TOTAL					2871



Existing and Projected Future Truck Volumes





Existing and Projected Future Daily Vehicle Volumes

0 2 4 8 12 Miles



N
E
W
S
59

Appendix 4. Volume Development Calculations

TOTAL AREA (ACRES):	
100%	30%
82.45	81.22
92.09	54.59
10.17	29.17
20.4	80.33
10.06	40.11
10.05	17.25
10.05	20.22
10.04	15
10.03	19.69
55.41	
36.01	
80.6	
8.03	
28.3	
4.01	
34.9	
33.96	
4.62	
TOTAL AC	541.18
TOTAL SF	23573800.8
ADJUSTED SF	23573800.8
FAR	0.25
FLOOR AREA	5893450.2
GRAND TOTAL SF	1168213.86
	7061.664
(KSF)	0.06

JRR & POE E	
West Area:	East Area:
40.17	82.45
40.30	46.05
TOTAL AC	80.47
TOTAL SF	128.50
ADJUSTED SF	3505055
FAR	0.25
FLOOR AREA	876264
(KSF)	1399
GRAND TOTAL SF	2275574
	2275.574
(KSF)	0.06

Figure 2: Subject Parcels Map



Trip Generation Planner (ITE 11th Edition) - Summary Report

Kimley » Horn

Weekday Trip Generation
Trips Based on Average Rates/Equations

Project Name Douglas IPOE Connector Road
Project Number 096552002

ITE Code	Internal Capture Land Use	Land Use Description	Independent Variable Setting/Location	No. of Units	Avg Rate or Eq	Rates			Total Trips							
						Daily Rate	AM Rate	PM Rate	Daily Trips	AM Trips	PM Trips	AM Trips In	AM Trips Out	PM Trips In	PM Trips Out	
ACCESSION JAMES RANCH ROAD & SR 80 INTERSECTION																
150	Select Use	Warehousing	1,000 Sq Ft	General Urban/Suburban	7061.7	Avg	1.71	0.21	0.23	12,076	1,483	1,624	979	504	390	1,234

ACCESSION POE INTERSECTIONS

West of James Ranch Road

150	Select Use	Warehousing	1,000 Sq Ft	General Urban/Suburban	876.26	Avg	1.71	0.21	0.23	1,500	184	202	121	63	48	154
-----	------------	-------------	-------------	------------------------	--------	-----	------	------	------	-------	-----	-----	-----	----	----	-----

East of James Ranch Road

150	Select Use	Warehousing	1,000 Sq Ft	General Urban/Suburban	1399.3	Avg	1.71	0.21	0.23	2,394	294	322	194	100	77	245
-----	------------	-------------	-------------	------------------------	--------	-----	------	------	------	-------	-----	-----	-----	-----	----	-----

Data from Stantec Report

Overall Daily Peak Hr

Daily Peak Hr within open hrs (9am-5pm)

Daily Peak Hr Passenger Cars (POVs)

Daily Peak Hr Trucks (COVs)

Truck Daily Peak Hr

Daily Peak Hr within open hrs (9am-5pm)

Daily Peak Hr Passenger Cars (POVs)

Daily Peak Hr Trucks (COVs)

DEMAND FACTOR:

(Trips entering USA)

9-10am
Processed Demand

374	486
15	20

2-3pm
Processed Demand

313	407
24	

31 <- trips generated by POE will be trucks only

1.3

Adjacent Site Trip Generation

ITE LU 150 (Warehousing)

*AM/PM Peak Hour of Generator

Land Use Summary (see Adjacent Site Trip Gen spreadsheet for details)

Total Acres (adjusted) 648.454 AC


FAR 0.25

Total Building Area 7061.664 KSF

HORIZON TRIP GEN:	In	Out	Total
AM	979	504	1483
PM	390	1234	1624
Daily	6038	6037	12075

	Rate	% In	% Out
AM	0.21	0.66	0.34
PM	0.23	0.24	0.76
Daily	1.71	0.5	0.5

Estimated Total Intersection Hourly Volume													Factors	Notes		
James Ranch Rd & SR 80 (Intersection 1)	NB			SB			EB			WB						
	L	T	R	L	T	R	L	T	R	L	T	R				
AM Peak Hr Existing Tfc	0	0	0	0	0	0	111	0	0	264	0	0				
PM Peak Hr Existing Tfc	0	0	0	0	0	0	267	0	0	204	0	0				
POE Peak Hr Asmt (To ADOT Int'l POE)			31						14				100%	=% of Int'l POE traffic that must turn NBR to go to State POE		
POE Peak Hr Asmt (Remainder)	0	0	0					14	17							
Adjacent Site Asmt - AM Opening	23		129				44	250					30%	=% of adjacent site built by Site Buildout		
Adjacent Site Asmt - PM Opening	56		315				18	99								
Adjacent Site Asmt - AM Horizon	76		428				147	832								
Adjacent Site Asmt - PM Horizon	185		1049				59	332								



OPENING Adjacent site vols accessing POE intersections			
AM in	AM out	PM in	PM out
West of JRR	36	19	14 46
East of JRR	58	30	23 74

AM in	AM out	PM in	PM out
(SB JRR)	50	0	50

HORIZON Adjacent site vols accessing POE intersections			
AM in	AM out	PM in	PM out
West of JRR	121	63	48 154
East of JRR	194	100	77 245

AM in	AM out	PM in	PM out
(NB JRR)	0	50	50

Estimated Total Intersection Hourly Volume														
US 191 & SR 80 (Intersection 2)	NB L	T	R	L	SB T	R	L	EB T	R	L	WB T	R	Factors	Notes
AM Peak Hr Existing Tfc	0	0	0	75	0	45	32	79	0	0	205	136		
PM Peak Hr Existing Tfc	0	0	0	85	0	51	76	191	0	0	158	105		
POE Peak Hr Asmt (To ADOT Int'l POE)	0	0	0	17	0	14	31	0	0	0	0	0		
Adjacent Site Asmt - AM Opening	0	0	0	0	0	37	19	109	0	0	212	0		
Adjacent Site Asmt - PM Opening	0	0	0	0	0	15	47	267	0	0	85	0		
Adjacent Site Asmt - AM Horizon	0	0	0	0	0	125	64	364	0	0	707	0		
Adjacent Site Asmt - PM Horizon	0	0	0	0	0	50	157	892	0	0	282	0		
Chino Rd Rerouting AM	42	30	4	-40	40	0	0	-55	55	5	-42	-30		
Chino Rd Rerouting PM	43	31	4	-69	69	0	0	-95	95	9	-43	-31		

Distribution			
ADT	IN (EB)	OUT (WB)	USE
Daily Peak Hr	31%	31%	30%
AM Peak Hr	35%	27%	
PM Peak Hr	19%	46%	
	40%	28%	

Distribution			
ADT	IN (EB)	OUT (WB)	USE
Daily Peak Hr	31%	31%	30%
AM Peak Hr	35%	27%	
PM Peak Hr	19%	46%	
	40%	28%	

Distribution			
ADT	IN (EB)	OUT (WB)	USE
Daily Peak Hr	31%	31%	30%
AM Peak Hr	35%	27%	
PM Peak Hr	19%	46%	
	40%	28%	

Distribution			
ADT	IN (EB)	OUT (WB)	USE
Daily Peak Hr	31%	31%	30%
AM Peak Hr	35%	27%	
PM Peak Hr	19%	46%	
	40%	28%	

Distribution			
ADT	IN (EB)	OUT (WB)	USE
Daily Peak Hr	31%	31%	30%
AM Peak Hr	35%	27%	
PM Peak Hr	19%	46%	
	40%	28%	

WAREHOUSING DISTRIBUTION	
To/From US 191	To/From US 80
15%	85%

ADOT Node ID 102213 Tue Oct 20 2020		
2 Way	NB	SB
ADT 3681	1841	1841
D% (Dir.) 50%	50%	50%
Daily Peak Hr 326	163	163
D% (Dir.) 50%	50%	50%
AM Peak Hr 239	120	120
D% (Dir.) 50%	50%	50%
PM Peak Hr 271	136	136
D% (Dir.) 50%	50%	50%
Truck% MV% HV%		
T Factor 11% 7% 4%		
PHF AM Peak ASSUME BASED ON ADOT TGP 240		
PM Peak		
K-factor 0.09 per TDMS		
AM 0.065		
PM 0.074		

ADOT Node ID 100871 Tue Dec 7 2021		
2 Way	EB	WB
ADT 5667	2861	2806
D% (Dir.) 100%	50%	50%
Daily Peak Hr 471	267	204
D% (Dir.) 100%	57%	43%
AM Peak Hr 375	111	264
D% (Dir.) 100%	30%	70%
PM Peak Hr 471	267	204
D% (Dir.) 100%	57%	43%
Truck% MV% HV%		
T Factor 11% 6% 5%		
PHF AM Peak 0.75 0.87		
PM Peak 0.93 0.85		
K-factor 0.09 per TDMS		
AM 0.066 0.039 0.094		
PM 0.083 0.093 0.073		

ADOT Node ID 100872 Tue Jul 13 2021		
2 Way	EB	WB
ADT 8941	4348	4593
D% (Dir.) 100%	49%	51%
Daily Peak Hr 723	393	330
D% (Dir.) 100%	54%	46%
AM Peak Hr 533	192	341
D% (Dir.) 100%	36%	64%
PM Peak Hr 658	395	263
D% (Dir.) 100%	60%	40%
Truck% MV% HV%		
T Factor 11% 9% 2%		
PHF AM Peak 0.79 0.92		
PM Peak 0.96 0.94		
K-factor 0.08 per TDMS		
AM 0.060 0.044 0.074		

ADOT Node ID 100876 Tue Jul 13 2021		
2 Way	EB	WB
ADT 2926	1491	1435
D% (Dir.) 100%	51%	49%
Daily Peak Hr 250	115	135
D% (Dir.) 100%	46%	54%
AM Peak Hr 182	74	108
D% (Dir.) 100%	41%	59%
PM Peak Hr 209	113	96
D% (Dir.) 100%	54%	46%
Truck% MV% HV%		
T Factor 34% 20% 14%		
PHF AM Peak 0.64 0.73		
PM Peak 0.74 0.80		
K-factor 0.08 per TDMS		
AM 0.062 0.050 0.075		
PM 0.071 0.076 0.067		

Existing RHC POE			
AM	0.060	0.044	0.074

Pan American Ave (US 191)			
AM	0.060	0.044	0.074
<tbl_info cols="

Truck % by Movement													
James Ranch Rd & SR 80 (Intersection 1)	NB			SB			EB			WB			
	L	T	R	L	T	R	L	T	R	L	T	R	
AM Peak Hr Existing Tfc	2%	2%	2%	2%	2%	2%	2%	11%	2%	2%	11%	2%	
PM Peak Hr Existing Tfc	2%	2%	2%	2%	2%	2%	2%	11%	2%	2%	11%	2%	
POE Peak Hr Asmt (To ADOT Int'l POE)	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
POE Peak Hr Asmt (Remainder)	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
Adjacent Site Asmt - AM Opening	20%	2%	20%	2%	2%	2%	2%	2%	20%	20%	2%	2%	
Adjacent Site Asmt - PM Opening	20%	2%	20%	2%	2%	2%	2%	2%	20%	20%	2%	2%	
Adjacent Site Asmt - AM Horizon	20%	2%	20%	2%	2%	2%	2%	2%	20%	20%	2%	2%	
Adjacent Site Asmt - PM Horizon	20%	2%	20%	2%	2%	2%	2%	2%	20%	20%	2%	2%	
US 191 & SR 80 (Intersection 2)		NB			SB			EB			WB		
		L	T	R	L	T	R	L	T	R	L	T	R
AM Peak Hr Existing Tfc	5%	5%	5%	11%	5%	11%	11%	11%	5%	5%	11%	11%	HV% Override
PM Peak Hr Existing Tfc	5%	5%	5%	11%	5%	11%	11%	11%	5%	5%	11%	11%	MV% Override
POE Peak Hr Asmt (To ADOT Int'l POE)	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	0%
Adjacent Site Asmt - AM Opening	2%	2%	2%	20%	2%	20%	20%	20%	2%	2%	20%	20%	20%
Adjacent Site Asmt - PM Opening	2%	2%	2%	20%	2%	20%	20%	20%	2%	2%	20%	20%	20%
Adjacent Site Asmt - AM Horizon	2%	2%	2%	20%	2%	20%	20%	20%	2%	2%	20%	20%	20%
Adjacent Site Asmt - PM Horizon	2%	2%	2%	20%	2%	20%	20%	20%	2%	2%	20%	20%	20%
James Ranch Rd & POE Intersection 1 (Intersection 101)		NB			SB			EB			WB		
		L	T	R	L	T	R	L	T	R	L	T	R
Adjacent Site Asmt - AM Opening	2%	2%	2%	20%	2%	20%	20%	20%	2%	2%	20%	20%	20%
Adjacent Site Asmt - PM Opening	2%	2%	2%	20%	2%	20%	20%	20%	2%	2%	20%	20%	20%
Adjacent Site Asmt - AM Horizon	2%	2%	2%	20%	2%	20%	20%	20%	2%	2%	20%	20%	20%
Adjacent Site Asmt - PM Horizon	2%	2%	2%	20%	2%	20%	20%	20%	2%	2%	20%	20%	20%
James Ranch Rd & POE Intersection 2 (Intersection 201)		NB			SB			EB			WB		
		L	T	R	L	T	R	L	T	R	L	T	R
Adjacent Site Asmt - AM Opening	2%	2%	2%	20%	2%	2%	2%	20%	2%	2%	20%	20%	20%
Adjacent Site Asmt - PM Opening	2%	2%	2%	20%	2%	2%	2%	20%	2%	2%	20%	20%	20%
Adjacent Site Asmt - AM Horizon	2%	2%	2%	20%	2%	2%	2%	20%	2%	2%	20%	20%	20%
Adjacent Site Asmt - PM Horizon	2%	2%	2%	20%	2%	2%	2%	20%	2%	2%	20%	20%	20%

ITE LU 150 Truck % Data:

- 11.2% = % of bidirectional truck traffic during truck peak @ 11AM-12PM
- 9.0% = % of bidirectional vehicle traffic during peak @ 3-4PM
- 7.3% = % of bidirectional vehicle traffic during truck peak @ 11AM-12PM
- 20% = ITE LU 150 truck % at one observed location (Trip Gen Handbook Appendix I)
- 35% = ITE TGM truck ADT rate vs all vehicles ADT rate
- 29% = ITE TGM truck AM Generator rate vs all vehicles AM Generator rate
- 26% = ITE TGM truck PM Generator rate vs all vehicles PM Generator rate
- USE: **20%**

Min Truck Percentage:
2% (per volume methodology email chain)

Medium Vehicle % by Movement												
James Ranch Rd & SR 80 (Intersection 1)	NB		SB			EB		WB				
	L	T	R	L	T	R	L	T	R	L	T	R
AM Peak Hr Existing Tfc								6%			6%	
PM Peak Hr Existing Tfc								6%			6%	
POE Peak Hr Asmt (To ADOT Int'l POE)												
POE Peak Hr Asmt (Remainder)												
Adjacent Site Asmt - AM Opening	6%		6%					6%	6%			
Adjacent Site Asmt - PM Opening	6%		6%					6%	6%			
Adjacent Site Asmt - AM Horizon	6%		6%					6%	6%			
Adjacent Site Asmt - PM Horizon	6%		6%					6%	6%			
US 191 & SR 80 (Intersection 2)	NB		SB			EB		WB				
	L	T	R	L	T	R	L	T	R	L	T	R
AM Peak Hr Existing Tfc				7%		7%	7%	7%			7%	7%
PM Peak Hr Existing Tfc				7%		7%	7%	7%			7%	7%
POE Peak Hr Asmt (To ADOT Int'l POE)												
Adjacent Site Asmt - AM Opening				6%		6%	6%	6%			6%	6%
Adjacent Site Asmt - PM Opening				6%		6%	6%	6%			6%	6%
Adjacent Site Asmt - AM Horizon				6%		6%	6%	6%			6%	6%
Adjacent Site Asmt - PM Horizon				6%		6%	6%	6%			6%	6%
James Ranch Rd & POE Intersection 1 (Intersection 101)	NB		SB			EB		WB				
	L	T	R	L	T	R	L	T	R	L	T	R
Adjacent Site Asmt - AM Opening				6%		6%	6%					6%
Adjacent Site Asmt - PM Opening				6%		6%	6%					6%
Adjacent Site Asmt - AM Horizon				6%		6%	6%					6%
Adjacent Site Asmt - PM Horizon				6%		6%	6%					6%
James Ranch Rd & POE Intersection 2 (Intersection 201)	NB		SB			EB		WB				
	L	T	R	L	T	R	L	T	R	L	T	R
Adjacent Site Asmt - AM Opening				6%				6%			6%	6%
Adjacent Site Asmt - PM Opening				6%				6%			6%	6%
Adjacent Site Asmt - AM Horizon				6%				6%			6%	6%
Adjacent Site Asmt - PM Horizon				6%				6%			6%	6%

MV% Ratio
30%

Heavy Vehicle % by Movement													
James Ranch Rd & SR 80 (Intersection 1)	NB			SB			EB			WB			
	L	T	R	L	T	R	L	T	R	L	T	R	
AM Peak Hr Existing Tfc	2%	2%	2%	2%	2%	2%	2%	5%	2%	2%	5%	2%	2%
PM Peak Hr Existing Tfc	2%	2%	2%	2%	2%	2%	2%	5%	2%	2%	5%	2%	2%
POE Peak Hr Asmt (To ADOT Int'l POE)	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
POE Peak Hr Asmt (Remainder)	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Adjacent Site Asmt - AM Opening	14%	2%	14%	2%	2%	2%	2%	2%	14%	14%	2%	2%	2%
Adjacent Site Asmt - PM Opening	14%	2%	14%	2%	2%	2%	2%	2%	14%	14%	2%	2%	2%
Adjacent Site Asmt - AM Horizon	14%	2%	14%	2%	2%	2%	2%	2%	14%	14%	2%	2%	2%
Adjacent Site Asmt - PM Horizon	14%	2%	14%	2%	2%	2%	2%	14%	14%	14%	2%	2%	2%
US 191 & SR 80 (Intersection 2)		NB			SB			EB			WB		
		L	T	R	L	T	R	L	T	R	L	T	R
AM Peak Hr Existing Tfc	5%	5%	5%	4%	5%	4%	4%	4%	5%	5%	4%	4%	4%
PM Peak Hr Existing Tfc	5%	5%	5%	4%	5%	4%	4%	4%	5%	5%	4%	4%	4%
POE Peak Hr Asmt (To ADOT Int'l POE)	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Adjacent Site Asmt - AM Opening	2%	2%	2%	14%	2%	14%	14%	14%	2%	2%	14%	14%	14%
Adjacent Site Asmt - PM Opening	2%	2%	2%	14%	2%	14%	14%	14%	2%	2%	14%	14%	14%
Adjacent Site Asmt - AM Horizon	2%	2%	2%	14%	2%	14%	14%	14%	2%	2%	14%	14%	14%
Adjacent Site Asmt - PM Horizon	2%	2%	2%	14%	2%	14%	14%	14%	2%	2%	14%	14%	14%
James Ranch Rd & POE Intersection 1 (Intersection 101)		NB			SB			EB			WB		
		L	I	R	L	I	R	L	I	R	L	I	R
Adjacent Site Asmt - AM Opening	2%	2%	2%	14%	2%	14%	14%	2%	2%	2%	2%	2%	14%
Adjacent Site Asmt - PM Opening	2%	2%	2%	14%	2%	14%	14%	2%	2%	2%	2%	2%	14%
Adjacent Site Asmt - AM Horizon	2%	2%	2%	14%	2%	14%	14%	2%	2%	2%	2%	2%	14%
Adjacent Site Asmt - PM Horizon	2%	2%	2%	14%	2%	14%	14%	2%	2%	2%	2%	2%	14%
James Ranch Rd & POE Intersection 2 (Intersection 201)		NB			SB			EB			WB		
		L	T	R	L	T	R	L	T	R	L	T	R
Adjacent Site Asmt - AM Opening	2%	2%	2%	14%	2%	2%	2%	14%	2%	2%	14%	2%	14%
Adjacent Site Asmt - PM Opening	2%	2%	2%	14%	2%	2%	2%	14%	2%	2%	14%	2%	14%
Adjacent Site Asmt - AM Horizon	2%	2%	2%	14%	2%	2%	2%	14%	2%	2%	14%	2%	14%
Adjacent Site Asmt - PM Horizon	2%	2%	2%	14%	2%	2%	2%	14%	2%	2%	14%	2%	14%

Instructions

-Save each green/blue tab as a separate "Text (Tab Delimited) file"

-Use the "Convert to CSV.xlsx" to convert the .txt files to necessary Synchro/Traffic csv files (Use the "Convert Both" button)

Analysis Year

Existing 2022

Opening 2028

Future 2050

Growth Rate									
	SR80 Traffic	POE Traffic	US191 Traffic						
Existing -> Opening	2.0%	1.1%	2.0%						
(Growth Factor)	1.126	1.068	1.126						
Existing -> Horizon	2.0%	1.1%	2.0%						
(Growth Factor)	1.741	1.358	1.741						

*No growth for warehousing site traffic

Low Vol Movement Adjustments:									
Ext	1	Assumed all adjustments = passenger cars EXCEPT to/from proposed IPOE (Intersection 201)							
Opening	5								
Horizon	10								

JAMES RANCH RD & SR 80 (INTERSECTION 1)

Passenger Cars	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	1	1	1	1	1	1	99	1	1	235	1	
Existing PM	1	1	1	1	1	1	238	1	1	182	1	
Opening AM	18	5	103	5	5	5	5	111	35	200	265	5
Opening PM	44	5	252	5	5	5	5	268	14	80	204	5
Horizon AM	60	10	343	10	10	10	10	172	117	666	409	10
Horizon PM	148	10	839	10	10	10	10	414	47	265	316	10
2028 No-Build AM	5	5	5	5	5	5	5	111	5	5	265	5
2028 No-Build PM	5	5	5	5	5	5	5	268	5	5	204	5
2050 No-Build AM	10	10	10	10	10	10	10	172	10	10	409	10
2050 No-Build PM	10	10	10	10	10	10	10	414	10	10	316	10
Medium Vehicles	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	0	0	0	0	0	0	0	7	0	0	16	0
Existing PM	0	0	0	0	0	0	0	16	0	0	12	0
Opening AM	1	0	8	0	0	0	0	8	3	15	18	0
Opening PM	3	0	19	0	0	0	0	18	1	6	14	0
Horizon AM	5	0	26	0	0	0	0	12	9	50	28	0
Horizon PM	11	0	63	0	0	0	0	28	4	20	21	0
2028 No-Build AM	0	0	0	0	0	0	0	8	0	0	18	0
2028 No-Build PM	0	0	0	0	0	0	0	18	0	0	14	0
2050 No-Build AM	0	0	0	0	0	0	0	12	0	0	28	0
2050 No-Build PM	0	0	0	0	0	0	0	28	0	0	21	0
Heavy Vehicles	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	0	0	0	0	0	0	0	6	0	0	13	0
Existing PM	0	0	0	0	0	0	0	13	0	0	10	0
Opening AM	3	0	51	0	0	0	0	6	21	53	30	0
Opening PM	8	0	77	0	0	0	0	15	17	32	26	0
Horizon AM	11	0	102	0	0	0	0	10	40	140	42	0
Horizon PM	26	0	189	0	0	0	0	23	27	70	37	0
2028 No-Build AM	0	0	0	0	0	0	0	6	0	0	15	0
2028 No-Build PM	0	0	0	0	0	0	0	15	0	0	11	0
2050 No-Build AM	0	0	0	0	0	0	0	10	0	0	23	0
2050 No-Build PM	0	0	0	0	0	0	0	23	0	0	18	0
TOTAL	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	1	1	1	1	1	1	111	1	1	264	1	
Existing PM	1	1	1	1	1	1	267	1	1	204	1	
Opening AM	23	5	162	5	5	5	125	59	268	312	5	
Opening PM	56	5	348	5	5	5	301	32	118	245	5	
Horizon AM	76	10	471	10	10	10	193	166	855	479	10	
Horizon PM	185	10	1091	10	10	10	10	465	78	355	374	10
2028 No-Build AM	5	5	5	5	5	5	125	5	5	297	5	
2028 No-Build PM	5	5	5	5	5	5	301	5	5	230	5	
2050 No-Build AM	10	10	10	10	10	10	193	10	10	460	10	
2050 No-Build PM	10	10	10	10	10	10	10	465	10	10	355	10
PC %	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	98%	98%	98%	98%	98%	98%	89%	98%	89%	98%	98%	
Existing PM	98%	98%	98%	98%	98%	98%	89%	98%	89%	98%	98%	
Opening AM	80%	98%	64%	98%	98%	98%	89%	60%	75%	85%	98%	
Opening PM	80%	98%	72%	98%	98%	98%	89%	43%	68%	84%	98%	
Horizon AM	80%	98%	73%	98%	98%	98%	89%	89%	71%	78%	85%	98%
Horizon PM	80%	98%	77%	98%	98%	98%	89%	60%	75%	84%	98%	
2028 No-Build AM	98%	98%	98%	98%	98%	98%	89%	98%	98%	98%	98%	
2028 No-Build PM	98%	98%	98%	98%	98%	98%	89%	98%	98%	98%	98%	
2050 No-Build AM	98%	98%	98%	98%	98%	98%	89%	98%	98%	98%	98%	
2050 No-Build PM	98%	98%	98%	98%	98%	98%	89%	98%	98%	98%	98%	
MV %	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	0%	0%	0%	0%	0%	0%	0%	6%	0%	6%	0%	
Existing PM	0%	0%	0%	0%	0%	0%	0%	6%	0%	6%	0%	
Opening AM	6%	0%	5%	0%	0%	0%	0%	6%	4%	6%	0%	
Opening PM	6%	0%	5%	0%	0%	0%	0%	6%	3%	5%	0%	
Horizon AM	6%	0%	5%	0%	0%	0%	0%	6%	5%	6%	0%	
Horizon PM	6%	0%	6%	0%	0%	0%	0%	6%	5%	6%	0%	
2028												

JAMES RANCH RD & SR 80 VOLS W/O ADJACENT SITES													
Passenger Cars	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	1	1	1	1	1	1	99	1	1	235	1		
Existing PM	1	1	1	1	1	1	238	1	1	182	1		
Opening AM	5	5	5	5	5	5	111	5	5	265	5		
Opening PM	5	5	5	5	5	5	268	5	5	204	5		
Horizon AM	10	10	10	10	10	10	172	10	10	409	10		
Horizon PM	10	10	10	10	10	10	414	10	10	316	10		
2028 No-Build AM	5	5	5	5	5	5	111	5	5	265	5		
2028 No-Build PM	5	5	5	5	5	5	268	5	5	204	5		
2050 No-Build AM	10	10	10	10	10	10	172	10	10	409	10		
2050 No-Build PM	10	10	10	10	10	10	414	10	10	316	10		
Medium Vehicles	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	0	0	0	0	0	0	7	0	0	16	0		
Existing PM	0	0	0	0	0	0	16	0	0	12	0		
Opening AM	0	0	0	0	0	0	8	0	0	18	0		
Opening PM	0	0	0	0	0	0	18	0	0	14	0		
Horizon AM	0	0	0	0	0	0	12	0	0	28	0		
Horizon PM	0	0	0	0	0	0	28	0	0	21	0		
2028 No-Build AM	0	0	0	0	0	0	8	0	0	18	0		
2028 No-Build PM	0	0	0	0	0	0	18	0	0	14	0		
2050 No-Build AM	0	0	0	0	0	0	12	0	0	28	0		
2050 No-Build PM	0	0	0	0	0	0	28	0	0	21	0		
Heavy Vehicles	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	0	0	0	0	0	0	6	0	0	13	0		
Existing PM	0	0	0	0	0	0	13	0	0	10	0		
Opening AM	0	0	33	0	0	0	6	15	18	30	0		
Opening PM	0	0	33	0	0	0	15	15	18	26	0		
Horizon AM	0	0	42	0	0	0	10	19	23	42	0		
Horizon PM	0	0	42	0	0	0	23	19	23	37	0		
2028 No-Build AM	0	0	0	0	0	0	6	0	0	15	0		
2028 No-Build PM	0	0	0	0	0	0	15	0	0	11	0		
2050 No-Build AM	0	0	0	0	0	0	10	0	0	23	0		
2050 No-Build PM	0	0	0	0	0	0	23	0	0	18	0		
TOTAL	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	1	1	1	1	1	1	111	1	1	264	1		
Existing PM	1	1	1	1	1	1	267	1	1	204	1		
Opening AM	5	5	38	5	5	5	125	20	23	312	5		
Opening PM	5	5	38	5	5	5	301	20	23	245	5		
Horizon AM	10	10	52	10	10	10	193	29	33	479	10		
Horizon PM	10	10	52	10	10	10	465	29	33	374	10		
2028 No-Build AM	5	5	5	5	5	5	125	5	5	297	5		
2028 No-Build PM	5	5	5	5	5	5	301	5	5	230	5		
2050 No-Build AM	10	10	10	10	10	10	193	10	10	460	10		
2050 No-Build PM	10	10	10	10	10	10	465	10	10	355	10		
PC %	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	98%	98%	98%	98%	98%	98%	89%	98%	98%	89%	98%		
Existing PM	98%	98%	98%	98%	98%	98%	89%	98%	98%	89%	98%		
Opening AM	98%	98%	13%	98%	98%	98%	89%	25%	22%	85%	98%		
Opening PM	98%	98%	13%	98%	98%	98%	89%	25%	22%	84%	98%		
Horizon AM	98%	98%	19%	98%	98%	98%	98%	34%	30%	85%	98%		
Horizon PM	98%	98%	19%	98%	98%	98%	89%	34%	30%	84%	98%		
2028 No-Build AM	98%	98%	98%	98%	98%	98%	89%	98%	98%	89%	98%		
2028 No-Build PM	98%	98%	98%	98%	98%	98%	89%	98%	98%	89%	98%		
2050 No-Build AM	98%	98%	98%	98%	98%	98%	89%	98%	98%	89%	98%		
2050 No-Build PM	98%	98%	98%	98%	98%	98%	89%	98%	98%	89%	98%		
MV %	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	0%	0%	0%	0%	0%	0%	6%	0%	0%	6%	0%		
Existing PM	0%	0%	0%	0%	0%	0%	6%	0%	0%	6%	0%		
Opening AM	0%	0%	0%	0%	0%	0%	6%	0%	0%	6%	0%		
Opening PM	0%	0%	0%	0%	0%	0%	6%	0%	0%	6%	0%		
Horizon AM	0%	0%	0%	0%	0%	0%	6%	0%	0%	6%	0%		
Horizon PM	0%	0%	0%	0%	0%	0%	6%	0%	0%	6%	0%		
2028 No-Build AM	0%	0%	0%	0%	0%	0%	6%	0%	0%	6%	0%		
2028 No-Build PM	0%	0%	0%	0%	0%	0%	6%	0%	0%	6%	0%		
2050 No-Build AM	0%	0%	0%	0%	0%	0%	6%	0%	0%	6%	0%		
2050 No-Build PM	0%	0%	0%	0%	0%	0%	6%	0%	0%	6%	0%		
HV %	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	2%	2%	2%	2%	2%	2%	5%	2%	2%	5%	2%		
Existing PM	2%	2%	2%	2%	2%	2%	5%	2%	2%	5%	2%		
Opening AM	2%	2%	87%	2%	2%	2%	5%	75%	78%	10%	2%		
Opening PM	2%	2%	87%	2%	2%	2%	5%	75%	78%	11%	2%		
Horizon AM	2%	2%	81%	2%	2%	2%	5%	66%	70%	9%	2%		
Horizon PM	2%	2%	81%	2%	2%	2%	5%	66%	70%	10%	2%		
2028 No-Build AM	2%	2%	2%	2%	2%	2%	5%	2%	2%	5%	2%		
2028 No-Build PM	2%	2%	2%	2%	2%	2%	5%	2%	2%	5%	2%		
2050 No-Build AM	2%	2%	2%	2%	2%	2%	5%	2%	2%	5%	2%		
2050 No-Build PM	2%	2%	2%	2%	2%	2%	5%	2%	2%	5%	2%		
Truck %	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	2%	2%	2%	2%	2%	2%	11%	2%	2%	11%	2%		
Existing PM	2%	2%	2%	2%	2%	2%	11%	2%	2%	11%	2%		
Opening AM	2%	2%	87%	2%	2%	2%	11%	75%	78%	15%	2%		
Opening PM	2%	2%	87%	2%	2%	2%	11%	75%	78%	15%	2%		
Horizon AM	2%	2											

JAMES RANCH RD & POE INTERSECTION 1 (INTERSECTION 101) - EMPLOYEES												
Passenger Cars	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	0	0	0	0	50	0	0	0	0	0	0	0
Opening PM	0	50	0	0	0	50	0	0	0	0	0	0
Horizon AM	0	0	0	0	50	0	0	0	0	0	0	0
Horizon PM	0	50	0	0	0	50	0	0	0	0	0	0
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
Medium Vehicles	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	0	0	0	0	0	0	0	0	0	0	0	0
Opening PM	0	0	0	0	0	0	0	0	0	0	0	0
Horizon AM	0	0	0	0	0	0	0	0	0	0	0	0
Horizon PM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
Heavy Vehicles	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	0	0	0	0	0	0	0	0	0	0	0	0
Opening PM	0	0	0	0	0	0	0	0	0	0	0	0
Horizon AM	0	0	0	0	0	0	0	0	0	0	0	0
Horizon PM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	0	0	0	0	50	0	0	0	0	0	0	0
Opening PM	0	50	0	0	0	50	0	0	0	0	0	0
Horizon AM	0	0	0	0	50	0	0	0	0	0	0	0
Horizon PM	0	50	0	0	0	50	0	0	0	0	0	0
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
JAMES RANCH RD & POE INTERSECTION 1 (INTERSECTION 101) - ADJACENT SITES ONLY	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	0	0	0	0	47	0	29	15	0	0	0	24
Opening PM	0	0	0	0	18	0	12	37	0	0	0	59
Horizon AM	0	0	0	0	155	0	97	50	0	0	0	80
Horizon PM	0	0	0	0	62	0	38	123	0	0	0	196
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
Medium Vehicles	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	0	0	0	0	3	0	2	1	0	0	0	2
Opening PM	0	0	0	0	1	0	1	3	0	0	0	4
Horizon AM	0	0	0	0	12	0	7	4	0	0	0	6
Horizon PM	0	0	0	0	5	0	3	9	0	0	0	15
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
Heavy Vehicles	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	0	0	0	0	8	0	5	3	0	0	0	4
Opening PM	0	0	0	0	3	0	2	6	0	0	0	10
Horizon AM	0	0	0	0	27	0	17	9	0	0	0	14
Horizon PM	0	0	0	0	11	0	7	22	0	0	0	34
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	0	0	0	0	58	0	36	19	0	0	0	30
Opening PM	0	0	0	0	23	0	14	46	0	0	0	74
Horizon AM	0	0	0	0	194	0	121	63	0	0	0	100
Horizon PM	0	0	0	0	77	0						

JAMES RANCH RD & POE INTERSECTION 1 (INTERSECTION 101)													
Passenger Cars	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0	
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0	
Opening AM	5	5	5	47	50	29	15	5	5	5	5	24	
Opening PM	5	50	5	18	50	12	37	5	5	5	5	59	
Horizon AM	10	10	10	155	50	97	50	10	10	10	10	80	
Horizon PM	10	50	10	62	50	38	123	10	10	10	10	196	
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0	
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0	
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0	
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0	
Medium Vehicles	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0	
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0	
Opening AM	0	0	0	3	0	2	1	0	0	0	0	2	
Opening PM	0	0	1	0	1	3	0	0	0	0	0	4	
Horizon AM	0	0	0	12	0	7	4	0	0	0	0	6	
Horizon PM	0	0	5	0	3	9	0	0	0	0	0	15	
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0	
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0	
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0	
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0	
Heavy Vehicles	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0	
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0	
Opening AM	0	0	0	8	0	38	36	0	0	0	0	4	
Opening PM	0	0	3	0	35	40	0	0	0	0	0	10	
Horizon AM	0	0	0	27	0	59	51	0	0	0	0	14	
Horizon PM	0	0	11	0	49	64	0	0	0	0	0	34	
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0	
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0	
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0	
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0	
TOTAL	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0	
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0	
Opening AM	5	5	5	58	50	69	52	5	5	5	5	30	
Opening PM	5	50	5	23	50	48	79	5	5	5	5	74	
Horizon AM	10	10	10	194	50	163	105	10	10	10	10	100	
Horizon PM	10	50	10	77	50	90	196	10	10	10	10	245	
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0	
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0	
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0	
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0	
PC %	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
Existing PM	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
Opening AM	98%	98%	80%	98%	42%	29%	98%	98%	98%	98%	80%		
Opening PM	98%	98%	80%	98%	24%	47%	98%	98%	98%	98%	80%		
Horizon AM	98%	98%	80%	98%	59%	48%	98%	98%	98%	98%	80%		
Horizon PM	98%	98%	80%	98%	43%	63%	98%	98%	98%	98%	80%		
2028 No-Build AM	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
2028 No-Build PM	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
2050 No-Build AM	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
2050 No-Build PM	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
MV %	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Existing PM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Opening AM	0%	0%	0%	6%	0%	3%	2%	0%	0%	0%	0%	6%	
Opening PM	0%	0%	0%	6%	0%	2%	3%	0%	0%	0%	0%	6%	
Horizon AM	0%	0%	0%	6%	0%	4%	4%	0%	0%	0%	0%	6%	
Horizon PM	0%	0%	0%	6%	0%	3%	5%	0%	0%	0%	0%	6%	
2028 No-Build AM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
2028 No-Build PM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
2050 No-Build AM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
2050 No-Build PM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
HV %	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Existing PM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Opening AM	2%	2%	2%	14%	2%	55%	69%	2%	2%	2%	2%	14%	
Opening PM	2%	2%	2%	14%	2%	74%	50%	2%	2%	2%	2%	14%	
Horizon AM	2%	2%	2%	14%	2%	36%	48%	2%	2%	2%	2%	14%	
Horizon PM	2%	2%	2%	14%	2%	54%	32%	2%	2%	2%	2%	14%	
2028 No-Build AM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
2028 No-Build PM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
2050 No-Build AM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
2050 No-Build PM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Truck %	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Existing PM	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Opening AM	2%	2%	2%	20%	2%	58%	71%	2%	2%	2%	2%	20%	

JAMES RANCH RD & POE INTERSECTION 2 (INTERSECTION 201) - ADJACENT SITES ONLY

Passenger Cars		NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM		0	0	0	0	0	0	0	0	0	0	0	0
Existing PM		0	0	0	0	0	0	0	0	0	0	0	0
Opening AM		0	0	0	3	0	0	0	12	0	0	23	6
Opening PM		0	0	0	7	0	0	0	30	0	0	9	2
Horizon AM		0	0	0	10	0	0	0	40	0	0	77	19
Horizon PM		0	0	0	25	0	0	0	99	0	0	31	8
2028 No-Build AM		0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM		0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM		0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM		0	0	0	0	0	0	0	0	0	0	0	0
Medium Vehicles		NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM		0	0	0	0	0	0	0	0	0	0	0	0
Existing PM		0	0	0	0	0	0	0	0	0	0	0	0
Opening AM		0	0	0	0	0	0	0	1	0	0	2	0
Opening PM		0	0	0	1	0	0	0	2	0	0	1	0
Horizon AM		0	0	0	1	0	0	0	3	0	0	6	1
Horizon PM		0	0	0	2	0	0	0	7	0	0	2	1
2028 No-Build AM		0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM		0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM		0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM		0	0	0	0	0	0	0	0	0	0	0	0
Heavy Vehicles		NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM		0	0	0	0	0	0	0	0	0	0	0	0
Existing PM		0	0	0	0	0	0	0	0	0	0	0	0
Opening AM		0	0	0	1	0	0	0	2	0	0	4	1
Opening PM		0	0	0	1	0	0	0	5	0	0	2	0
Horizon AM		0	0	0	2	0	0	0	7	0	0	14	3
Horizon PM		0	0	0	4	0	0	0	17	0	0	5	1
2028 No-Build AM		0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM		0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM		0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM		0	0	0	0	0	0	0	0	0	0	0	0
TOTAL		NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR
Existing AM		0	0	0	0	0	0	0	0	0	0	0	0
Existing PM		0	0	0	0	0	0	0	0	0	0	0	0
Opening AM		0	0	0	4	0	0	0	15	0	0	29	7
Opening PM		0	0	0	9	0	0	0	37	0	0	12	3
Horizon AM		0	0	0	13	0	0	0	50	0	0	97	24
Horizon PM		0	0	0	31	0	0	0	123	0	0	38	10
2028 No-Build AM		0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM		0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM		0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM		0	0	0	0	0	0	0	0	0	0	0	0

% to/from north 20%

% to/from west 80%

JAMES RANCH RD & POE INTERSECTION 2 (INTERSECTION 201)

Passenger Cars		NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM		0	0	0	0	0	0	0	0	0	0	0	0	
Existing PM		0	0	0	0	0	0	0	0	0	0	0	0	
Opening AM		0	0	0	5	0	5	5	12	0	0	23	6	
Opening PM		0	0	0	7	0	5	5	30	0	0	9	5	
Horizon AM		0	0	0	10	0	10	10	40	0	0	77	19	
Horizon PM		0	0	0	25	0	10	10	10	99	0	0	31	10
2028 No-Build AM		0	0	0	0	0	0	0	0	0	0	0	0	
2028 No-Build PM		0	0	0	0	0	0	0	0	0	0	0	0	
2050 No-Build AM		0	0	0	0	0	0	0	0	0	0	0	0	
2050 No-Build PM		0	0	0	0	0	0	0	0	0	0	0	0	

Passenger Cars		NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBC	WBL	WBT	WBR	
Existing AM		0	0	0	0	0	0	0	0	0	0	0	0	
Existing PM		0	0	0	0	0	0	0	0	0	0	0	0	
Opening AM		0	0	0	5	0	5	5	12	0	0	23	6	
Opening PM		0	0	0	7	0	5	5	30	0	0	9	5	
Horizon AM		0	0	0	10	0	10	10	40	0	0	77	19	
Horizon PM		0	0	0	25	0	10	10	10	99	0	0	31	10
20														

JAMES RANCH RD & SR 80 (INTERSECTION 1)													US 191 & SR 80 (INTERSECTION 2)												
	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBR	WBL	WBT	WBR	
Existing AM	1	1	1	1	1	1	1	111	1	1	264	1	Existing AM	0	0	0	75	0	45	32	79	0	0	205	136
Existing PM	1	1	1	1	1	1	1	267	1	1	204	1	Existing PM	0	0	0	85	0	51	76	191	0	0	158	105
Opening AM	23	5	162	5	5	5	5	125	59	268	312	5	Opening AM	49	36	4	55	47	103	88	134	65	6	393	118
Opening PM	56	5	348	5	5	5	5	301	32	118	245	5	Opening PM	51	37	5	32	82	87	166	370	113	10	212	82
Horizon AM	76	10	471	10	10	10	10	193	166	855	479	10	Horizon AM	76	55	7	80	73	222	162	402	100	9	987	182
Horizon PM	185	10	1091	10	10	10	10	465	78	355	374	10	Horizon PM	78	57	7	44	127	157	332	1050	174	16	478	126
2028 No-Build AM	5	5	5	5	5	5	5	125	5	5	297	5	2028 No-Build AM	0	0	0	84	0	50	36	89	0	0	230	154
2028 No-Build PM	5	5	5	5	5	5	5	301	5	5	230	5	2028 No-Build PM	0	0	0	95	0	57	86	215	0	0	178	118
2050 No-Build AM	10	10	10	10	10	10	10	193	10	10	460	10	2050 No-Build AM	0	0	0	130	0	78	55	138	0	0	356	237
2050 No-Build PM	10	10	10	10	10	10	10	465	10	10	355	10	2050 No-Build PM	0	0	0	147	0	88	133	332	0	0	275	183
Total Volumes by Movement													Total Volumes by Approach												
	NB	SB	TOTAL	SB	NB	TOTAL	EB	WB	TOTAL	WB	EB	TOTAL		NB	SB	TOTAL	SB	NB	TOTAL	EB	WB	TOTAL	WB	EB	TOTAL
Existing AM	3	3	6	3	3	6	113	266	379	266	113	379	Existing AM	0	0	0	120	168	288	111	249	360	341	154	495
Existing PM	3	3	6	3	3	6	269	206	475	206	269	475	Existing PM	0	0	0	136	181	317	267	209	476	263	275	538
Opening AM	189	332	521	15	15	30	189	340	529	585	292	877	Opening AM	89	118	207	205	242	447	287	545	832	517	194	711
Opening PM	408	155	563	15	15	30	338	305	643	367	653	1021	Opening PM	92	205	297	201	285	485	648	349	998	304	406	710
Horizon AM	556	1031	1587	30	30	60	369	564	933	1344	674	2018	Horizon AM	138	182	320	375	399	774	664	1285	1949	1179	489	1668
Horizon PM	1286	442	1728	30	30	60	552	569	1122	739	1566	2305	Horizon PM	142	316	459	328	515	843	1556	714	2270	620	1101	1721
2028 No-Build AM	15	15	30	15	15	30	135	307	442	307	135	442	2028 No-Build AM	0	0	0	135	189	324	125	281	406	384	173	557
2028 No-Build PM	15	15	30	15	15	30	311	240	550	240	311	550	2028 No-Build PM	0	0	0	153	204	357	301	235	536	296	310	606
2050 No-Build AM	30	30	60	30	30	60	213	480	693	480	213	693	2050 No-Build AM	0	0	0	208	293	501	193	434	627	594	268	862
2050 No-Build PM	30	30	60	30	30	60	485	375	860	375	485	860	2050 No-Build PM	0	0	0	236	316	552	465	363	828	458	479	937
K-Factor													AM K Factor:												
	AM	0.09			0.09			0.066			0.066			0.059			0.065			0.066			0.060		
	PM	0.09			0.09			0.083			0.083			0.084			0.074			0.083			0.074		
Estimated ADT (Raw)													Estimated ADT (Raw)												
	NB	SB	TOTAL	SB	NB	TOTAL	EB	WB	TOTAL	WB	EB	TOTAL		NB	SB	TOTAL	SB	NB	TOTAL	EB	WB	TOTAL	WB	EB	TOTAL
Existing AM	33	33	67	33	33	67	1708	4020	5727	4020	1708	5727	Existing AM	0	0	0	1841	2589	4430	1677	3769	5447	5720	2583	8303
Existing PM	33	33	67	33	33	67	3237	2479	5715	2479	3237	5715	Existing PM	0	0	0	1841	2465	4306	3213	2510	5722	3574	3742	7316
Opening AM	2103	3687	5790	167	167	333	2856	5136	7993	8841	4407	13248	Opening AM	1520	1999	3519	3159	3723	6882	4332	8242	12574	8674	3247	11921
Opening PM	4537	1723	6260	167	167	333	4069	3672	7741	4419	7862	12281	Opening PM	1091	2428	3519	2725	3867	6592	7802	4202	12005	4126	5516	9642
Horizon AM	6179	11457	17636	333	333	667	5578	8526	14104	20308	10182	30490	Horizon AM	2350	3090	5440	5775	6146	11922	10031	19424	29455	19773	8211	27983
Horizon PM	14290	4912	19202	333	333	667	6646	6849	13495	8888	18840	27728	Horizon PM	1686	3754	5440	4452	7001	11453	18720	8587	27306	8431	14956	23387

JAMES RANCH RD & SR 80 VOLS W/O ADJACENT SITES													
Total Volumes by Movement	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBR	WBL	WBT	WBR	
	Existing AM	1	1	1	1	1	1	99	1	1	235	1	
	Existing PM	1	1	1	1	1	1	238	1	1	182	1	
	Opening AM	5	5	5	5	5	5	111	5	5	265	5	
	Opening PM	5	5	5	5	5	5	268	5	5	204	5	
	Horizon AM	10	10	10	10	10	10	172	10	10	409	10	
	Horizon PM	10	10	10	10	10	10	414	10	10	316	10	
	2028 No-Build AM	5	5	5	5	5	5	111	5	5	265	5	
	2028 No-Build PM	5	5	5	5	5	5	268	5	5	204	5	
	2050 No-Build AM	10	10	10	10	10	10	172	10	10	409	10	
	2050 No-Build PM	10	10	10	10	10	10	414	10	10	316	10	
Total Volumes by Approach	SOUTH LEG			NORTH LEG			WEST LEG			EAST LEG			
	NB	SB	TOTAL	SB	NB	TOTAL	EB	WB	TOTAL	WB	EB	TOTAL	
	Existing AM	3	3	6	3	3	6	101	237	338	237	101	338
	Existing PM	3	3	6	3	3	6	240	184	423	184	240	423
	Opening AM	15	15	30	15	15	30	121	275	396	275	121	396
	Opening PM	15	15	30	15	15	30	278	214	492	214	278	492
	Horizon AM	30	30	60	30	30	60	192	429	621	429	192	621
	Horizon PM	30	30	60	30	30	60	434	336	770	336	434	770
	2028 No-Build AM	15	15	30	15	15	30	121	275	396	275	121	396
	2028 No-Build PM	15	15	30	15	15	30	278	214	492	214	278	492
K-Factor	AM	0.09		0.09		0.066		0.066					
	PM	0.09		0.09		0.083		0.083					
Estimated ADT (Raw)	SOUTH LEG			NORTH LEG			WEST LEG			EAST LEG			
	NB	SB	TOTAL	SB	NB	TOTAL	EB	WB	TOTAL	WB	EB	TOTAL	
	Existing AM	33	33	67	33	33	67	1523	3581	5104	3581	1523	5104
	Existing PM	33	33	67	33	33	67	2883	2209	5092	2209	2883	5092
	Opening AM	167	167	333	167	167	333	1832	4150	5982	4150	1832	5982
	Opening PM	167	167	333	167	167	333	3340	2580	5921	2580	3340	5921
	Horizon AM	333	333	667	333	333	667	2901	6484	9386	6484	2901	9386
	Horizon PM	333	333	667	333	333	667	5218	4044	9262	4044	5218	9262
	2028 No-Build AM	167	167	333	167	167	333	1832	4150	5982	4150	1832	5982
	2028 No-Build PM	167	167	333	167	167	333	3340	2580	5921	2580	3340	5921
Estimated ADT (Rounded)	AM	0.09		0.09		0.066		0.066					
	PM	0.09		0.09		0.083		0.083					
Estimated ADT (Rounded)	SOUTH LEG			NORTH LEG			WEST LEG			EAST LEG			
	NB	SB	TOTAL	SB	NB	TOTAL	EB	WB	TOTAL	WB	EB	TOTAL	
	Existing AM	0	0	100	0	0	100	1500	3600	5100	3600	1500	5100
	Existing PM	0	0	100	0	0	100	2900	2200	5100	2200	2900	5100
	Opening AM	200	200	300	200	200	300	1800	4100	6000	4100	1800	6000
	Opening PM	200	200	300	200	200	300	3300	2600	5900	2600	3300	5900
	Horizon AM	300	300	700	300	300	700	2900	6500	9400	6500	2900	9400
	Horizon PM	300	300	700	300	300	700	5200	4000	9300	4000	5200	9300
	2028 No-Build AM	200	200	300	200	200	300	1800	4100	6000	4100	1800	6000
	2028 No-Build PM	200	200	300	200	200	300	3300	2600	5900	2600	3300	5900
Calculated D-Factors	AM	0.09		0.09		0.066		0.066					
	PM	0.09		0.09		0.083		0.083					
Calculated D-Factors	SOUTH LEG			NORTH LEG			WEST LEG			EAST LEG			
	NB	SB	TOTAL	SB	NB	TOTAL	EB	WB	TOTAL	WB	EB	TOTAL	
	Opening	50%	50%	50%	50%	50%	50%	43%	57%	57%	57%	43%	57%
	Horizon	50%	50%	50%	50%	50%	50%	44%	56%	56%	56%	44%	56%
	AM	0.09		0.09		0.066		0.066					
	PM	0.09		0.09		0.083		0.083					
	AM	0.09		0.09		0.066		0.066					
	PM	0.09		0.09		0.083		0.083					
	AM	0.09		0.09		0.066		0.066					
	PM	0.09		0.09		0.083		0.083					

JAMES RANCH RD & POE INTERSECTION 1 (INTERSECTION 101)												
	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBR	WBL	WBT	WBR
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	5	5	5	58	50	69	52	5	5	5	5	30
Opening PM	5	50	5	23	50	48	79	5	5	5	5	74
Horizon AM	10	10	10	194	50	163	105	10	10	10	10	100
Horizon PM	10	50	10	77	50	90	196	10	10	10	10	245
2028 No-Build AM	0	0	0									

JAMES RANCH RD & POE INTERSECTION 2 (INTERSECTION 201)												
Total Volumes by Movement	NBL	NBT	NBR	SBL	SBT	SBR	EBL	EBT	EBR	WBL	WBT	WBR
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	5	5	33	6	5	5	5	15	5	33	29	7
Opening PM	5	5	33	9	5	5	5	37	5	33	12	6
Horizon AM	10	10	42	13	10	10	10	50	10	42	97	24
Horizon PM	10	10	42	31	10	10	10	123	10	42	38	12
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
Total Volumes by Approach	SOUTH LEG			NORTH LEG			WEST LEG			EAST LEG		
	NB	SB	TOTAL	SB	NB	TOTAL	EB	WB	TOTAL	WB	EB	TOTAL
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	43	43	86	16	17	33	25	39	64	69	54	123
Opening PM	43	43	86	19	16	35	47	22	68	50	79	130
Horizon AM	62	62	124	33	44	77	70	117	187	163	105	268
Horizon PM	62	62	124	51	32	83	143	58	202	92	196	289
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
K-Factor	AM	0.09		0.09		0.09		0.09		0.09		0.09
	PM	0.09		0.09		0.09		0.09		0.09		0.09
Estimated ADT (Raw)	SOUTH LEG			NORTH LEG			WEST LEG			EAST LEG		
	NB	SB	TOTAL	SB	NB	TOTAL	EB	WB	TOTAL	WB	EB	TOTAL
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	479	479	958	175	192	367	279	434	713	771	600	1371
Opening PM	479	479	958	214	173	387	522	239	761	558	881	1439
Horizon AM	690	690	1380	362	491	853	782	1298	2080	1812	1168	2980
Horizon PM	690	690	1380	564	355	919	1591	649	2240	1027	2179	3206
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
Estimated ADT (Rounded)	SOUTH LEG			NORTH LEG			WEST LEG			EAST LEG		
	NB	SB	TOTAL	SB	NB	TOTAL	EB	WB	TOTAL	WB	EB	TOTAL
Existing AM	0	0	0	0	0	0	0	0	0	0	0	0
Existing PM	0	0	0	0	0	0	0	0	0	0	0	0
Opening AM	500	500	1000	200	200	400	300	400	700	800	600	1400
Opening PM	500	500	1000	200	200	400	500	200	800	600	900	1400
Horizon AM	700	700	1400	400	500	900	800	1300	2100	1800	1200	3000
Horizon PM	700	700	1400	600	400	900	1600	600	2200	1000	2200	3200
2028 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2028 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build AM	0	0	0	0	0	0	0	0	0	0	0	0
2050 No-Build PM	0	0	0	0	0	0	0	0	0	0	0	0
Calculated D-Factors	SOUTH LEG			NORTH LEG			WEST LEG			EAST LEG		
	NB	SB	TOTAL	SB	NB	TOTAL	EB	WB	TOTAL	WB	EB	TOTAL
Opening	50%	50%	100%	52%	48%	100%	54%	46%	100%	47%	53%	100%
Horizon	50%	50%		52%	48%		55%	45%		46%	54%	
Average	50%	50%	100%	52%	48%	100%	55%	45%	100%	47%	53%	100%

Appendix 5. Relevant Standards

- b. The specific assumptions and data sources used in deriving trip distribution and assignment shall be documented in the report.

(8) Capacity Analysis

- a. Level of service shall be computed for all signalized and unsignalized intersections within the study area in accordance with the latest edition of the Highway Capacity Manual or with any software that uses HCS methodology. The level of service shall be calculated and reported by intersection, intersection approach, and lane group within the approach.
- b. For signalized intersections, operational analyses shall be performed for time horizons up to five years. The planning method will be acceptable for time horizons beyond five years. Analyses may include modifications to the existing signal timing if the study area is within a coordinated signal system; Highway Capacity Manual signal timing methods should not be used for generating signal timing.
- c. Analyses may include an arterial analysis in accordance with the latest edition of the Highway Capacity Manual.
- d. Peak hour factors used for future conditions shall not exceed 0.90. The following peak hour factors shall be used unless otherwise directed by the Regional Traffic Engineer:
 - PHF = 0.80 for < 75 vph per lane
 - PHF = 0.85 for 75 - 300 vph per lane
 - PHF = 0.90 for > 300 vph per lane


(9) Traffic Signal Needs Study

- a. A Traffic Signal Needs Study shall be conducted for all new proposed signals for the base year. If the warrants are not met for the base year, they should be evaluated for each year in the study horizon.
- b. A Traffic Signal Needs Study shall be conducted in accordance with ADOT Traffic Guidelines and Processes 611.
- c. Existing traffic signals adjacent to the development's access to the State highway shall be evaluated for continued signal warrants, phasing, timing, and coordination for each year in the study horizon, in accordance with Table 240-1.

(10) Crash Analysis

An analysis of three years of traffic crash data and crash prediction per HSM (if required); calculations shall be conducted to determine if the level of safety will deteriorate due to the addition of site traffic.

Figure 430-B. Left Turn Lane - Symmetrical Widening



Example: $W = 12'$ $Gap = 140'$ $Storage = 415' * + 50' = 465'$
 $S = 65 \text{ mph}$ (From Table 430-1)
 $T = \frac{12 \times 65}{2} = 390'$ * From Table 430-2

low ADT, minimum trucks
 $Total Length = 390' + 140' + 465' = 995'$

Gap Length

Table 430-1 provides the length of the gap for left turn lanes. See Standard Drawing 4-M-1.03 for the turn lane standard.

Table 430-1. Left Turn Lane Gap Lengths

POSTED or DESIGN SPEED (mph)	GAP (feet)
< 40	60
40 - 50	90
> 50	140

Storage Length

The storage length is a combination of the braking distance (Table 430-2) and a queue length dependent on the anticipated traffic control for the intersection and the traffic demand at the turn.

$$\text{storage length} = \text{braking distance} + \text{queue length}$$

Table 430-2. Braking Distance

POSTED or DESIGN SPEED (mph)	DESIRABLE		MINIMUM		
	BRAKING SPEED (mph)	BRAKING DISTANCE (feet)	ENTERING SPEED (mph)	BRAKING SPEED (mph)	BRAKING DISTANCE (feet)
30	29	80	20	20	20
35	34	115	25	25	40
40	38	150	30	29	50
45	43	200	35	34	85
50	47	245	40	38	120
55	52	300	45	42	145
60	56	360	50	47	200
65	60	415	55	52	265
70	64	490	60	56	315
75	70	585	65	61	400

The “Desirable” braking distance shown in Table 430-2 is based on the assumption that a vehicle will have lost a few miles per hour through retardation by the vehicle’s engine and drive train prior to braking and that braking will actually begin when the vehicle is fully into the turn lane. The “Minimum” braking distance shown is based on the assumption of: (a) a drop of 10 mph in the average speed of a vehicle by the time it begins to enter the opening or “gap” of the turn lane; (b) there will be a further reduction in speed through engine retardation while entering the turn lane; and (c) assumed braking will begin once the vehicle is 2/3 of the way into the turn lane (see Figure 430-C).

directions); and six combinations of the *K*-factor and *D*-factor. To use this table, analysts must select a combination of *K* and *D* appropriate for their locality.

The 30-mi/h values further assume an average traffic signal spacing of 1,050 ft and 20 access points/mi, while the 45-mi/h values assume an average traffic signal spacing of 1,500 ft and 10 access points/mi.

Exhibit 16-16
Generalized Daily Service Volumes for Urban Street Facilities

<i>K</i> -Factor	<i>D</i> -Factor	Daily Service Volume by Lanes, LOS, and Speed (1,000 veh/day)											
		Two-Lane Streets				Four-Lane Streets				Six-Lane Streets			
		LOS B	LOS C	LOS D	LOS E	LOS B	LOS C	LOS D	LOS E	LOS B	LOS C	LOS D	LOS E
<i>Posted Speed = 30 mi/h</i>													
0.09	0.55	NA	1.7	11.8	17.8	NA	2.2	24.7	35.8	NA	2.6	38.7	54.0
	0.60	NA	1.6	10.8	16.4	NA	2.0	22.7	32.8	NA	2.4	35.6	49.5
0.10	0.55	NA	1.6	10.7	16.1	NA	2.0	22.3	32.2	NA	2.4	34.9	48.6
	0.60	NA	1.4	9.8	14.7	NA	1.8	20.4	29.5	NA	2.2	32.0	44.5
0.11	0.55	NA	1.4	9.7	14.6	NA	1.8	20.3	29.3	NA	2.1	31.7	44.1
	0.60	NA	1.3	8.9	13.4	NA	1.7	18.6	26.9	NA	2.0	29.1	40.5
<i>Posted Speed = 45 mi/h</i>													
0.09	0.55	NA	7.7	15.9	18.3	NA	16.5	33.6	36.8	NA	25.4	51.7	55.3
	0.60	NA	7.1	14.5	16.8	NA	15.1	30.8	33.7	NA	23.4	47.4	50.7
0.10	0.55	NA	7.0	14.3	16.5	NA	14.9	30.2	33.1	NA	23.0	46.5	49.7
	0.60	NA	6.4	13.1	15.1	NA	13.6	27.7	30.3	NA	21.0	42.7	45.6
0.11	0.55	NA	6.3	13.0	15.0	NA	13.5	27.5	30.1	NA	20.9	42.3	45.2
	0.60	NA	5.8	11.9	13.8	NA	12.4	25.2	27.6	NA	19.1	38.8	41.5

Notes: NA = not applicable; LOS cannot be achieved with the stated assumptions. General assumptions include no roundabouts or all-way stop-controlled intersections along the facility; coordinated, semiactuated traffic signals; Arrival Type 4; 120-s cycle time; protected left-turn phases; 0.45 weighted average *g/C* ratio; exclusive left-turn lanes with adequate queue storage provided at traffic signals; no exclusive right-turn lanes provided; no restrictive median; 2-mi facility length; 10% of traffic turns left and 10% turns right at each traffic signal; peak hour factor = 0.92; and base saturation flow rate = 1,900 pc/h/ln.
Additional assumptions for 30-mi/h facilities: signal spacing = 1,050 ft and 20 access points/mi.
Additional assumptions for 45-mi/h facilities: signal spacing = 1,500 ft and 10 access points/mi.

Exhibit 16-16 is provided for general planning use and should *not* be used to analyze any specific urban street facility or to make final decisions on important design features. A full operational analysis using this chapter's methodology is required for such specific applications.

The exhibit is useful in evaluating the overall performance of a large number of urban streets within a jurisdiction, as a first pass to determine where problems might exist or arise, or in determining where improvements might be needed. However, any urban street identified as likely to experience problems or need improvement should be subjected to a full operational analysis before any decisions on implementing specific improvements are made.

Daily service volumes are strongly affected by the *K*- and *D*-factors chosen as typical for the analysis. The values used for the facilities under study should be reasonable. Also, if any characteristic is significantly different from the typical values used to develop Exhibit 16-16, particularly the weighted average *g/C* ratio and traffic signal spacing, the values taken from this exhibit will not be representative of the study facilities. In such cases, analysts are advised to develop their own generalized service volume tables by using representative local values or to proceed to a full operational analysis.

Appendix 6. Existing Signal Timings

Intersection: **SR80 @ US191 (WEST)**
MU #: 0050Q

MP: **364** Location: **Douglas**

Warrant: **UPDATE TIMING**

Timing As Of: **8/27/2010**

	PH 1	PH 2	PH 3	PH 4	PH 5	PH 6	PH 7	PH 8
Mvmnt	--	E/W	--	SB	--	--	--	--
Min Green	--	10	--	6	--	--	--	--
Veh Ext	--	6.0	--	1.5	--	--	--	--
Max I	--	60	--	25	--	--	--	--
Max 2	--	--	--	--	--	--	--	--
Max 3	--	--	--	--	--	--	--	--
Walk	--	--	--	--	--	--	--	--
Ped Clr	--	--	--	--	--	--	--	--
Max Init	--	40	--	--	--	--	--	--
Sec Act	--	2.0	--	--	--	--	--	--
TBR	--	--	--	--	--	--	--	--
TTR	--	--	--	--	--	--	--	--
Min Gap	--	--	--	--	--	--	--	--
Guar Pass	--	ON	--	--	--	--	--	--
Yellow	--	5.0	--	4.3	--	--	--	--
Red Clr	--	1.1	--	2.2	--	--	--	--
CNA	--	--	--	--	--	--	--	--
Det Memory	--	ON	--	--	--	--	--	--
Dual Entry	--	--	--	--	--	--	--	--
Recall Mode	--	MinV	--	--	--	--	--	--
Ext Start	--	YEL	--	--	--	--	--	--

TIME OF DAY FUNCTIONS

PGM	Funct'n	On	Off	Skip Days

VEHICLE DETECTOR DELAY/EXTEND TIMING

Phase(s)	Ctrl/Amp	Type	Sec
4 (RT)	Video	DELAY	8
4 (LT)	Video	DELAY	8

OVERLAPS

TIMING OPTIONAL

O/L(Phases)	Grn	Yel	Red
(A)	--	--	--
(B)	--	--	--
(C)	--	--	--
(D)	--	--	--

PHASE SEQ: R1) 2,4

PROTECTED LEFT TURN PHASES:

PROT-PRM LEFT TURN PHASES:

RAILROAD PRE-EMPTION: VIDEO:

EMERGENCY VEHICLE PRE-EMPTION: LOOPS:

COORDINATION:

Intersection: **SR80 @ US191 (WEST)**
MU #: 0050Q

MP: **364** Location: **Douglas**
Warrant: **NEW SIGNAL**

Timing As Of: **5/21/2008**

	PH 1	PH 2	PH 3	PH 4	PH 5	PH 6	PH 7	PH 8
Mvmnt	--	E/W	--	SB	--	--	--	--
Min Green	--	30	--	6	--	--	--	--
Veh Ext	--	6.0	--	1.5	--	--	--	--
Max I	--	40	--	20	--	--	--	--
Max 2	--	--	--	--	--	--	--	--
Max 3	--	--	--	--	--	--	--	--
Walk	--	--	--	--	--	--	--	--
Ped Clr	--	--	--	--	--	--	--	--
Max Init	--	40	--	--	--	--	--	--
Sec Act	--	2.0	--	--	--	--	--	--
TBR	--	--	--	--	--	--	--	--
TTR	--	--	--	--	--	--	--	--
Min Gap	--	--	--	--	--	--	--	--
Guar Pass	--	ON	--	--	--	--	--	--
Yellow	--	5.0	--	4.3	--	--	--	--
Red Clr	--	1.1	--	2.2	--	--	--	--
CNA	--	--	--	--	--	--	--	--
Det Memory	--	ON	--	--	--	--	--	--
Dual Entry	--	--	--	--	--	--	--	--
Recall Mode	--	MinV	--	--	--	--	--	--
Ext Start	--	YEL	--	--	--	--	--	--

TIME OF DAY FUNCTIONS

PGM	Funct'n	On	Off	Skip Days

VEHICLE DETECTOR DELAY/EXTEND TIMING

Phase(s)	Ctrl/Amp	Type	Sec
4 (RT)	Video	DELAY	8
4 (LT)	Video	DELAY	3

OVERLAPS

TIMING OPTIONAL

O/L(Phases)	Grn	Yel	Red
--	--	--	
--	--	--	
--	--	--	
--	--	--	

PHASE SEQ: R1) 2,4

PROTECTED LEFT TURN PHASES:

PROT-PRM LEFT TURN PHASES:

RAILROAD PRE-EMPTION: VIDEO:

EMERGENCY VEHICLE PRE-EMPTION: LOOPS:

COORDINATION:

Appendix 7. Synchro and Rodel Output Reports

***SR 80 / James Ranch Road Intersection
(Existing, 2028/2050 No-Build)***

HCM 6th TWSC
1: James Ranch Rd & SR 80

Existing AM

Intersection												
Int Delay, s/veh	0.3											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑		↑	↑↑		↔	↔		↔	↔	
Traffic Vol, veh/h	1	111	1	1	264	1	1	1	1	1	1	1
Future Vol, veh/h	1	111	1	1	264	1	1	1	1	1	1	1
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	105	-	-	105	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	75	75	75	87	87	87	50	50	50	50	50	50
Heavy Vehicles, %	2	11	2	2	11	2	2	2	2	2	2	2
Mvmt Flow	1	148	1	1	303	1	2	2	2	2	2	2
Major/Minor												
Major1		Major2			Minor1			Minor2				
Conflicting Flow All	304	0	0	149	0	0	306	457	75	383	457	152
Stage 1	-	-	-	-	-	-	151	151	-	306	306	-
Stage 2	-	-	-	-	-	-	155	306	-	77	151	-
Critical Hdwy	4.14	-	-	4.14	-	-	7.54	6.54	6.94	7.54	6.54	6.94
Critical Hdwy Stg 1	-	-	-	-	-	-	6.54	5.54	-	6.54	5.54	-
Critical Hdwy Stg 2	-	-	-	-	-	-	6.54	5.54	-	6.54	5.54	-
Follow-up Hdwy	2.22	-	-	2.22	-	-	3.52	4.02	3.32	3.52	4.02	3.32
Pot Cap-1 Maneuver	1254	-	-	1430	-	-	623	498	971	550	498	867
Stage 1	-	-	-	-	-	-	836	771	-	679	660	-
Stage 2	-	-	-	-	-	-	832	660	-	923	771	-
Platoon blocked, %	-	-	-	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	1254	-	-	1430	-	-	619	497	971	547	497	867
Mov Cap-2 Maneuver	-	-	-	-	-	-	619	497	-	547	497	-
Stage 1	-	-	-	-	-	-	835	770	-	678	659	-
Stage 2	-	-	-	-	-	-	827	659	-	918	770	-
Approach												
EB			WB			NB			SB			
HCM Control Delay, s	0.1		0			10.6			11.1			
HCM LOS	B						B					
Minor Lane/Major Mvmt		NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1			
Capacity (veh/h)	644		1254	-	-	1430	-	-	601			
HCM Lane V/C Ratio	0.009		0.001	-	-	0.001	-	-	0.01			
HCM Control Delay (s)	10.6		7.9	-	-	7.5	-	-	11.1			
HCM Lane LOS	B		A	-	-	A	-	-	B			
HCM 95th %tile Q(veh)	0		0	-	-	0	-	-	0			

HCM 6th TWSC
1: James Ranch Rd & SR 80

Existing PM

Intersection												
Int Delay, s/veh	0.3											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑		↑	↑↑		↔	↔		↔	↔	
Traffic Vol, veh/h	1	267	1	1	204	1	1	1	1	1	1	
Future Vol, veh/h	1	267	1	1	204	1	1	1	1	1	1	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	
Storage Length	105	-	-	105	-	-	-	-	-	-	-	
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	
Peak Hour Factor	93	93	93	85	85	85	50	50	50	50	50	
Heavy Vehicles, %	2	11	2	2	11	2	2	2	2	2	2	
Mvmt Flow	1	287	1	1	240	1	2	2	2	2	2	
Major/Minor												
Major1		Major2		Minor1		Minor2						
Conflicting Flow All	241	0	0	288	0	0	413	533	144	390	533	121
Stage 1	-	-	-	-	-	-	290	290	-	243	243	-
Stage 2	-	-	-	-	-	-	123	243	-	147	290	-
Critical Hdwy	4.14	-	-	4.14	-	-	7.54	6.54	6.94	7.54	6.54	6.94
Critical Hdwy Stg 1	-	-	-	-	-	-	6.54	5.54	-	6.54	5.54	-
Critical Hdwy Stg 2	-	-	-	-	-	-	6.54	5.54	-	6.54	5.54	-
Follow-up Hdwy	2.22	-	-	2.22	-	-	3.52	4.02	3.32	3.52	4.02	3.32
Pot Cap-1 Maneuver	1323	-	-	1271	-	-	523	451	877	543	451	908
Stage 1	-	-	-	-	-	-	694	671	-	739	703	-
Stage 2	-	-	-	-	-	-	868	703	-	841	671	-
Platoon blocked, %	-	-	-	-	-	-	-	-	-	-	-	
Mov Cap-1 Maneuver	1323	-	-	1271	-	-	519	450	877	539	450	908
Mov Cap-2 Maneuver	-	-	-	-	-	-	519	450	-	539	450	-
Stage 1	-	-	-	-	-	-	693	670	-	738	702	-
Stage 2	-	-	-	-	-	-	863	702	-	836	670	-
Approach												
EB			WB			NB			SB			
HCM Control Delay, s	0			0			11.4			11.3		
HCM LOS							B			B		
Minor Lane/Major Mvmt												
NBLn1		EBL	EBT	EBR	WBL	WBT	WBR	SBLn1				
Capacity (veh/h)	567	1323	-	-	1271	-	-	579				
HCM Lane V/C Ratio	0.011	0.001	-	-	0.001	-	-	0.01				
HCM Control Delay (s)	11.4	7.7	-	-	7.8	-	-	11.3				
HCM Lane LOS	B	A	-	-	A	-	-	B				
HCM 95th %tile Q(veh)	0	0	-	-	0	-	-	0				

Intersection																				
Int Delay, s/veh	0.9																			
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR								
Lane Configurations	↖	↑↓		↖	↑↓		↖	↖		↖	↖									
Traffic Vol, veh/h	5	125	5	5	297	5	5	5	5	5	5	5								
Future Vol, veh/h	5	125	5	5	297	5	5	5	5	5	5	5								
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0								
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop								
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None								
Storage Length	105	-	-	105	-	-	-	-	-	-	-	-								
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-								
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-								
Peak Hour Factor	80	80	80	80	85	85	80	80	80	80	80	80								
Heavy Vehicles, %	2	11	47	25	15	2	20	2	36	2	2	2								
Mvmt Flow	6	156	6	6	349	6	6	6	6	6	6	6								
Major/Minor																				
Major1		Major2		Minor1		Minor2														
Conflicting Flow All	355	0	0	162	0	0	361	538	81	457	538	178								
Stage 1	-	-	-	-	-	-	171	171	-	364	364	-								
Stage 2	-	-	-	-	-	-	190	367	-	93	174	-								
Critical Hdwy	4.14	-	-	4.6	-	-	7.9	6.54	7.62	7.54	6.54	6.94								
Critical Hdwy Stg 1	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-								
Critical Hdwy Stg 2	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-								
Follow-up Hdwy	2.22	-	-	2.45	-	-	3.7	4.02	3.66	3.52	4.02	3.32								
Pot Cap-1 Maneuver	1200	-	-	1262	-	-	527	448	863	487	448	834								
Stage 1	-	-	-	-	-	-	764	756	-	627	622	-								
Stage 2	-	-	-	-	-	-	744	621	-	904	754	-								
Platoon blocked, %	-	-	-	-	-	-	-	-	-	-	-	-								
Mov Cap-1 Maneuver	1200	-	-	1262	-	-	514	444	863	475	444	834								
Mov Cap-2 Maneuver	-	-	-	-	-	-	514	444	-	475	444	-								
Stage 1	-	-	-	-	-	-	760	752	-	624	619	-								
Stage 2	-	-	-	-	-	-	727	618	-	886	750	-								
Approach																				
EB			WB			NB			SB											
HCM Control Delay, s	0.3		0.1		11.7		11.9													
HCM LOS	B						B													
Minor Lane/Major Mvmt																				
NBLn1		EBL	EBT	EBR	WBL	WBT	WBR	SBLn1												
Capacity (veh/h)	560	1200	-	-	1262	-	-	540												
HCM Lane V/C Ratio	0.033	0.005	-	-	0.005	-	-	0.035												
HCM Control Delay (s)	11.7	8	-	-	7.9	-	-	11.9												
HCM Lane LOS	B	A	-	-	A	-	-	B												
HCM 95th %tile Q(veh)	0.1	0	-	-	0	-	-	0.1												

Intersection																
Int Delay, s/veh	0.8															
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR				
Lane Configurations	↑	↑↓		↑	↑↓		↔	↔		↔	↔					
Traffic Vol, veh/h	5	301	5	5	230	5	5	5	5	5	5	5				
Future Vol, veh/h	5	301	5	5	230	5	5	5	5	5	5	5				
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0				
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop				
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None				
Storage Length	105	-	-	105	-	-	-	-	-	-	-	-				
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-				
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-				
Peak Hour Factor	80	85	85	80	85	85	80	80	80	80	80	80				
Heavy Vehicles, %	2	11	65	32	16	2	20	2	27	2	2	2				
Mvmt Flow	6	354	6	6	271	6	6	6	6	6	6	6				
Major/Minor																
Major1		Major2			Minor1			Minor2								
Conflicting Flow All	277	0	0	360	0	0	520	658	180	478	658	139				
Stage 1	-	-	-	-	-	-	369	369	-	286	286	-				
Stage 2	-	-	-	-	-	-	151	289	-	192	372	-				
Critical Hdwy	4.14	-	-	4.74	-	-	7.9	6.54	7.44	7.54	6.54	6.94				
Critical Hdwy Stg 1	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-				
Critical Hdwy Stg 2	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-				
Follow-up Hdwy	2.22	-	-	2.52	-	-	3.7	4.02	3.57	3.52	4.02	3.32				
Pot Cap-1 Maneuver	1283	-	-	1006	-	-	401	383	759	470	383	884				
Stage 1	-	-	-	-	-	-	576	619	-	697	674	-				
Stage 2	-	-	-	-	-	-	786	672	-	791	617	-				
Platoon blocked, %	-	-	-	-	-	-	-	-	-	-	-	-				
Mov Cap-1 Maneuver	1283	-	-	1006	-	-	390	379	759	456	379	884				
Mov Cap-2 Maneuver	-	-	-	-	-	-	390	379	-	456	379	-				
Stage 1	-	-	-	-	-	-	573	616	-	694	670	-				
Stage 2	-	-	-	-	-	-	769	668	-	773	614	-				
Approach																
EB			WB			NB			SB							
HCM Control Delay, s	0.1		0.2		13.2			12.4								
HCM LOS	B						B									
Minor Lane/Major Mvmt		NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1							
Capacity (veh/h)	460		1283	-	-	1006	-	-	503							
HCM Lane V/C Ratio	0.041		0.005	-	-	0.006	-	-	0.037							
HCM Control Delay (s)	13.2		7.8	-	-	8.6	-	-	12.4							
HCM Lane LOS	B		A	-	-	A	-	-	B							
HCM 95th %tile Q(veh)	0.1		0	-	-	0	-	-	0.1							

Intersection																			
Int Delay, s/veh	1.5																		
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR							
Lane Configurations	↑	↑↑		↑	↑↑		↔	↔		↔	↔								
Traffic Vol, veh/h	10	193	10	10	460	10	10	10	10	10	10	10							
Future Vol, veh/h	10	193	10	10	460	10	10	10	10	10	10	10							
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0							
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop							
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None							
Storage Length	105	-	-	105	-	-	-	-	-	-	-	-							
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-							
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-							
Peak Hour Factor	80	85	85	80	85	85	80	80	80	80	80	80							
Heavy Vehicles, %	2	11	33	22	15	2	20	2	27	2	2	2							
Mvmt Flow	13	227	12	13	541	12	13	13	13	13	13	13							
Major/Minor																			
Major1		Major2			Minor1			Minor2											
Conflicting Flow All	553	0	0	239	0	0	562	838	120	719	838	277							
Stage 1	-	-	-	-	-	-	259	259	-	573	573	-							
Stage 2	-	-	-	-	-	-	303	579	-	146	265	-							
Critical Hdwy	4.14	-	-	4.54	-	-	7.9	6.54	7.44	7.54	6.54	6.94							
Critical Hdwy Stg 1	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-							
Critical Hdwy Stg 2	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-							
Follow-up Hdwy	2.22	-	-	2.42	-	-	3.7	4.02	3.57	3.52	4.02	3.32							
Pot Cap-1 Maneuver	1013	-	-	1191	-	-	373	301	835	316	301	720							
Stage 1	-	-	-	-	-	-	675	692	-	472	502	-							
Stage 2	-	-	-	-	-	-	634	499	-	842	688	-							
Platoon blocked, %	-	-	-	-	-	-	-	-	-	-	-	-							
Mov Cap-1 Maneuver	1013	-	-	1191	-	-	348	294	835	296	294	720							
Mov Cap-2 Maneuver	-	-	-	-	-	-	348	294	-	296	294	-							
Stage 1	-	-	-	-	-	-	666	683	-	466	496	-							
Stage 2	-	-	-	-	-	-	601	494	-	804	679	-							
Approach																			
EB			WB			NB			SB										
HCM Control Delay, s	0.4		0.2			14.9			15.9										
HCM LOS	B						C												
Minor Lane/Major Mvmt																			
Capacity (veh/h)	401	1013	-	-	1191	-	-	-	367										
HCM Lane V/C Ratio	0.094	0.012	-	-	0.01	-	-	-	0.102										
HCM Control Delay (s)	14.9	8.6	-	-	8.1	-	-	-	15.9										
HCM Lane LOS	B	A	-	-	A	-	-	-	C										
HCM 95th %tile Q(veh)	0.3	0	-	-	0	-	-	-	0.3										

Intersection																			
Int Delay, s/veh	1.5																		
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR							
Lane Configurations	↑	↑↓		↑	↑↓		↔	↔		↔	↔								
Traffic Vol, veh/h	10	465	10	10	355	10	10	10	10	10	10	10							
Future Vol, veh/h	10	465	10	10	355	10	10	10	10	10	10	10							
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0							
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop							
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None							
Storage Length	105	-	-	105	-	-	-	-	-	-	-	-							
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-							
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-							
Peak Hour Factor	80	85	85	80	85	85	80	80	80	80	80	80							
Heavy Vehicles, %	2	11	46	25	16	2	20	2	23	2	2	2							
Mvmt Flow	13	547	12	13	418	12	13	13	13	13	13	13							
Major/Minor																			
Major1		Major2			Minor1			Minor2											
Conflicting Flow All	430	0	0	559	0	0	821	1035	280	756	1035	215							
Stage 1	-	-	-	-	-	-	579	579	-	450	450	-							
Stage 2	-	-	-	-	-	-	242	456	-	306	585	-							
Critical Hdwy	4.14	-	-	4.6	-	-	7.9	6.54	7.36	7.54	6.54	6.94							
Critical Hdwy Stg 1	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-							
Critical Hdwy Stg 2	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-							
Follow-up Hdwy	2.22	-	-	2.45	-	-	3.7	4.02	3.53	3.52	4.02	3.32							
Pot Cap-1 Maneuver	1126	-	-	865	-	-	238	230	658	297	230	790							
Stage 1	-	-	-	-	-	-	426	499	-	558	570	-							
Stage 2	-	-	-	-	-	-	691	567	-	679	496	-							
Platoon blocked, %	-	-	-	-	-	-	-	-	-	-	-	-							
Mov Cap-1 Maneuver	1126	-	-	865	-	-	220	224	658	273	224	790							
Mov Cap-2 Maneuver	-	-	-	-	-	-	220	224	-	273	224	-							
Stage 1	-	-	-	-	-	-	421	493	-	551	561	-							
Stage 2	-	-	-	-	-	-	655	558	-	642	490	-							
Approach																			
EB			WB			NB			SB										
HCM Control Delay, s	0.2		0.3			19.5			17.8										
HCM LOS	C						C												
Minor Lane/Major Mvmt																			
NBLn1		EBL	EBT	EBR	WBL	WBT	WBR	SBLn1											
Capacity (veh/h)	285		1126	-	-	865	-	-	319										
HCM Lane V/C Ratio	0.132		0.011	-	-	0.014	-	-	0.118										
HCM Control Delay (s)	19.5		8.2	-	-	9.2	-	-	17.8										
HCM Lane LOS	C		A	-	-	A	-	-	C										
HCM 95th %tile Q(veh)	0.4		0	-	-	0	-	-	0.4										

***SR 80 / James Ranch Road Intersection
(2028/2050 TWSC/Signalized, TI Sensitivity Analysis)***

Intersection												
Int Delay, s/veh	5.8											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑ ↗	↑ ↘	↗ ↗	↖ ↗	↑ ↗ ↘	↗ ↗ ↗	↖ ↗	↑ ↗	↗ ↗	↖ ↗	↑ ↗	↗ ↗
Traffic Vol, veh/h	5	125	59	268	312	5	23	5	162	5	5	5
Future Vol, veh/h	5	125	59	268	312	5	23	5	162	5	5	5
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	105	-	150	105	-	-	150	-	0	150	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	80	85	85	85	85	85	80	80	85	80	80	80
Heavy Vehicles, %	2	11	47	25	15	2	20	2	36	2	2	2
Mvmt Flow	6	147	69	315	367	6	29	6	191	6	6	6
Major/Minor												
Major1		Major2			Minor1			Minor2				
Conflicting Flow All	373	0	0	216	0	0	976	1162	74	1089	1228	187
Stage 1	-	-	-	-	-	-	159	159	-	1000	1000	-
Stage 2	-	-	-	-	-	-	817	1003	-	89	228	-
Critical Hdwy	4.14	-	-	4.6	-	-	7.9	6.54	7.62	7.54	6.54	6.94
Critical Hdwy Stg 1	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-
Critical Hdwy Stg 2	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-
Follow-up Hdwy	2.22	-	-	2.45	-	-	3.7	4.02	3.66	3.52	4.02	3.32
Pot Cap-1 Maneuver	1182	-	-	1199	-	-	181	194	873	170	177	823
Stage 1	-	-	-	-	-	-	778	765	-	261	319	-
Stage 2	-	-	-	-	-	-	300	318	-	908	714	-
Platoon blocked, %	-	-	-	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	1182	-	-	1199	-	-	138	142	873	102	130	823
Mov Cap-2 Maneuver	-	-	-	-	-	-	138	142	-	102	130	-
Stage 1	-	-	-	-	-	-	774	761	-	260	235	-
Stage 2	-	-	-	-	-	-	214	234	-	700	710	-
Approach												
EB			WB			NB			SB			
HCM Control Delay, s	0.2		4.2			14.4			28.8			
HCM LOS	B						D					
Minor Lane/Major Mvmt		NBLn1	NBLn2	NBLn3	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1	SBLn2
Capacity (veh/h)	138	142	873	1182	-	-	-	1199	-	-	102	225
HCM Lane V/C Ratio	0.208	0.044	0.218	0.005	-	-	-	0.263	-	-	0.061	0.056
HCM Control Delay (s)	37.8	31.5	10.3	8.1	-	-	-	9.1	-	-	42.6	21.9
HCM Lane LOS	E	D	B	A	-	-	-	A	-	-	E	C
HCM 95th %tile Q(veh)	0.7	0.1	0.8	0	-	-	-	1.1	-	-	0.2	0.2

Intersection

Int Delay, s/veh 7.3

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑ ↗	↑ ↗	↗ ↗	↖ ↗	↑ ↗	↗ ↗	↖ ↗	↑ ↗	↗ ↗	↖ ↗	↑ ↗	↗ ↗
Traffic Vol, veh/h	5	301	32	118	245	5	56	5	348	5	5	5
Future Vol, veh/h	5	301	32	118	245	5	56	5	348	5	5	5
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None									
Storage Length	105	-	150	105	-	-	150	-	0	150	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	80	85	85	85	85	85	80	80	90	80	80	80
Heavy Vehicles, %	2	11	65	32	16	2	20	2	27	2	2	2
Mvmt Flow	6	354	38	139	288	6	70	6	387	6	6	6

Major/Minor	Major1	Major2		Minor1		Minor2						
Conflicting Flow All	294	0	0	392	0	0	791	938	177	761	973	147
Stage 1	-	-	-	-	-	-	366	366	-	569	569	-
Stage 2	-	-	-	-	-	-	425	572	-	192	404	-
Critical Hdwy	4.14	-	-	4.74	-	-	7.9	6.54	7.44	7.54	6.54	6.94
Critical Hdwy Stg 1	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-
Critical Hdwy Stg 2	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-
Follow-up Hdwy	2.22	-	-	2.52	-	-	3.7	4.02	3.57	3.52	4.02	3.32
Pot Cap-1 Maneuver	1264	-	-	975	-	-	251	263	763	295	251	873
Stage 1	-	-	-	-	-	-	579	621	-	474	504	-
Stage 2	-	-	-	-	-	-	532	502	-	791	598	-
Platoon blocked, %	-	-	-	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	1264	-	-	975	-	-	216	224	763	127	214	873
Mov Cap-2 Maneuver	-	-	-	-	-	-	216	224	-	127	214	-
Stage 1	-	-	-	-	-	-	576	618	-	472	432	-
Stage 2	-	-	-	-	-	-	446	430	-	384	595	-

Approach	EB	WB		NB		SB						
HCM Control Delay, s	0.1	3		16.9		22.2						
HCM LOS				C		C						
Minor Lane/Major Mvmt		NBLn1	NBLn2	NBLn3	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1	SBLn2
Capacity (veh/h)		216	224	763	1264	-	-	975	-	-	127	344
HCM Lane V/C Ratio		0.324	0.028	0.507	0.005	-	-	0.142	-	-	0.049	0.036
HCM Control Delay (s)		29.5	21.5	14.5	7.9	-	-	9.3	-	-	34.8	15.9
HCM Lane LOS		D	C	B	A	-	-	A	-	-	D	C
HCM 95th %tile Q(veh)		1.3	0.1	2.9	0	-	-	0.5	-	-	0.2	0.1

Intersection

Int Delay, s/veh 13.6

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑	↑	↑	↑↑	↑	↑	↑	↑	↑	↑	↑
Traffic Vol, veh/h	10	193	166	855	479	10	76	10	471	10	10	10
Future Vol, veh/h	10	193	166	855	479	10	76	10	471	10	10	10
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None									
Storage Length	105	-	150	105	-	-	150	-	0	150	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	80	85	85	90	85	85	85	85	90	80	80	80
Heavy Vehicles, %	2	11	33	22	15	2	20	2	27	2	2	2
Mvmt Flow	13	227	195	950	564	12	89	12	523	13	13	13

Major/Minor	Major1	Major2		Minor1		Minor2						
Conflicting Flow All	576	0	0	422	0	0	2442	2729	114	2616	2918	288
Stage 1	-	-	-	-	-	-	253	253	-	2470	2470	-
Stage 2	-	-	-	-	-	-	2189	2476	-	146	448	-
Critical Hdwy	4.14	-	-	4.54	-	-	7.9	6.54	7.44	7.54	6.54	6.94
Critical Hdwy Stg 1	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-
Critical Hdwy Stg 2	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-
Follow-up Hdwy	2.22	-	-	2.42	-	-	3.7	4.02	3.57	3.52	4.02	3.32
Pot Cap-1 Maneuver	993	-	-	1003	-	-	~13	20	843	~12	15	709
Stage 1	-	-	-	-	-	-	680	696	-	31	59	-
Stage 2	-	-	-	-	-	-	~37	59	-	842	571	-
Platoon blocked, %	-	-	-	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	993	-	-	1003	-	-	-	~1	843	-	~1	709
Mov Cap-2 Maneuver	-	-	-	-	-	-	-	~1	-	-	~1	-
Stage 1	-	-	-	-	-	-	671	687	-	31	~3	-
Stage 2	-	-	-	-	-	-	-	~3	-	310	564	-

Approach	EB	WB		NB		SB									
HCM Control Delay, s	0.2	23.4													
HCM LOS	-														
Minor Lane/Major Mvmt	NBLn1	NBLn2	NBLn3	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1	SBLn2				
Capacity (veh/h)	-	1	843	993	-	-	1003	-	-	-	-	2			
HCM Lane V/C Ratio	-	11.765	0.621	0.013	-	-	0.947	-	-	-	-	12.5			
HCM Control Delay (s)	\$ 110	19.6	16	8.7	-	-	37.6	-	-	\$ 849	3.7				
HCM Lane LOS	-	F	C	A	-	-	E	-	-	-	-	F			
HCM 95th %tile Q(veh)	-	2.9	4.4	0	-	-	15.9	-	-	-	-	4.8			

Notes

~: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Intersection

Int Delay, s/veh 415.8

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑ ↗	↑ ↘	↗ ↗	↖ ↗	↑ ↗	↗ ↗	↖ ↗	↑ ↗	↗ ↗	↖ ↗	↑ ↗	↗ ↗
Traffic Vol, veh/h	10	465	78	355	374	10	185	10	1091	10	10	10
Future Vol, veh/h	10	465	78	355	374	10	185	10	1091	10	10	10
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None									
Storage Length	105	-	150	105	-	-	150	-	0	150	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	80	85	85	90	85	85	85	85	90	80	80	80
Heavy Vehicles, %	2	11	46	25	16	2	20	2	23	2	2	2
Mvmt Flow	13	547	92	394	440	12	218	12	1212	13	13	13

Major/Minor	Major1	Major2		Minor1		Minor2						
Conflicting Flow All	452	0	0	639	0	0	1588	1813	274	1540	1899	226
Stage 1	-	-	-	-	-	-	573	573	-	1234	1234	-
Stage 2	-	-	-	-	-	-	1015	1240	-	306	665	-
Critical Hdwy	4.14	-	-	4.6	-	-	7.9	6.54	7.36	7.54	6.54	6.94
Critical Hdwy Stg 1	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-
Critical Hdwy Stg 2	-	-	-	-	-	-	6.9	5.54	-	6.54	5.54	-
Follow-up Hdwy	2.22	-	-	2.45	-	-	3.7	4.02	3.53	3.52	4.02	3.32
Pot Cap-1 Maneuver	1105	-	-	801	-	-	~61	78	~664	79	69	777
Stage 1	-	-	-	-	-	-	429	502	-	187	247	-
Stage 2	-	-	-	-	-	-	224	245	-	679	456	-
Platoon blocked, %	-	-	-	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	1105	-	-	801	-	-	~27	39	~664	-	35	777
Mov Cap-2 Maneuver	-	-	-	-	-	-	~27	39	-	-	35	-
Stage 1	-	-	-	-	-	-	424	496	-	185	125	-
Stage 2	-	-	-	-	-	-	~101	124	-	-	451	-

Approach	EB	WB		NB		SB						
HCM Control Delay, s	0.2	6.4		\$ 854.6								
HCM LOS				F								
Minor Lane/Major Mvmt		NBLn1	NBLn2	NBLn3	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1	SBLn2
Capacity (veh/h)	27	39	664	1105	-	-	801	-	-	-	-	67
HCM Lane V/C Ratio	8.061	0.302	1.826	0.011	-	-	0.492	-	-	-	-	0.373
HCM Control Delay (s)	\$ 3461.3	133.1\$ 393.6	8.3	-	-	-	13.8	-	-	-	-	87.7
HCM Lane LOS	F	F	F	A	-	-	B	-	-	-	-	F
HCM 95th %tile Q(veh)	26.9	1	74.6	0	-	-	2.8	-	-	-	-	1.4

Notes

~: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Timing Report, Sorted By Phase

Opening Year AM

1: James Ranch Rd & AZ 80




Phase Number	2	3	4	6	8
Movement	NBTL	WBL	EBTL	SBTL	WBTL
Lead/Lag		Lead	Lag		
Lead-Lag Optimize					
Recall Mode	None	Min	Min	None	Min
Maximum Split (s)	25	12	53	25	65
Maximum Split (%)	27.8%	13.3%	58.9%	27.8%	72.2%
Minimum Split (s)	22.5	9.5	22.5	22.5	22.5
Yellow Time (s)	3.5	3.5	3.5	3.5	3.5
All-Red Time (s)	1	1	1	1	1
Minimum Initial (s)	5	5	5	5	5
Vehicle Extension (s)	3	3	3	3	3
Minimum Gap (s)	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0
Walk Time (s)	7		7	7	7
Flash Dont Walk (s)	11		11	11	11
Dual Entry	Yes	No	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes
Start Time (s)	0	25	37	0	25
End Time (s)	25	37	0	25	0
Yield/Force Off (s)	20.5	32.5	85.5	20.5	85.5
Yield/Force Off 170(s)	9.5	32.5	85.5	9.5	85.5
Local Start Time (s)	0	25	37	0	25
Local Yield (s)	20.5	32.5	85.5	20.5	85.5
Local Yield 170(s)	9.5	32.5	85.5	9.5	85.5

Intersection Summary

Cycle Length	90
Control Type	Actuated-Uncoordinated
Natural Cycle	55

Splits and Phases: 1: James Ranch Rd & AZ 80



HCM 6th Signalized Intersection Summary

Opening Year AM

1: James Ranch Rd & AZ 80

Movement	EBL	EBT	EBC	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑	↑	↑↑	↑↑	5	23	5	162	5	5	5
Traffic Volume (veh/h)	5	125	59	268	312	5	23	5	162	5	5	5
Future Volume (veh/h)	5	125	59	268	312	5	23	5	162	5	5	5
Initial Q (Q _b), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach	No											
Adj Sat Flow, veh/h/ln	1870	1737	1203	1530	1678	1870	1604	1870	1366	1870	1870	1870
Adj Flow Rate, veh/h	6	156	74	315	367	6	29	0	195	6	6	6
Peak Hour Factor	0.80	0.80	0.80	0.85	0.85	0.85	0.80	0.85	0.85	0.80	0.80	0.80
Percent Heavy Veh, %	2	11	47	25	15	2	20	2	36	2	2	2
Cap, veh/h	442	595	184	1284	1679	27	436	0	353	441	131	131
Arrive On Green	0.18	0.18	0.18	0.18	0.52	0.52	0.15	0.00	0.15	0.15	0.15	0.15
Sat Flow, veh/h	1009	3300	1020	2826	3210	52	1202	0	2316	1188	858	858
Grp Volume(v), veh/h	6	156	74	315	182	191	29	0	195	6	0	12
Grp Sat Flow(s), veh/h/ln	1009	1650	1020	1413	1594	1668	1202	0	1158	1188	0	1716
Q Serve(g_s), s	0.1	1.1	1.8	2.0	1.7	1.7	0.6	0.0	2.2	0.1	0.0	0.2
Cycle Q Clear(g_c), s	0.1	1.1	1.8	2.0	1.7	1.7	0.8	0.0	2.2	0.1	0.0	0.2
Prop In Lane	1.00		1.00	1.00		0.03	1.00		1.00	1.00		0.50
Lane Grp Cap(c), veh/h	442	595	184	1284	834	873	436	0	353	441	0	261
V/C Ratio(X)	0.01	0.26	0.40	0.25	0.22	0.22	0.07	0.00	0.55	0.01	0.00	0.05
Avail Cap(c_a), veh/h	2026	5773	1784	1539	3478	3640	1141	0	1713	1138	0	1269
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	9.4	9.8	10.0	5.2	3.6	3.6	10.4	0.0	10.9	10.0	0.0	10.0
Incr Delay (d2), s/veh	0.0	0.2	1.4	0.1	0.1	0.1	0.0	0.0	1.4	0.0	0.0	0.1
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.0	0.4	0.5	0.1	0.1	0.1	0.2	0.0	0.6	0.0	0.0	0.1
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	9.4	10.0	11.5	5.3	3.7	3.7	10.4	0.0	12.2	10.0	0.0	10.1
LnGrp LOS	A	B	B	A	A	A	B	A	B	B	A	B
Approach Vol, veh/h		236			688			224			18	
Approach Delay, s/veh		10.4			4.4			12.0			10.1	
Approach LOS		B			A			B			B	
Timer - Assigned Phs	2	3	4		6			8				
Phs Duration (G+Y+R _c), s	8.7	9.5	9.5		8.7			19.0				
Change Period (Y+R _c), s	4.5	4.5	4.5		4.5			4.5				
Max Green Setting (Gmax), s	20.5	7.5	48.5		20.5			60.5				
Max Q Clear Time (g_c+l1), s	4.2	4.0	3.8		2.2			3.7				
Green Ext Time (p_c), s	0.8	0.4	1.1		0.0			1.9				
Intersection Summary												
HCM 6th Ctrl Delay			7.2									
HCM 6th LOS			A									
Notes												
User approved volume balancing among the lanes for turning movement.												

Timing Report, Sorted By Phase
1: James Ranch Rd & AZ 80

Opening Year PM




Phase Number	2	3	4	6	8
Movement	NBTL	WBL	EBTL	SBTL	WBTL
Lead/Lag		Lead	Lag		
Lead-Lag Optimize					
Recall Mode	None	Min	Min	None	Min
Maximum Split (s)	25	12	53	25	65
Maximum Split (%)	27.8%	13.3%	58.9%	27.8%	72.2%
Minimum Split (s)	22.5	9.5	22.5	22.5	22.5
Yellow Time (s)	3.5	3.5	3.5	3.5	3.5
All-Red Time (s)	1	1	1	1	1
Minimum Initial (s)	5	5	5	5	5
Vehicle Extension (s)	3	3	3	3	3
Minimum Gap (s)	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0
Walk Time (s)	7		7	7	7
Flash Dont Walk (s)	11		11	11	11
Dual Entry	Yes	No	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes
Start Time (s)	0	25	37	0	25
End Time (s)	25	37	0	25	0
Yield/Force Off (s)	20.5	32.5	85.5	20.5	85.5
Yield/Force Off 170(s)	9.5	32.5	85.5	9.5	85.5
Local Start Time (s)	0	25	37	0	25
Local Yield (s)	20.5	32.5	85.5	20.5	85.5
Local Yield 170(s)	9.5	32.5	85.5	9.5	85.5

Intersection Summary

Cycle Length	90
Control Type	Actuated-Uncoordinated
Natural Cycle	55

Splits and Phases: 1: James Ranch Rd & AZ 80



HCM 6th Signalized Intersection Summary

Opening Year PM

1: James Ranch Rd & AZ 80

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑	↑	↑↑	↑↑	5	56	5	348	5	5	5
Traffic Volume (veh/h)	5	301	32	118	245	5	56	5	348	5	5	5
Future Volume (veh/h)	5	301	32	118	245	5	56	5	348	5	5	5
Initial Q (Q _b), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach	No			No			No			No		
Adj Sat Flow, veh/h/ln	1870	1737	937	1426	1663	1870	1604	1870	1500	1870	1870	1870
Adj Flow Rate, veh/h	6	354	40	148	288	6	70	0	413	6	6	6
Peak Hour Factor	0.80	0.85	0.80	0.80	0.85	0.85	0.80	0.85	0.85	0.80	0.80	0.80
Percent Heavy Veh, %	2	11	65	32	16	2	20	2	27	2	2	2
Cap, veh/h	443	716	172	973	1552	32	502	0	637	451	215	215
Arrive On Green	0.22	0.22	0.22	0.14	0.49	0.49	0.25	0.00	0.25	0.25	0.25	0.25
Sat Flow, veh/h	1085	3300	794	2634	3165	66	1202	0	2542	973	858	858
Grp Volume(v), veh/h	6	354	40	148	144	150	70	0	413	6	0	12
Grp Sat Flow(s), veh/h/ln	1085	1650	794	1317	1580	1651	1202	0	1271	973	0	1716
Q Serve(g_s), s	0.2	3.3	1.4	1.2	1.8	1.8	1.6	0.0	5.0	0.2	0.0	0.2
Cycle Q Clear(g_c), s	0.2	3.3	1.4	1.2	1.8	1.8	1.8	0.0	5.0	0.2	0.0	0.2
Prop In Lane	1.00		1.00	1.00		0.04	1.00		1.00	1.00		0.50
Lane Grp Cap(c), veh/h	443	716	172	973	775	810	502	0	637	451	0	430
V/C Ratio(X)	0.01	0.49	0.23	0.15	0.19	0.19	0.14	0.00	0.65	0.01	0.00	0.03
Avail Cap(c_a), veh/h	1722	4608	1108	1163	2751	2876	910	0	1500	782	0	1013
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	10.7	11.9	11.2	6.7	5.0	5.0	10.5	0.0	11.6	9.8	0.0	9.8
Incr Delay (d2), s/veh	0.0	0.5	0.7	0.1	0.1	0.1	0.1	0.0	1.1	0.0	0.0	0.0
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.0	1.4	0.3	0.2	0.3	0.3	0.6	0.0	1.6	0.0	0.0	0.1
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	10.7	12.5	11.9	6.7	5.1	5.1	10.6	0.0	12.8	9.8	0.0	9.8
LnGrp LOS	B	B	B	A	A	A	B	A	B	A	A	A
Approach Vol, veh/h	400				442			483			18	
Approach Delay, s/veh	12.4				5.6			12.5			9.8	
Approach LOS	B				A			B			A	
Timer - Assigned Phs	2	3	4		6			8				
Phs Duration (G+Y+R _c), s	13.2	9.5	12.0		13.2			21.5				
Change Period (Y+R _c), s	4.5	4.5	4.5		4.5			4.5				
Max Green Setting (Gmax), s	20.5	7.5	48.5		20.5			60.5				
Max Q Clear Time (g_c+l1), s	7.0	3.2	5.3		2.2			3.8				
Green Ext Time (p_c), s	1.7	0.2	2.3		0.0			1.5				
Intersection Summary												
HCM 6th Ctrl Delay				10.2								
HCM 6th LOS				B								
Notes												
User approved volume balancing among the lanes for turning movement.												

Timing Report, Sorted By Phase

Horizon Year AM

1: James Ranch Rd & AZ 80



Phase Number	2	3	4	6	8
Movement	NBTL	WBL	EBTL	SBTL	WBT
Lead/Lag		Lead	Lag		
Lead-Lag Optimize					
Recall Mode	None	Min	Min	None	Min
Maximum Split (s)	25	27	38	25	65
Maximum Split (%)	27.8%	30.0%	42.2%	27.8%	72.2%
Minimum Split (s)	22.5	9.5	22.5	22.5	22.5
Yellow Time (s)	3.5	3.5	3.5	3.5	3.5
All-Red Time (s)	1	1	1	1	1
Minimum Initial (s)	5	5	5	5	5
Vehicle Extension (s)	3	3	3	3	3
Minimum Gap (s)	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0
Walk Time (s)	7		7	7	7
Flash Dont Walk (s)	11		11	11	11
Dual Entry	Yes	No	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes
Start Time (s)	0	25	52	0	25
End Time (s)	25	52	0	25	0
Yield/Force Off (s)	20.5	47.5	85.5	20.5	85.5
Yield/Force Off 170(s)	9.5	47.5	85.5	9.5	85.5
Local Start Time (s)	0	25	52	0	25
Local Yield (s)	20.5	47.5	85.5	20.5	85.5
Local Yield 170(s)	9.5	47.5	85.5	9.5	85.5

Intersection Summary

Cycle Length	90
Control Type	Actuated-Uncoordinated
Natural Cycle	80

Splits and Phases: 1: James Ranch Rd & AZ 80



HCM 6th Signalized Intersection Summary

Horizon Year AM

1: James Ranch Rd & AZ 80

Movement	EBL	EBT	EBC	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑	↑	↑↑	↑↑	10	76	10	471	10	10	10
Traffic Volume (veh/h)	10	193	166	855	479	10	76	10	471	10	10	10
Future Volume (veh/h)	10	193	166	855	479	10	76	10	471	10	10	10
Initial Q (Q _b), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach	No		No			No			No		No	
Adj Sat Flow, veh/h/ln	1870	1737	1411	1574	1678	1870	1604	1870	1500	1870	1870	1870
Adj Flow Rate, veh/h	12	227	195	950	564	12	95	0	507	12	12	12
Peak Hour Factor	0.80	0.85	0.85	0.90	0.85	0.85	0.80	0.85	0.85	0.80	0.80	0.80
Percent Heavy Veh, %	2	11	33	22	15	2	20	2	27	2	2	2
Cap, veh/h	287	701	254	993	1986	42	383	0	613	324	207	207
Arrive On Green	0.21	0.21	0.21	0.34	0.62	0.62	0.24	0.00	0.24	0.24	0.24	0.24
Sat Flow, veh/h	837	3300	1196	2908	3191	68	1189	0	2542	892	858	858
Grp Volume(v), veh/h	12	227	195	950	281	295	95	0	507	12	0	24
Grp Sat Flow(s), veh/h/ln	837	1650	1196	1454	1594	1665	1189	0	1271	892	0	1716
Q Serve(g_s), s	0.8	3.8	10.1	21.0	5.3	5.3	4.4	0.0	12.5	0.7	0.0	0.7
Cycle Q Clear(g_c), s	0.8	3.8	10.1	21.0	5.3	5.3	5.1	0.0	12.5	0.7	0.0	0.7
Prop In Lane	1.00		1.00	1.00		0.04	1.00		1.00	1.00		0.50
Lane Grp Cap(c), veh/h	287	701	254	993	992	1036	383	0	613	324	0	414
V/C Ratio(X)	0.04	0.32	0.77	0.96	0.28	0.28	0.25	0.00	0.83	0.04	0.00	0.06
Avail Cap(c_a), veh/h	535	1679	608	993	1464	1530	467	0	791	387	0	534
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	20.7	21.9	24.4	21.2	5.7	5.7	21.2	0.0	23.7	19.2	0.0	19.2
Incr Delay (d2), s/veh	0.1	0.3	4.9	18.9	0.2	0.1	0.3	0.0	5.7	0.0	0.0	0.1
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.2	2.3	5.0	13.0	1.9	1.9	2.1	0.0	6.5	0.2	0.0	0.5
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	20.8	22.2	29.3	40.1	5.9	5.9	21.5	0.0	29.4	19.3	0.0	19.3
LnGrp LOS	C	C	C	D	A	A	C	A	C	B	A	B
Approach Vol, veh/h		434			1526			602			36	
Approach Delay, s/veh		25.3			27.2			28.2			19.3	
Approach LOS		C			C			C			B	
Timer - Assigned Phs		2	3	4		6		8				
Phs Duration (G+Y+R _c), s		20.4	27.0	18.5		20.4		45.5				
Change Period (Y+R _c), s		4.5	4.5	4.5		4.5		4.5				
Max Green Setting (Gmax), s		20.5	22.5	33.5		20.5		60.5				
Max Q Clear Time (g_c+l1), s		14.5	23.0	12.1		2.7		7.3				
Green Ext Time (p_c), s		1.4	0.0	1.9		0.1		3.2				
Intersection Summary												
HCM 6th Ctrl Delay			27.0									
HCM 6th LOS			C									
Notes												
User approved volume balancing among the lanes for turning movement.												

Timing Report, Sorted By Phase

Horizon Year PM

1: James Ranch Rd & AZ 80




Phase Number	2	3	4	6	8
Movement	NBTL	WBL	EBTL	SBTL	WBT
Lead/Lag		Lead	Lag		
Lead-Lag Optimize					
Recall Mode	None	Min	Min	None	Min
Maximum Split (s)	42	18	30	42	48
Maximum Split (%)	46.7%	20.0%	33.3%	46.7%	53.3%
Minimum Split (s)	22.5	9.5	22.5	22.5	22.5
Yellow Time (s)	3.5	3.5	3.5	3.5	3.5
All-Red Time (s)	1	1	1	1	1
Minimum Initial (s)	5	5	5	5	5
Vehicle Extension (s)	3	3	3	3	3
Minimum Gap (s)	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0
Walk Time (s)	7		7	7	7
Flash Dont Walk (s)	11		11	11	11
Dual Entry	Yes	No	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes
Start Time (s)	0	42	60	0	42
End Time (s)	42	60	0	42	0
Yield/Force Off (s)	37.5	55.5	85.5	37.5	85.5
Yield/Force Off 170(s)	26.5	55.5	85.5	26.5	85.5
Local Start Time (s)	0	42	60	0	42
Local Yield (s)	37.5	55.5	85.5	37.5	85.5
Local Yield 170(s)	26.5	55.5	85.5	26.5	85.5

Intersection Summary

Cycle Length	90
Control Type	Actuated-Uncoordinated
Natural Cycle	70

Splits and Phases: 1: James Ranch Rd & AZ 80



HCM 6th Signalized Intersection Summary

Horizon Year PM

1: James Ranch Rd & AZ 80

Movement	EBL	EBT	EBC	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑	↑	↑↑	↑↑	10	185	10	1091	10	10	10
Traffic Volume (veh/h)	10	465	78	355	374	10	185	10	1091	10	10	10
Future Volume (veh/h)	10	465	78	355	374	10	185	10	1091	10	10	10
Initial Q (Q _b), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach	No		No			No			No		No	
Adj Sat Flow, veh/h/ln	1870	1737	1218	1530	1663	1870	1604	1870	1559	1870	1870	1870
Adj Flow Rate, veh/h	12	547	98	418	440	12	218	0	1098	12	12	12
Peak Hour Factor	0.80	0.85	0.80	0.85	0.85	0.85	0.85	0.90	0.90	0.80	0.80	0.80
Percent Heavy Veh, %	2	11	46	25	16	2	20	2	23	2	2	2
Cap, veh/h	292	708	222	477	1382	38	613	0	1182	320	384	384
Arrive On Green	0.21	0.21	0.21	0.17	0.44	0.44	0.45	0.00	0.45	0.45	0.45	0.45
Sat Flow, veh/h	939	3300	1032	2826	3142	86	1189	0	2643	514	858	858
Grp Volume(v), veh/h	12	547	98	418	221	231	218	0	1098	12	0	24
Grp Sat Flow(s), veh/h/ln	939	1650	1032	1413	1580	1647	1189	0	1321	514	0	1716
Q Serve(g_s), s	0.8	12.5	6.6	11.5	7.3	7.3	10.1	0.0	31.4	1.1	0.0	0.6
Cycle Q Clear(g_c), s	0.8	12.5	6.6	11.5	7.3	7.3	10.7	0.0	31.4	1.1	0.0	0.6
Prop In Lane	1.00		1.00	1.00		0.05	1.00		1.00	1.00		0.50
Lane Grp Cap(c), veh/h	292	708	222	477	695	725	613	0	1182	320	0	768
V/C Ratio(X)	0.04	0.77	0.44	0.88	0.32	0.32	0.36	0.00	0.93	0.04	0.00	0.03
Avail Cap(c_a), veh/h	390	1053	329	477	860	897	639	0	1240	331	0	805
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	25.0	29.5	27.2	32.4	14.6	14.6	15.4	0.0	20.9	12.5	0.0	12.4
Incr Delay (d2), s/veh	0.1	2.1	1.4	16.5	0.3	0.3	0.3	0.0	11.9	0.0	0.0	0.0
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.3	8.1	2.8	8.2	4.0	4.2	4.7	0.0	14.8	0.2	0.0	0.4
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	25.0	31.6	28.6	48.9	14.8	14.8	15.7	0.0	32.7	12.5	0.0	12.4
LnGrp LOS	C	C	C	D	B	B	B	A	C	B	A	B
Approach Vol, veh/h		657			870			1316		36		
Approach Delay, s/veh		31.0			31.2			29.9		12.4		
Approach LOS		C			C			C		B		
Timer - Assigned Phs	2	3	4		6		8					
Phs Duration (G+Y+R _c), s	40.3	18.0	21.7		40.3		39.7					
Change Period (Y+R _c), s	4.5	4.5	4.5		4.5		4.5					
Max Green Setting (Gmax), s	37.5	13.5	25.5		37.5		43.5					
Max Q Clear Time (g_c+l1), s	33.4	13.5	14.5		3.1		9.3					
Green Ext Time (p_c), s	2.4	0.0	2.7		0.2		2.3					
Intersection Summary												
HCM 6th Ctrl Delay		30.3										
HCM 6th LOS			C									
Notes												
User approved volume balancing among the lanes for turning movement.												

Timing Report, Sorted By Phase

TI Sensitivity Analysis AM

1: James Ranch Rd & SR 80




Phase Number	2	3	4	6	8
Movement	NBTL	WBL	EBTL	SBTL	WBT
Lead/Lag		Lead	Lag		
Lead-Lag Optimize					
Recall Mode	None	Min	Min	None	Min
Maximum Split (s)	23	44	23	23	67
Maximum Split (%)	25.6%	48.9%	25.6%	25.6%	74.4%
Minimum Split (s)	22.5	9.5	22.5	22.5	22.5
Yellow Time (s)	3.5	3.5	3.5	3.5	3.5
All-Red Time (s)	1	1	1	1	1
Minimum Initial (s)	5	5	5	5	5
Vehicle Extension (s)	3	3	3	3	3
Minimum Gap (s)	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0
Walk Time (s)	7		7	7	7
Flash Dont Walk (s)	11		11	11	11
Dual Entry	Yes	No	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes
Start Time (s)	0	23	67	0	23
End Time (s)	23	67	0	23	0
Yield/Force Off (s)	18.5	62.5	85.5	18.5	85.5
Yield/Force Off 170(s)	7.5	62.5	85.5	7.5	85.5
Local Start Time (s)	0	23	67	0	23
Local Yield (s)	18.5	62.5	85.5	18.5	85.5
Local Yield 170(s)	7.5	62.5	85.5	7.5	85.5

Intersection Summary

Cycle Length	90
Control Type	Actuated-Uncoordinated
Natural Cycle	90

Splits and Phases: 1: James Ranch Rd & SR 80



HCM 6th Signalized Intersection Summary
1: James Ranch Rd & SR 80

TI Sensitivity Analysis AM

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑ ↗	↑↑ ↗	↗	↖ ↗	↑↑ ↗	↑↑ ↗	↖	↑	↖ ↗	↖	↑↑ ↗	↑↑ ↗
Traffic Volume (veh/h)	10	193	166	855	479	10	76	10	471	10	10	10
Future Volume (veh/h)	10	193	166	855	479	10	76	10	471	10	10	10
Initial Q (Q _b), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach	No			No			No			No		
Adj Sat Flow, veh/h/ln	1870	1737	1411	1574	1678	1870	1604	1870	1500	1870	1870	1870
Adj Flow Rate, veh/h	16	295	254	1235	733	15	124	16	720	16	16	16
Peak Hour Factor	0.80	0.85	0.85	0.90	0.85	0.85	0.80	0.80	0.85	0.80	0.80	0.80
Percent Heavy Veh, %	2	11	33	22	15	2	20	2	27	2	2	2
Cap, veh/h	229	686	249	1281	2233	46	299	374	1433	220	171	171
Arrive On Green	0.21	0.21	0.21	0.44	0.70	0.70	0.20	0.20	0.20	0.20	0.20	0.20
Sat Flow, veh/h	713	3300	1196	2908	3194	65	1181	1870	2237	722	858	858
Grp Volume(v), veh/h	16	295	254	1235	366	382	124	16	720	16	0	32
Grp Sat Flow(s), veh/h/ln	713	1650	1196	1454	1594	1666	1181	1870	1119	722	0	1716
Q Serve(g_s), s	1.6	6.9	18.5	36.7	8.0	8.0	8.5	0.6	15.2	1.6	0.0	1.4
Cycle Q Clear(g_c), s	1.6	6.9	18.5	36.7	8.0	8.0	9.9	0.6	15.2	2.2	0.0	1.4
Prop In Lane	1.00		1.00	1.00		0.04	1.00		1.00	1.00		0.50
Lane Grp Cap(c), veh/h	229	686	249	1281	1114	1165	299	374	1433	220	0	343
V/C Ratio(X)	0.07	0.43	1.02	0.96	0.33	0.33	0.41	0.04	0.50	0.07	0.00	0.09
Avail Cap(c_a), veh/h	229	686	249	1291	1120	1170	308	389	1451	226	0	357
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	28.6	30.6	35.2	24.2	5.2	5.2	33.0	28.7	8.5	29.6	0.0	29.0
Incr Delay (d2), s/veh	0.1	0.4	62.8	17.1	0.2	0.2	0.9	0.0	0.3	0.1	0.0	0.1
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.5	4.6	14.4	19.6	3.0	3.1	4.4	0.5	4.7	0.5	0.0	1.0
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	28.7	31.1	98.0	41.3	5.4	5.4	34.0	28.8	8.8	29.8	0.0	29.1
LnGrp LOS	C	C	F	D	A	A	C	C	A	C	A	C
Approach Vol, veh/h		565			1983			860			48	
Approach Delay, s/veh		61.1			27.7			12.8			29.4	
Approach LOS		E			C			B			C	
Timer - Assigned Phs	2	3	4		6		8					
Phs Duration (G+Y+R _c), s	22.3	43.7	23.0		22.3		66.7					
Change Period (Y+R _c), s	4.5	4.5	4.5		4.5		4.5					
Max Green Setting (Gmax), s	18.5	39.5	18.5		18.5		62.5					
Max Q Clear Time (g_c+l1), s	17.2	38.7	20.5		4.2		10.0					
Green Ext Time (p_c), s	0.6	0.4	0.0		0.1		4.4					
Intersection Summary												
HCM 6th Ctrl Delay		29.5										
HCM 6th LOS			C									

1: James Ranch Rd & SR 80




Phase Number	2	3	4	6	8
Movement	NBTL	WBL	EBTL	SBTL	WBT
Lead/Lag		Lead	Lag		
Lead-Lag Optimize					
Recall Mode	None	Min	Min	None	Min
Maximum Split (s)	33	33	24	33	57
Maximum Split (%)	36.7%	36.7%	26.7%	36.7%	63.3%
Minimum Split (s)	22.5	9.5	22.5	22.5	22.5
Yellow Time (s)	3.5	3.5	3.5	3.5	3.5
All-Red Time (s)	1	1	1	1	1
Minimum Initial (s)	5	5	5	5	5
Vehicle Extension (s)	3	3	3	3	3
Minimum Gap (s)	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0
Walk Time (s)	7		7	7	7
Flash Dont Walk (s)	11		11	11	11
Dual Entry	Yes	No	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes
Start Time (s)	0	33	66	0	33
End Time (s)	33	66	0	33	0
Yield/Force Off (s)	28.5	61.5	85.5	28.5	85.5
Yield/Force Off 170(s)	17.5	61.5	85.5	17.5	85.5
Local Start Time (s)	0	33	66	0	33
Local Yield (s)	28.5	61.5	85.5	28.5	85.5
Local Yield 170(s)	17.5	61.5	85.5	17.5	85.5

Intersection Summary

Cycle Length	90
Control Type	Actuated-Uncoordinated
Natural Cycle	100

Splits and Phases: 1: James Ranch Rd & SR 80



HCM 6th Signalized Intersection Summary
1: James Ranch Rd & SR 80

TI Sensitivity Analysis PM

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑ ↗	↑↑ ↗	↗	↖ ↗	↑↑ ↗	↖ ↗	↑ ↗	↑ ↗	↑↑ ↗	↖ ↗	↑ ↗	↖ ↗
Traffic Volume (veh/h)	10	465	78	355	374	10	185	10	1091	10	10	10
Future Volume (veh/h)	10	465	78	355	374	10	185	10	1091	10	10	10
Initial Q (Q _b), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach	No			No			No			No		
Adj Sat Flow, veh/h/ln	1870	1737	1218	1530	1663	1870	1604	1870	1559	1870	1870	1870
Adj Flow Rate, veh/h	16	711	127	543	572	15	283	16	1576	16	16	16
Peak Hour Factor	0.80	0.85	0.80	0.85	0.85	0.85	0.85	0.80	0.90	0.80	0.80	0.80
Percent Heavy Veh, %	2	11	46	25	16	2	20	2	23	2	2	2
Cap, veh/h	290	793	248	646	1654	43	502	674	1370	205	309	309
Arrive On Green	0.24	0.24	0.24	0.23	0.53	0.53	0.36	0.36	0.36	0.36	0.36	0.36
Sat Flow, veh/h	829	3300	1032	2826	3145	82	1181	1870	2325	320	858	858
Grp Volume(v), veh/h	16	711	127	543	287	300	283	16	1576	16	0	32
Grp Sat Flow(s), veh/h/ln	829	1650	1032	1413	1580	1648	1181	1870	1163	320	0	1716
Q Serve(g_s), s	1.2	16.5	8.4	14.5	8.3	8.3	16.3	0.4	28.5	2.7	0.0	1.0
Cycle Q Clear(g_c), s	1.2	16.5	8.4	14.5	8.3	8.3	17.2	0.4	28.5	3.1	0.0	1.0
Prop In Lane	1.00		1.00	1.00		0.05	1.00		1.00	1.00		0.50
Lane Grp Cap(c), veh/h	290	793	248	646	831	867	502	674	1370	205	0	618
V/C Ratio(X)	0.06	0.90	0.51	0.84	0.35	0.35	0.56	0.02	1.15	0.08	0.00	0.05
Avail Cap(c_a), veh/h	295	814	255	1018	1048	1094	502	674	1370	205	0	618
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	23.3	29.1	26.0	29.1	10.9	10.9	22.1	16.3	16.3	17.3	0.0	16.5
Incr Delay (d2), s/veh	0.1	12.5	1.6	3.7	0.2	0.2	1.5	0.0	76.6	0.2	0.0	0.0
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.4	11.5	3.5	8.2	4.1	4.3	7.9	0.3	33.7	0.4	0.0	0.7
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	23.4	41.5	27.7	32.8	11.1	11.1	23.6	16.3	92.9	17.5	0.0	16.5
LnGrp LOS	C	D	C	C	B	B	C	B	F	B	A	B
Approach Vol, veh/h		854			1130			1875			48	
Approach Delay, s/veh		39.1			21.6			81.8			16.9	
Approach LOS		D			C			F			B	
Timer - Assigned Phs		2	3	4		6		8				
Phs Duration (G+Y+R _c), s		33.0	22.6	23.5		33.0		46.1				
Change Period (Y+R _c), s		4.5	4.5	4.5		4.5		4.5				
Max Green Setting (Gmax), s		28.5	28.5	19.5		28.5		52.5				
Max Q Clear Time (g_c+l1), s		30.5	16.5	18.5		5.1		10.3				
Green Ext Time (p_c), s		0.0	1.6	0.5		0.4		3.2				
Intersection Summary												
HCM 6th Ctrl Delay			54.2									
HCM 6th LOS			D									

***SR 80 / James Ranch Road Intersection
(2028/2050 Roundabout)***

Scheme Summary

Control Data

Control Data and Model Parameters

Douglas IPOE	2028 PHF Flow Profile (veh)
2028 Roundabout, NBR Bypass	7.5 min Time Slice
Rodel-Win1	Control Delays (sec)
Right Hand Drive	Daylight conditions
AM Peak Hour	Peak 60/15 min Results
Full Geometry	Output flows: Vehicles
English Units (ft)	50% Confidence Level

Operational Data

Main Geometry (ft)

Approach and Entry Geometry

Leg	Leg Names	Approach Bearing (deg)	Grade Separation G	Half Width V	Approach Lanes n	Entry Width E	Entry Lanes n	Flare Length L'	Entry Radius R	Entry Angle Phi
1	James Ranch Road	0	0	24.00	2	24.00	2	0.00	90.00	40.00
2	SR 80	83	0	24.00	2	24.00	2	0.00	90.00	40.00
3	James Ranch Road	180	0	12.00	1	12.00	1	0.00	90.00	40.00
4	SR 80	263	0	24.00	2	24.00	2	0.00	90.00	40.00

Circulating and Exit Geometry

Leg	Leg Names	Inscribed Diameter D	Circulating Width C	Circulating Lanes nc	Exit Width Ex	Exit Lanes nex	Exit Half Width Vx	Exit Half Width Lanes nvx
1	James Ranch Road	200.00	30.00	2	24.00	2	24.00	2
2	SR 80	200.00	30.00	2	24.00	2	24.00	2
3	James Ranch Road	200.00	30.00	2	13.00	1	12.00	1
4	SR 80	200.00	30.00	2	24.00	2	24.00	2

Capacity Modifiers and Capacity Calibration (veh/hr)

Leg	Leg Names	Entry Capacity		Entry Calibration		Approach Road			Exit Road		
		Capacity + or -	XWalk Factor	Intercept + or -	Slope Factor	V (ft)	Default Capacity	Calib Capacity	V (ft)	Default Capacity	Calib Capacity
1	James Ranch Road	0	1.000	0	1.000	36.00	5377	0	24.00	3584	0
2	SR 80	0	1.000	0	1.000	20.00	3584	0	24.00	3584	0
3	James Ranch Road	0	1.000	0	1.000	20.00	1792	0	12.00	1792	0
4	SR 80	0	1.000	0	1.000	20.00	3584	0	24.00	3584	0

Bypass Geometry

Bypass Approach Geometry (ft)

Leg	Leg Names	Bypass Type	Bypass Flows	V	nv	Vb	nvb	Vt	nvt
1	James Ranch Road	Free	162	24	2	12	1	36	3

Bypass Entry and Exit Geometry (ft)

Leg	Leg Names	Entry Geometry						Leg	Leg Names	Exit Lanes	
		Eb	neb	Lb	Lt	Rb	Phib			nex	Nmx
1	James Ranch Road	12	1	0	130	120.000 1958	30	2	SR 80	2	2

Bypass Entry Capacity Modifiers and Calibration (veh/hr)

Leg	Leg Names	Entry Capacity			Calibration		
		Capacity + or -	Cross Walk Factor	Intercept + or -	Slope Factor		
1	James Ranch Road	0	1.000	0	1.000		

Traffic Flow Data (veh/hr)

2028 AM Peak Peak Hour Flows

Leg	Leg Names	Turning Flows					Flow Modifiers		
		U-Turn	Exit-3	Exit-2	Exit-1	Bypass	Trucks %	Flow Factor	Peak Hour Factor
1	James Ranch Road	0	23	5	0	162	30.0	1.00	0.850
2	SR 80	0	268	312	5	0	21.0	1.00	0.850
3	James Ranch Road	0	5	5	5	0	2.0	1.00	0.800
4	SR 80	0	5	125	59	0	18.0	1.00	0.850

Operational Results

2028 AM Peak - 60 minutes

Flows and Capacity

Leg	Leg Names	Bypass Type	Flows (veh/hr)						Capacity (veh/hr)			
			Arrival Flow		Opposing Flow		Exit Flow	Capacity		Average VCR		
Entry	Bypass	Entry	Bypass	Entry				Bypass	Entry	Bypass		
1 James Ranch Road	Free	28	162	135	0	332	1225	1054	0.0228	0.1537		
2 SR 80	None	585		33		292	1464		0.3995			
3 James Ranch Road	None	15		603		15	823		0.0182			
4 SR 80	None	189		278		340	1408		0.1342			

Delays, Queues and Level of Service

Leg	Leg Names	Bypass Type	Average Delay (sec)			95% Queue (veh)		Level of Service		
			Entry	Bypass	Leg	Entry	Bypass	Entry	Bypass	Leg
1 James Ranch Road	Free	2.97	1.54	1.75		0.07	0.00	A	A	A
2 SR 80	None	8.19		8.19		2.98		A		A
3 James Ranch Road	None	4.49		4.49		0.06		A		A
4 SR 80	None	4.74		4.74		0.60		A		A

Global Results

Performance and Accidents

2028 AM Peak Global Performance

Parameter	Units	Entries	Bypasses	Total
Arrive Flows	veh/hr	817	162	979
Capacity	veh/hr	4921	1054	5975
Average Delay	sec/veh	6.27	0.77	5.36
L.O.S. (Signal)	A – F	A	A	A
L.O.S. (Unsig)	A – F	A	A	A
Total Delay	veh.hrs	1.42	0.03	1.46

Scheme Summary

Control Data

Control Data and Model Parameters

Douglas IPOE	2028 PHF Flow Profile (veh)
2028 Roundabout, NBR Bypass	7.5 min Time Slice
Rodel-Win1	Control Delays (sec)
Right Hand Drive	Nighttime conditions
PM Peak Hour	Peak 60/15 min Results
Full Geometry	Output flows: Vehicles
English Units (ft)	50% Confidence Level

Operational Data

Main Geometry (ft)

Approach and Entry Geometry

Leg	Leg Names	Approach Bearing (deg)	Grade Separation G	Half Width V	Approach Lanes n	Entry Width E	Entry Lanes n	Flare Length L'	Entry Radius R	Entry Angle Phi
1	James Ranch Road	0	0	24.00	2	24.00	2	0.00	90.00	40.00
2	SR 80	83	0	24.00	2	24.00	2	0.00	90.00	40.00
3	James Ranch Road	180	0	12.00	1	12.00	1	0.00	90.00	40.00
4	SR 80	263	0	24.00	2	24.00	2	0.00	90.00	40.00

Circulating and Exit Geometry

Leg	Leg Names	Inscribed Diameter D	Circulating Width C	Circulating Lanes nc	Exit Width Ex	Exit Lanes nex	Exit Half Width Vx	Exit Half Width Lanes nvx
1	James Ranch Road	200.00	30.00	2	24.00	2	24.00	2
2	SR 80	200.00	30.00	2	24.00	2	24.00	2
3	James Ranch Road	200.00	30.00	2	13.00	1	12.00	1
4	SR 80	200.00	30.00	2	24.00	2	24.00	2

Capacity Modifiers and Capacity Calibration (veh/hr)

Leg	Leg Names	Entry Capacity		Entry Calibration		Approach Road			Exit Road		
		Capacity + or -	XWalk Factor	Intercept + or -	Slope Factor	V (ft)	Default Capacity	Calib Capacity	V (ft)	Default Capacity	Calib Capacity
1	James Ranch Road	0	1.000	0	1.000	36.00	5377	0	24.00	3584	0
2	SR 80	0	1.000	0	1.000	20.00	3584	0	24.00	3584	0
3	James Ranch Road	0	1.000	0	1.000	20.00	1792	0	12.00	1792	0
4	SR 80	0	1.000	0	1.000	20.00	3584	0	24.00	3584	0

Bypass Geometry

Bypass Approach Geometry (ft)

Leg	Leg Names	Bypass Type	Bypass Flows	V	nv	Vb	nvb	Vt	nvt
1	James Ranch Road	Free	348	24	2	12	1	36	3

Bypass Entry and Exit Geometry (ft)

Leg	Leg Names	Entry Geometry						Leg	Leg Names	Exit Lanes	
		Eb	neb	Lb	Lt	Rb	Phib			nex	Nmx
1	James Ranch Road	12	1	0	130	120.000 288	30	2	SR 80	2	2

Bypass Entry Capacity Modifiers and Calibration (veh/hr)

Leg	Leg Names	Entry Capacity			Calibration		
		Capacity + or -	Cross Walk Factor	Intercept + or -	Slope Factor		
1	James Ranch Road	0	1.000	0	1.000		

Traffic Flow Data (veh/hr)

2028 PM Peak Peak Hour Flows

Leg	Leg Names	Turning Flows					Flow Modifiers		
		U-Turn	Exit-3	Exit-2	Exit-1	Bypass	Trucks %	Flow Factor	Peak Hour Factor
1	James Ranch Road	0	56	5	0	348	30.0	1.00	0.850
2	SR 80	0	118	245	5	0	21.0	1.00	0.850
3	James Ranch Road	0	5	5	5	0	2.0	1.00	0.800
4	SR 80	0	5	301	32	0	18.0	1.00	0.850

Operational Results

2028 PM Peak - 60 minutes

Flows and Capacity

Leg	Leg Names	Bypass Type	Flows (veh/hr)						Capacity (veh/hr)			
			Arrival Flow		Opposing Flow		Exit Flow	Capacity		Average VCR		
Entry	Bypass	Entry	Bypass	Entry				Bypass	Entry	Bypass		
1 James Ranch Road	Free	61	348	311	0	155	1084	1001	0.0563	0.3475		
2 SR 80	None	368		66		654	1372		0.2683			
3 James Ranch Road	None	15		419		15	837		0.0179			
4 SR 80	None	338		128		306	1412		0.2394			

Delays, Queues and Level of Service

Leg	Leg Names	Bypass Type	Average Delay (sec)			95% Queue (veh)		Level of Service		
			Entry	Bypass	Leg	Entry	Bypass	Entry	Bypass	Leg
1 James Ranch Road	Free	3.35	2.74	2.83		0.16	0.00	A	A	A
2 SR 80	None	6.16		6.16		1.35		A		A
3 James Ranch Road	None	4.41		4.41		0.06		A		A
4 SR 80	None	4.97		4.97		0.91		A		A

Global Results

Performance and Accidents

2028 PM Peak Global Performance

Parameter	Units	Entries	Bypasses	Total
Arrive Flows	veh/hr	782	348	1130
Capacity	veh/hr	4705	1001	5706
Average Delay	sec/veh	4.47	1.74	3.63
L.O.S. (Signal)	A – F	A	A	A
L.O.S. (Unsig)	A – F	A	A	A
Total Delay	veh.hrs	0.97	0.17	1.14

Scheme Summary

Control Data

Control Data and Model Parameters

Douglas IPOE	2050 PHF Flow Profile (veh)
2050 Roundabout, NBR Bypass	7.5 min Time Slice
Rodel-Win1	Control Delays (sec)
Right Hand Drive	Daylight conditions
AM Peak Hour	Peak 60/15 min Results
Full Geometry	Output flows: Vehicles
English Units (ft)	50% Confidence Level

Operational Data

Main Geometry (ft)

Approach and Entry Geometry

Leg	Leg Names	Approach Bearing (deg)	Grade Separation G	Half Width V	Approach Lanes n	Entry Width E	Entry Lanes n	Flare Length L'	Entry Radius R	Entry Angle Phi
1	James Ranch Road	0	0	24.00	2	24.00	2	0.00	90.00	40.00
2	SR 80	83	0	24.00	2	24.00	2	0.00	90.00	40.00
3	James Ranch Road	180	0	12.00	1	12.00	1	0.00	90.00	40.00
4	SR 80	263	0	24.00	2	24.00	2	0.00	90.00	40.00

Circulating and Exit Geometry

Leg	Leg Names	Inscribed Diameter D	Circulating Width C	Circulating Lanes nc	Exit Width Ex	Exit Lanes nex	Exit Half Width Vx	Exit Half Width Lanes nvx
1	James Ranch Road	200.00	30.00	2	24.00	2	24.00	2
2	SR 80	200.00	30.00	2	24.00	2	24.00	2
3	James Ranch Road	200.00	30.00	2	13.00	1	12.00	1
4	SR 80	200.00	30.00	2	24.00	2	24.00	2

Capacity Modifiers and Capacity Calibration (veh/hr)

Leg	Leg Names	Entry Capacity		Entry Calibration		Approach Road			Exit Road		
		Capacity + or -	XWalk Factor	Intercept + or -	Slope Factor	V (ft)	Default Capacity	Calib Capacity	V (ft)	Default Capacity	Calib Capacity
1	James Ranch Road	0	1.000	0	1.000	36.00	5377	0	24.00	3584	0
2	SR 80	0	1.000	0	1.000	20.00	3584	0	24.00	3584	0
3	James Ranch Road	0	1.000	0	1.000	20.00	1792	0	12.00	1792	0
4	SR 80	0	1.000	0	1.000	20.00	3584	0	24.00	3584	0

Bypass Geometry

Bypass Approach Geometry (ft)

Leg	Leg Names	Bypass Type	Bypass Flows	V	nv	Vb	nvb	Vt	nvt
1	James Ranch Road	Free	471	24	2	12	1	36	3

Bypass Entry and Exit Geometry (ft)

Leg	Leg Names	Entry Geometry						Leg	Leg Names	Exit Lanes	
		Eb	neb	Lb	Lt	Rb	Phib			nex	Nmx
1	James Ranch Road	12	1	0	130	120.000 1344	30	2	SR 80	2	2

Bypass Entry Capacity Modifiers and Calibration (veh/hr)

Leg	Leg Names	Entry Capacity			Calibration		
		Capacity + or -	Cross Walk Factor	Intercept + or -	Slope Factor		
1	James Ranch Road	0	1.000	0	1.000		

Traffic Flow Data (veh/hr)

2050 AM Peak Peak Hour Flows

Leg	Leg Names	Turning Flows					Flow Modifiers		
		U-Turn	Exit-3	Exit-2	Exit-1	Bypass	Trucks %	Flow Factor	Peak Hour Factor
1	James Ranch Road	0	76	10	0	471	24.0	1.00	0.850
2	SR 80	0	855	479	10	0	20.0	1.00	0.900
3	James Ranch Road	0	10	10	10	0	2.0	1.00	0.800
4	SR 80	0	10	193	166	0	17.0	1.00	0.850

Operational Results

2050 AM Peak - 60 minutes

Flows and Capacity

Leg	Leg Names	Bypass Type	Flows (veh/hr)					Capacity (veh/hr)			
			Arrival Flow		Opposing Flow		Exit Flow	Capacity		Average VCR	
Entry	Bypass	Entry	Bypass	Entry			Bypass	Entry	Bypass		
1 James Ranch Road	Free	86	471	213	0	1024	1311	1105	0.0656	0.4262	
2 SR 80	None	1344		96		674	1456		0.9233		
3 James Ranch Road	None	30		1399		30	536		0.0559		
4 SR 80	None	369		868		561	1110		0.3324		

Delays, Queues and Level of Service

Leg	Leg Names	Bypass Type	Average Delay (sec)			95% Queue (veh)		Level of Service		
			Entry	Bypass	Leg	Entry	Bypass	Entry	Bypass	Leg
1 James Ranch Road	Free	3.21	3.13	3.14		0.20	0.00	A	A	A
2 SR 80	None	18.87		18.87		18.43		C		C
3 James Ranch Road	None	7.45		7.45		0.21		A		A
4 SR 80	None	9.37		9.37		2.45		A		A

Global Results

Performance and Accidents

2050 AM Peak Global Performance

Parameter	Units	Entries	Bypasses	Total
Arrive Flows	veh/hr	1829	471	2300
Capacity	veh/hr	4413	1105	5518
Average Delay	sec/veh	15.08	2.13	12.43
L.O.S. (Signal)	A – F	B	A	B
L.O.S. (Unsig)	A – F	C	A	B
Total Delay	veh.hrs	7.66	0.28	7.94

Scheme Summary

Control Data

Control Data and Model Parameters

Douglas IPOE	2050 PHF Flow Profile (veh)
2050 Roundabout, NBR Bypass	7.5 min Time Slice
Rodel-Win1	Control Delays (sec)
Right Hand Drive	Nighttime conditions
PM Peak Hour	Peak 60/15 min Results
Full Geometry	Output flows: Vehicles
English Units (ft)	50% Confidence Level

Operational Data

Main Geometry (ft)

Approach and Entry Geometry

Leg	Leg Names	Approach Bearing (deg)	Grade Separation G	Half Width V	Approach Lanes n	Entry Width E	Entry Lanes n	Flare Length L'	Entry Radius R	Entry Angle Phi
1	James Ranch Road	0	0	24.00	2	24.00	2	0.00	90.00	40.00
2	SR 80	83	0	24.00	2	24.00	2	0.00	90.00	40.00
3	James Ranch Road	180	0	12.00	1	12.00	1	0.00	90.00	40.00
4	SR 80	263	0	24.00	2	24.00	2	0.00	90.00	40.00

Circulating and Exit Geometry

Leg	Leg Names	Inscribed Diameter D	Circulating Width C	Circulating Lanes nc	Exit Width Ex	Exit Lanes nex	Exit Half Width Vx	Exit Half Width Lanes nvx
1	James Ranch Road	200.00	30.00	2	24.00	2	24.00	2
2	SR 80	200.00	30.00	2	24.00	2	24.00	2
3	James Ranch Road	200.00	30.00	2	13.00	1	12.00	1
4	SR 80	200.00	30.00	2	24.00	2	24.00	2

Capacity Modifiers and Capacity Calibration (veh/hr)

Leg	Leg Names	Entry Capacity		Entry Calibration		Approach Road			Exit Road		
		Capacity + or -	XWalk Factor	Intercept + or -	Slope Factor	V (ft)	Default Capacity	Calib Capacity	V (ft)	Default Capacity	Calib Capacity
1	James Ranch Road	0	1.000	0	1.000	36.00	5377	0	24.00	3584	0
2	SR 80	0	1.000	0	1.000	20.00	3584	0	24.00	3584	0
3	James Ranch Road	0	1.000	0	1.000	20.00	1792	0	12.00	1792	0
4	SR 80	0	1.000	0	1.000	20.00	3584	0	24.00	3584	0

Bypass Geometry

Bypass Approach Geometry (ft)

Leg	Leg Names	Bypass Type	Bypass Flows	V	nv	Vb	nvb	Vt	nvt
1	James Ranch Road	Free	1091	24	2	12	1	36	3

Bypass Entry and Exit Geometry (ft)

Leg	Leg Names	Entry Geometry						Leg	Leg Names	Exit Lanes	
		Eb	neb	Lb	Lt	Rb	Phib			nex	Nmx
1	James Ranch Road	12	1	0	130	120.000 1152	30	2	SR 80	2	2

Bypass Entry Capacity Modifiers and Calibration (veh/hr)

Leg	Leg Names	Entry Capacity			Calibration		
		Capacity + or -	Cross Walk Factor	Intercept + or -	Slope Factor		
1	James Ranch Road	0	1.000	0	1.000		

Traffic Flow Data (veh/hr)

2050 PM Peak Peak Hour Flows

Leg	Leg Names	Turning Flows					Flow Modifiers		
		U-Turn	Exit-3	Exit-2	Exit-1	Bypass	Trucks %	Flow Factor	Peak Hour Factor
1	James Ranch Road	0	185	10	0	1091	24.0	1.00	0.900
2	SR 80	0	355	374	10	0	20.0	1.00	0.900
3	James Ranch Road	0	10	10	10	0	2.0	1.00	0.800
4	SR 80	0	10	465	78	0	17.0	1.00	0.850

Operational Results

2050 PM Peak - 60 minutes

Flows and Capacity

Leg	Leg Names	Bypass Type	Flows (veh/hr)						Capacity (veh/hr)			
			Arrival Flow		Opposing Flow		Exit Flow	Capacity		Average VCR		
Entry	Bypass	Entry	Bypass	Entry				Bypass	Entry	Bypass		
1 James Ranch Road	Free	195	1091	485	0	443	1109	1049	0.1759	1.0396		
2 SR 80	None	739		205		1524	1322		0.5592			
3 James Ranch Road	None	30		914		30	658		0.0456			
4 SR 80	None	553		375		569	1302		0.4248			

Delays, Queues and Level of Service

Leg	Leg Names	Bypass Type	Average Delay (sec)			95% Queue (veh)		Level of Service		
			Entry	Bypass	Leg	Entry	Bypass	Entry	Bypass	Leg
1 James Ranch Road	Free	4.77	23.33	20.51		0.54	40.81	A	C	C
2 SR 80	None	11.41		11.41		5.15		B		B
3 James Ranch Road	None	5.99		5.99		0.17		A		A
4 SR 80	None	7.10		7.10		2.29		A		A

Global Results

Performance and Accidents

2050 PM Peak Global Performance

Parameter	Units	Entries	Bypasses	Total
Arrive Flows	veh/hr	1517	1091	2608
Capacity	veh/hr	4391	1049	5440
Average Delay	sec/veh	7.91	22.33	13.94
L.O.S. (Signal)	A – F	A	C	B
L.O.S. (Unsig)	A – F	A	C	B
Total Delay	veh.hrs	3.33	6.77	10.10

Scheme Summary

Control Data

Control Data and Model Parameters

Douglas IPOE	2050 PHF Flow Profile (veh)
TI Sensitivity Roundabout, NBR Bypass	7.5 min Time Slice
Rodel-Win1	Control Delays (sec)
Right Hand Drive	Daylight conditions
AM Peak Hour	Peak 60/15 min Results
Full Geometry	Output flows: Vehicles
English Units (ft)	50% Confidence Level

Operational Data

Main Geometry (ft)

Approach and Entry Geometry

Leg	Leg Names	Approach Bearing (deg)	Grade Separation G	Half Width V	Approach Lanes n	Entry Width E	Entry Lanes n	Flare Length L'	Entry Radius R	Entry Angle Phi
1	James Ranch Road	0	0	24.00	2	24.00	2	0.00	90.00	40.00
2	SR 80	83	0	24.00	2	24.00	2	0.00	90.00	40.00
3	James Ranch Road	180	0	12.00	1	12.00	1	0.00	90.00	40.00
4	SR 80	263	0	24.00	2	24.00	2	0.00	90.00	40.00

Circulating and Exit Geometry

Leg	Leg Names	Inscribed Diameter D	Circulating Width C	Circulating Lanes nc	Exit Width Ex	Exit Lanes nex	Exit Half Width Vx	Exit Half Width Lanes nvx
1	James Ranch Road	200.00	30.00	2	24.00	2	24.00	2
2	SR 80	200.00	30.00	2	24.00	2	24.00	2
3	James Ranch Road	200.00	30.00	2	13.00	1	12.00	1
4	SR 80	200.00	30.00	2	24.00	2	24.00	2

Capacity Modifiers and Capacity Calibration (veh/hr)

Leg	Leg Names	Entry Capacity		Entry Calibration		Approach Road			Exit Road		
		Capacity + or -	XWalk Factor	Intercept + or -	Slope Factor	V (ft)	Default Capacity	Calib Capacity	V (ft)	Default Capacity	Calib Capacity
1	James Ranch Road	0	1.000	0	1.000	36.00	5377	0	24.00	3584	0
2	SR 80	0	1.000	0	1.000	20.00	3584	0	24.00	3584	0
3	James Ranch Road	0	1.000	0	1.000	20.00	1792	0	12.00	1792	0
4	SR 80	0	1.000	0	1.000	20.00	3584	0	24.00	3584	0

Bypass Geometry

Bypass Approach Geometry (ft)

Leg	Leg Names	Bypass Type	Bypass Flows	V	nv	Vb	nvb	Vt	nvt
1	James Ranch Road	Free	471	24	2	12	1	36	3

Bypass Entry and Exit Geometry (ft)

Leg	Leg Names	Entry Geometry						Leg	Leg Names	Exit Lanes	
		Eb	neb	Lb	Lt	Rb	Phib			nex	Nmx
1	James Ranch Road	12	1	0	130	120.000 3149	30	2	SR 80	2	2

Bypass Entry Capacity Modifiers and Calibration (veh/hr)

Leg	Leg Names	Entry Capacity			Calibration		
		Capacity + or -	Cross Walk Factor	Intercept + or -	Slope Factor		
1	James Ranch Road	0	1.000	0	1.000		

Traffic Flow Data (veh/hr)

2050 AM Peak Peak Hour Flows

Leg	Leg Names	Turning Flows					Flow Modifiers		
		U-Turn	Exit-3	Exit-2	Exit-1	Bypass	Trucks %	Flow Factor	Peak Hour Factor
1	James Ranch Road	0	76	10	0	471	24.0	1.20	0.850
2	SR 80	0	855	479	10	0	20.0	1.20	0.900
3	James Ranch Road	0	10	10	10	0	2.0	1.20	0.800
4	SR 80	0	10	193	166	0	17.0	1.20	0.850

Operational Results

2050 AM Peak - 60 minutes

Flows and Capacity

Leg	Leg Names	Bypass Type	Flows (veh/hr)						Capacity (veh/hr)			
			Arrival Flow		Opposing Flow		Exit Flow	Capacity		Average VCR		
Entry	Bypass	Entry	Bypass	Entry				Bypass	Entry	Bypass		
1 James Ranch Road	Free	103	565	256	0	1131	1290	1105	0.0800	0.5115		
2 SR 80	None	1613		115		809	1445			1.1158		
3 James Ranch Road	None	36		1526		35	490			0.0734		
4 SR 80	None	443		943		618	1069			0.4142		

Delays, Queues and Level of Service

Leg	Leg Names	Bypass Type	Average Delay (sec)			95% Queue (veh)		Level of Service		
			Entry	Bypass	Leg	Entry	Bypass	Entry	Bypass	Leg
1 James Ranch Road	Free	3.40	3.56	3.53		0.25	0.00	A	A	A
2 SR 80	None	46.76		46.76		77.26		E		E
3 James Ranch Road	None	8.32		8.32		0.26		A		A
4 SR 80	None	10.75		10.75		3.25		B		B

Global Results

Performance and Accidents

2050 AM Peak Global Performance

Parameter	Units	Entries	Bypasses	Total
Arrive Flows	veh/hr	2195	565	2760
Capacity	veh/hr	4295	1105	5400
Average Delay	sec/veh	35.86	2.56	29.04
L.O.S. (Signal)	A – F	D	A	C
L.O.S. (Unsig)	A – F	E	A	D
Total Delay	veh.hrs	21.86	0.40	22.27

Scheme Summary

Control Data

Control Data and Model Parameters

Douglas IPOE	2050 PHF Flow Profile (veh)
TI Sensitivity Roundabout, NBR Bypass	7.5 min Time Slice
Rodel-Win1	Control Delays (sec)
Right Hand Drive	Nighttime conditions
PM Peak Hour	Peak 60/15 min Results
Full Geometry	Output flows: Vehicles
English Units (ft)	50% Confidence Level

Operational Data

Main Geometry (ft)

Approach and Entry Geometry

Leg	Leg Names	Approach Bearing (deg)	Grade Separation G	Half Width V	Approach Lanes n	Entry Width E	Entry Lanes n	Flare Length L'	Entry Radius R	Entry Angle Phi
1	James Ranch Road	0	0	24.00	2	24.00	2	0.00	90.00	40.00
2	SR 80	83	0	24.00	2	24.00	2	0.00	90.00	40.00
3	James Ranch Road	180	0	12.00	1	12.00	1	0.00	90.00	40.00
4	SR 80	263	0	24.00	2	24.00	2	0.00	90.00	40.00

Circulating and Exit Geometry

Leg	Leg Names	Inscribed Diameter D	Circulating Width C	Circulating Lanes nc	Exit Width Ex	Exit Lanes nex	Exit Half Width Vx	Exit Half Width Lanes nvx
1	James Ranch Road	200.00	30.00	2	24.00	2	24.00	2
2	SR 80	200.00	30.00	2	24.00	2	24.00	2
3	James Ranch Road	200.00	30.00	2	13.00	1	12.00	1
4	SR 80	200.00	30.00	2	24.00	2	24.00	2

Capacity Modifiers and Capacity Calibration (veh/hr)

Leg	Leg Names	Entry Capacity		Entry Calibration		Approach Road			Exit Road		
		Capacity + or -	XWalk Factor	Intercept + or -	Slope Factor	V (ft)	Default Capacity	Calib Capacity	V (ft)	Default Capacity	Calib Capacity
1	James Ranch Road	0	1.000	0	1.000	36.00	5377	0	24.00	3584	0
2	SR 80	0	1.000	0	1.000	20.00	3584	0	24.00	3584	0
3	James Ranch Road	0	1.000	0	1.000	20.00	1792	0	12.00	1792	0
4	SR 80	0	1.000	0	1.000	20.00	3584	0	24.00	3584	0

Bypass Geometry

Bypass Approach Geometry (ft)

Leg	Leg Names	Bypass Type	Bypass Flows	V	nv	Vb	nvb	Vt	nvt
1	James Ranch Road	Free	1091	24	2	12	1	36	3

Bypass Entry and Exit Geometry (ft)

Leg	Leg Names	Entry Geometry						Leg	Leg Names	Exit Lanes	
		Eb	neb	Lb	Lt	Rb	Phib			nex	Nmx
1	James Ranch Road	12	1	0	130	120.000 3341	30	2	SR 80	2	2

Bypass Entry Capacity Modifiers and Calibration (veh/hr)

Leg	Leg Names	Entry Capacity			Calibration		
		Capacity + or -	Cross Walk Factor	Intercept + or -	Slope Factor		
1	James Ranch Road	0	1.000	0	1.000		

Traffic Flow Data (veh/hr)

2050 PM Peak Peak Hour Flows

Leg	Leg Names	Turning Flows					Flow Modifiers		
		U-Turn	Exit-3	Exit-2	Exit-1	Bypass	Trucks %	Flow Factor	Peak Hour Factor
1	James Ranch Road	0	185	10	0	1091	24.0	1.10	0.900
2	SR 80	0	355	374	10	0	20.0	1.10	0.900
3	James Ranch Road	0	10	10	10	0	2.0	1.10	0.800
4	SR 80	0	10	465	78	0	17.0	1.10	0.850

Operational Results

2050 PM Peak - 60 minutes

Flows and Capacity

Leg	Leg Names	Bypass Type	Flows (veh/hr)						Capacity (veh/hr)			
			Arrival Flow		Opposing Flow		Exit Flow	Capacity		Average VCR		
Entry	Bypass	Entry	Bypass	Entry				Bypass	Entry	Bypass		
1 James Ranch Road	Free	215	1200	533	0	487	1086	1049	0.1975	1.1436		
2 SR 80	None	813		225		1572	1310		0.6203			
3 James Ranch Road	None	33		1005		33	625		0.0528			
4 SR 80	None	608		412		626	1281		0.4747			

Delays, Queues and Level of Service

Leg	Leg Names	Bypass Type	Average Delay (sec)			95% Queue (veh)		Level of Service		
			Entry	Bypass	Leg	Entry	Bypass	Entry	Bypass	Leg
1 James Ranch Road	Free	5.08	60.97	52.50		0.63	69.53	A	F	F
2 SR 80	None	12.57		12.57		6.37		B		B
3 James Ranch Road	None	6.41		6.41		0.19		A		A
4 SR 80	None	7.71		7.71		2.80		A		A

Global Results

Performance and Accidents

2050 PM Peak Global Performance

Parameter	Units	Entries	Bypasses	Total
Arrive Flows	veh/hr	1669	1200	2869
Capacity	veh/hr	4303	1049	5352
Average Delay	sec/veh	8.73	59.97	30.17
L.O.S. (Signal)	A – F	A	E	C
L.O.S. (Unsig)	A – F	A	F	D
Total Delay	veh.hrs	4.05	19.99	24.04

Scheme Summary

Control Data

Control Data and Model Parameters

Douglas IPOE	2028 PHF Flow Profile (veh)
2028 Roundabout	7.5 min Time Slice
HCM 2010 Model	Control Delays (sec)
Right Hand Drive	Daylight conditions
AM Peak Hour	Peak 60/15 min Results
Full Geometry	Output flows: Vehicles
English Units (ft)	50% Confidence Level

Operational Data

HCM Lanes and Headways

HCM 2016 Bearings and Lanes

Leg	Leg Names	Bearing (deg)	Approach Lanes	Entry Lanes	Circulating Lanes	Exit Lanes
1	James Ranch Road	0	2	2	2	2
2	SR 80	83	2	2	2	2
3	James Ranch Road	180	1	1	2	1
4	SR 80	263	2	2	2	2

HCM 2016 Default Headways (secs)

Lanes		Lane-1		Lane-2		Bypass Lane	
Entry	Circ	tf	tc	tf	tc	tf	tc
1	1			2.6087	4.9765	2.6087	4.9765
1	2			2.5352	4.3275	2.5352	4.3275
2	2	2.6667	4.6455	2.5352	4.3275		
2	1	2.5352	4.5435	2.5352	4.5435		

HCM 2016 Calibrated Headways (secs)

Lanes		Lane-1		Lane-2		Bypass Lane	
Entry	Circ	tf	tc	tf	tc	tf	tc
1	1			3.186	5.193	3.186	5.193
1	2			3.186	4.113	3.186	4.113
2	2	3.186	4.293	3.186	4.113		
2	1	3.186	5.193	3.186	5.193		

HCM 2016 Derived Intercept and Exponential for HCM or Calibration

Leg	Leg Names	Intercept (pcs/hr)			Exponent (x1000)				
		tf	L1	L2	Bp	tf, tc	L1	L2	Bp
1	James Ranch Road	HCM	1350	1420		HCM	0.92	0.85	
2	SR 80	HCM	1350	1420		HCM	0.92	0.85	
3	James Ranch Road	HCM		1420		HCM		0.85	
4	SR 80	HCM	1350	1420		HCM	0.92	0.85	

HCM 2016 Flow Profiles

Leg	Leg Names	Entry Lane Proportions		ByPass Capacity Modifiers (veh/hr)			Peak Hour Factor
		Left Lane	Right Lane	Bypass Type	Capacity + or -	Crosswalk Factor	
1	James Ranch Road	0.47	0.53	None	0	1.000	0.85
2	SR 80	0.47	0.53	None	0	1.000	0.85
3	James Ranch Road	0.00	1.00	None	0	1.000	0.80
4	SR 80	0.47	0.53	None	0	1.000	0.85

HCM 2016 Capacity and Volume Modifiers

Leg	Leg Names	Capacity Modifiers (veh/hr)		Volume Modifiers	
		Capacity + or -	Crosswalk Factor	Trucks %	Flow Factor
1	James Ranch Road	0	1.000	30.0	1.00
2	SR 80	0	1.000	21.0	1.00
3	James Ranch Road	0	1.000	2.0	1.00
4	SR 80	0	1.000	18.0	1.00

Traffic Flow Data (veh/hr)

2028 AM Peak Peak Hour Flows

Leg	Leg Names	Turning Flows					Flow Modifiers		
		U-Turn	Exit-3	Exit-2	Exit-1	Bypass	Trucks %	Flow Factor	Peak Hour Factor
1	James Ranch Road	0	23	5	162	0	30.0	1.00	0.850
2	SR 80	0	268	312	5	0	21.0	1.00	0.850
3	James Ranch Road	0	5	5	5	0	2.0	1.00	0.800
4	SR 80	0	5	125	59	0	18.0	1.00	0.850

Operational Results

HCM 2016 - 2028 AM Peak 60 minutes

Flows and Capacity

Leg	Leg Names	Flows (veh/hr)						Capacity (veh/hr)					
		Arrival Flow			Opposing Flow			Capacity			Average VCR		
		Left	Right	Bypass	Entry	Bypass	Left	Right	Bypass	Left	Right	Bypass	
1	James Ranch Road	89	101		135		897	954		0.099	0.106		
2	SR 80	275	310		34		1072	1131		0.256	0.274		
3	James Ranch Road		15		603			747			0.020		
4	SR 80	89	100		278		841	906		0.106	0.110		

Delays, Queues and Level of Service

Leg	Leg Names	Average Delay (sec)				95% Queue (veh)			Level of Service			
		Left	Right	Bypass	Leg	Left	Right	Bypass	Left	Right	Bypass	Leg
1	James Ranch Road	5.0	4.7		4.8	0.3	0.4		A	A		A
2	SR 80	5.8	5.8		5.8	1.0	1.1		A	A		A
3	James Ranch Road		5.0		5.0		0.1		A			A
4	SR 80	5.3	5.0		5.2	0.4	0.4		A	A		A

Global Results

Performance and Accidents

2028 AM Peak Global Performance

Parameter	Units	Entries	Bypasses	Total
Arrive Flows	veh/hr	979		979
Capacity	veh/hr	6707		10466
Average Delay	sec/veh	10.85		10.85
L.O.S. (Signal)	A – F	B		B
L.O.S. (Unsig)	A – F	B		B
Total Delay	veh.hrs	2.95		2.95

Scheme Summary

Control Data

Control Data and Model Parameters

Douglas IPOE	2028 PHF Flow Profile (veh)
2028 Roundabout	7.5 min Time Slice
HCM 2010 Model	Control Delays (sec)
Right Hand Drive	Nighttime conditions
PM Peak Hour	Peak 60/15 min Results
Full Geometry	Output flows: Vehicles
English Units (ft)	50% Confidence Level

Operational Data

HCM Lanes and Headways

HCM 2016 Bearings and Lanes

Leg	Leg Names	Bearing (deg)	Approach Lanes	Entry Lanes	Circulating Lanes	Exit Lanes
1	James Ranch Road	0	2	2	2	2
2	SR 80	83	2	2	2	2
3	James Ranch Road	180	1	1	2	1
4	SR 80	263	2	2	2	2

HCM 2016 Default Headways (secs)

Lanes		Lane-1		Lane-2		Bypass Lane	
Entry	Circ	tf	tc	tf	tc	tf	tc
1	1			2.6087	4.9765	2.6087	4.9765
1	2			2.5352	4.3275	2.5352	4.3275
2	2	2.6667	4.6455	2.5352	4.3275		
2	1	2.5352	4.5435	2.5352	4.5435		

HCM 2016 Calibrated Headways (secs)

Lanes		Lane-1		Lane-2		Bypass Lane	
Entry	Circ	tf	tc	tf	tc	tf	tc
1	1			3.186	5.193	3.186	5.193
1	2			3.186	4.113	3.186	4.113
2	2	3.186	4.293	3.186	4.113		
2	1	3.186	5.193	3.186	5.193		

HCM 2016 Derived Intercept and Exponential for HCM or Calibration

Leg	Leg Names	Intercept (pcs/hr)			Exponent (x1000)				
		tf	L1	L2	Bp	tf, tc	L1	L2	Bp
1	James Ranch Road	HCM	1350	1420		HCM	0.92	0.85	
2	SR 80	HCM	1350	1420		HCM	0.92	0.85	
3	James Ranch Road	HCM		1420		HCM		0.85	
4	SR 80	HCM	1350	1420		HCM	0.92	0.85	

HCM 2016 Flow Profiles

Leg	Leg Names	Entry Lane Proportions		ByPass Capacity Modifiers (veh/hr)			Peak Hour Factor
		Left Lane	Right Lane	Bypass Type	Capacity + or -	Crosswalk Factor	
1	James Ranch Road	0.47	0.53	None	0	1.000	0.85
2	SR 80	0.47	0.53	None	0	1.000	0.85
3	James Ranch Road	0.00	1.00	None	0	1.000	0.80
4	SR 80	0.47	0.53	None	0	1.000	0.85

HCM 2016 Capacity and Volume Modifiers

Leg	Leg Names	Capacity Modifiers (veh/hr)		Volume Modifiers	
		Capacity + or -	Crosswalk Factor	Trucks %	Flow Factor
1	James Ranch Road	0	1.000	30.0	1.00
2	SR 80	0	1.000	21.0	1.00
3	James Ranch Road	0	1.000	2.0	1.00
4	SR 80	0	1.000	18.0	1.00

Traffic Flow Data (veh/hr)

2028 PM Peak Peak Hour Flows

Leg	Leg Names	Turning Flows					Flow Modifiers		
		U-Turn	Exit-3	Exit-2	Exit-1	Bypass	Trucks %	Flow Factor	Peak Hour Factor
1	James Ranch Road	0	56	5	348	0	30.0	1.00	0.850
2	SR 80	0	118	245	5	0	21.0	1.00	0.850
3	James Ranch Road	0	5	5	5	0	2.0	1.00	0.800
4	SR 80	0	5	301	32	0	18.0	1.00	0.850

Operational Results

HCM 2016 - 2028 PM Peak 60 minutes

Flows and Capacity

Leg	Leg Names	Flows (veh/hr)						Capacity (veh/hr)					
		Arrival Flow			Opposing Flow			Capacity			Average VCR		
		Left	Right	Bypass	Entry	Bypass	Left	Right	Bypass	Left	Right	Bypass	
1	James Ranch Road	192	217		311		704	760		0.273	0.285		
2	SR 80	173	195		67		979	1036		0.177	0.188		
3	James Ranch Road		15		419			856			0.018		
4	SR 80	159	179		128		944	1004		0.168	0.178		

Delays, Queues and Level of Service

Leg	Leg Names	Average Delay (sec)				95% Queue (veh)			Level of Service			
		Left	Right	Bypass	Leg	Left	Right	Bypass	Left	Right	Bypass	Leg
1	James Ranch Road	8.4	8.1		8.2	1.1	1.2		A	A		A
2	SR 80	5.3	5.2		5.3	0.6	0.7		A	A		A
3	James Ranch Road		4.4		4.4		0.1		A			A
4	SR 80	5.4	5.3		5.3	0.6	0.7		A	A		A

Global Results

Performance and Accidents

2028 PM Peak Global Performance

Parameter	Units	Entries	Bypasses	Total
Arrive Flows	veh/hr	1130		1130
Capacity	veh/hr	6481		10003
Average Delay	sec/veh	12.64		12.64
L.O.S. (Signal)	A – F	B		B
L.O.S. (Unsig)	A – F	B		B
Total Delay	veh.hrs	3.97		3.97

Scheme Summary

Control Data

Control Data and Model Parameters

Douglas IPOE	2050 PHF Flow Profile (veh)
2050 Roundabout	7.5 min Time Slice
HCM 2010 Model	Control Delays (sec)
Right Hand Drive	Daylight conditions
AM Peak Hour	Peak 60/15 min Results
Full Geometry	Output flows: Vehicles
English Units (ft)	50% Confidence Level

Available Data

Entry Capacity Calibrated	No
Entry Capacity Modified	No
Crosswalks	No
Flows Factored	No
Approach/Exit Road Capacity Calibrated	No
Accidents	No
Accident Costs	No
Bypass Model	No
Bypass Calibration	No
Global Results	Yes

Operational Data

HCM Lanes and Headways

HCM 2016 Bearings and Lanes

Leg	Leg Names	Bearing (deg)	Approach Lanes	Entry Lanes	Circulating Lanes	Exit Lanes
1	James Ranch Road	0	2	2	2	2
2	SR 80	83	2	2	2	2
3	James Ranch Road	180	1	1	2	1
4	SR 80	263	2	2	2	2

HCM 2016 Default Headways (secs)

Lanes		Lane-1		Lane-2		Bypass Lane	
Entry	Circ	tf	tc	tf	tc	tf	tc
1	1			2.6087	4.9765	2.6087	4.9765
1	2			2.5352	4.3275	2.5352	4.3275
2	2	2.6667	4.6455	2.5352	4.3275		
2	1	2.5352	4.5435	2.5352	4.5435		

HCM 2016 Calibrated Headways (secs)

Lanes		Lane-1		Lane-2		Bypass Lane	
Entry	Circ	tf	tc	tf	tc	tf	tc
1	1			3.186	5.193	3.186	5.193
1	2			3.186	4.113	3.186	4.113
2	2	3.186	4.293	3.186	4.113		
2	1	3.186	5.193	3.186	5.193		

HCM 2016 Derived Intercept and Exponential for HCM or Calibration

Leg	Leg Names	Intercept (pcs/hr)			Exponent (x1000)				
		tf	L1	L2	Bp	tf, tc	L1	L2	Bp
1	James Ranch Road	HCM	1350	1420		HCM	0.92	0.85	
2	SR 80	HCM	1350	1420		HCM	0.92	0.85	
3	James Ranch Road	HCM		1420		HCM		0.85	
4	SR 80	HCM	1350	1420		HCM	0.92	0.85	

HCM 2016 Flow Profiles

Leg	Leg Names	Entry Lane Proportions		ByPass Capacity Modifiers (veh/hr)			Peak Hour Factor
		Left Lane	Right Lane	Bypass Type	Capacity + or -	Crosswalk Factor	
1	James Ranch Road	0.47	0.53	None	0	1.000	0.85
2	SR 80	0.47	0.53	None	0	1.000	0.90
3	James Ranch Road	0.00	1.00	None	0	1.000	0.80
4	SR 80	0.47	0.53	None	0	1.000	0.85

HCM 2016 Capacity and Volume Modifiers

Leg	Leg Names	Capacity Modifiers (veh/hr)		Volume Modifiers	
		Capacity + or -	Crosswalk Factor	Trucks %	Flow Factor
1	James Ranch Road	0	1.000	24.0	1.00
2	SR 80	0	1.000	20.0	1.00
3	James Ranch Road	0	1.000	2.0	1.00
4	SR 80	0	1.000	17.0	1.00

Traffic Flow Data (veh/hr)

2050 AM Peak Peak Hour Flows

Leg	Leg Names	Turning Flows					Flow Modifiers		
		U-Turn	Exit-3	Exit-2	Exit-1	Bypass	Trucks %	Flow Factor	Peak Hour Factor
1	James Ranch Road	0	76	10	471	0	24.0	1.00	0.850
2	SR 80	0	855	479	10	0	20.0	1.00	0.900
3	James Ranch Road	0	10	10	10	0	2.0	1.00	0.800
4	SR 80	0	10	193	166	0	17.0	1.00	0.850

Operational Results

HCM 2016 - 2050 AM Peak 60 minutes

Flows and Capacity

Leg	Leg Names	Flows (veh/hr)						Capacity (veh/hr)					
		Arrival Flow			Opposing Flow			Capacity			Average VCR		
		Left	Right	Bypass	Entry	Bypass	Left	Right	Bypass	Left	Right	Bypass	
1	James Ranch Road	262	295		213		867	928		0.302	0.318		
2	SR 80	632	712		96		1009	1070		0.626	0.665		
3	James Ranch Road		30		1410			330			0.091		
4	SR 80	173	196		875		441	499		0.392	0.393		

Delays, Queues and Level of Service

Leg	Leg Names	Average Delay (sec)				95% Queue (veh)			Level of Service			
		Left	Right	Bypass	Leg	Left	Right	Bypass	Left	Right	Bypass	Leg
1	James Ranch Road	7.5	7.3		7.4	1.3	1.4		A	A		A
2	SR 80	12.6	13.3		13.0	4.9	5.8		B	B		B
3	James Ranch Road		12.5		12.5		0.3		B			B
4	SR 80	15.4	13.8		14.6	1.9	1.9		C	B		B

Global Results

Performance and Accidents

2050 AM Peak Global Performance

Parameter	Units	Entries	Bypasses	Total
Arrive Flows	veh/hr	2300		2300
Capacity	veh/hr	5190		8077
Average Delay	sec/veh	23.57		23.57
L.O.S. (Signal)	A – F	C		C
L.O.S. (Unsig)	A – F	C		C
Total Delay	veh.hrs	15.06		15.06

Scheme Summary

Control Data

Control Data and Model Parameters

Douglas IPOE	2050 PHF Flow Profile (veh)
2050 Roundabout	7.5 min Time Slice
HCM 2010 Model	Control Delays (sec)
Right Hand Drive	Nighttime conditions
PM Peak Hour	Peak 60/15 min Results
Full Geometry	Output flows: Vehicles
English Units (ft)	50% Confidence Level

Available Data

Entry Capacity Calibrated	No
Entry Capacity Modified	No
Crosswalks	No
Flows Factored	No
Approach/Exit Road Capacity Calibrated	No
Accidents	No
Accident Costs	No
Bypass Model	No
Bypass Calibration	No
Global Results	Yes

Operational Data

HCM Lanes and Headways

HCM 2016 Bearings and Lanes

Leg	Leg Names	Bearing (deg)	Approach Lanes	Entry Lanes	Circulating Lanes	Exit Lanes
1	James Ranch Road	0	2	2	2	2
2	SR 80	83	2	2	2	2
3	James Ranch Road	180	1	1	2	1
4	SR 80	263	2	2	2	2

HCM 2016 Default Headways (secs)

Lanes		Lane-1		Lane-2		Bypass Lane	
Entry	Circ	tf	tc	tf	tc	tf	tc
1	1			2.6087	4.9765	2.6087	4.9765
1	2			2.5352	4.3275	2.5352	4.3275
2	2	2.6667	4.6455	2.5352	4.3275		
2	1	2.5352	4.5435	2.5352	4.5435		

HCM 2016 Calibrated Headways (secs)

Lanes		Lane-1		Lane-2		Bypass Lane	
Entry	Circ	tf	tc	tf	tc	tf	tc
1	1			3.186	5.193	3.186	5.193
1	2			3.186	4.113	3.186	4.113
2	2	3.186	4.293	3.186	4.113		
2	1	3.186	5.193	3.186	5.193		

HCM 2016 Derived Intercept and Exponential for HCM or Calibration

Leg	Leg Names	Intercept (pcs/hr)			Exponent (x1000)				
		tf	L1	L2	Bp	tf, tc	L1	L2	Bp
1	James Ranch Road	HCM	1350	1420		HCM	0.92	0.85	
2	SR 80	HCM	1350	1420		HCM	0.92	0.85	
3	James Ranch Road	HCM		1420		HCM		0.85	
4	SR 80	HCM	1350	1420		HCM	0.92	0.85	

HCM 2016 Flow Profiles

Leg	Leg Names	Entry Lane Proportions		ByPass Capacity Modifiers (veh/hr)			Peak Hour Factor
		Left Lane	Right Lane	Bypass Type	Capacity + or -	Crosswalk Factor	
1	James Ranch Road	0.47	0.53	None	0	1.000	0.90
2	SR 80	0.47	0.53	None	0	1.000	0.90
3	James Ranch Road	0.00	1.00	None	0	1.000	0.80
4	SR 80	0.47	0.53	None	0	1.000	0.85

HCM 2016 Capacity and Volume Modifiers

Leg	Leg Names	Capacity Modifiers (veh/hr)		Volume Modifiers	
		Capacity + or -	Crosswalk Factor	Trucks %	Flow Factor
1	James Ranch Road	0	1.000	24.0	1.00
2	SR 80	0	1.000	20.0	1.00
3	James Ranch Road	0	1.000	2.0	1.00
4	SR 80	0	1.000	17.0	1.00

Traffic Flow Data (veh/hr)

2050 PM Peak Peak Hour Flows

Leg	Leg Names	Turning Flows					Flow Modifiers		
		U-Turn	Exit-3	Exit-2	Exit-1	Bypass	Trucks %	Flow Factor	Peak Hour Factor
1	James Ranch Road	0	185	10	1091	0	24.0	1.00	0.900
2	SR 80	0	355	374	10	0	20.0	1.00	0.900
3	James Ranch Road	0	10	10	10	0	2.0	1.00	0.800
4	SR 80	0	10	465	78	0	17.0	1.00	0.850

Operational Results

HCM 2016 - 2050 PM Peak 60 minutes

Flows and Capacity

Leg	Leg Names	Flows (veh/hr)						Capacity (veh/hr)					
		Arrival Flow			Opposing Flow			Capacity			Average VCR		
		Left	Right	Bypass	Entry	Bypass	Left	Right	Bypass	Left	Right	Bypass	
1	James Ranch Road	604	682		485		614	672		0.983	1.014		
2	SR 80	347	392		205		847	907		0.410	0.432		
3	James Ranch Road		30		914			517			0.058		
4	SR 80	260	293		375		727	789		0.358	0.371		

Delays, Queues and Level of Service

Leg	Leg Names	Average Delay (sec)				95% Queue (veh)			Level of Service			
		Left	Right	Bypass	Leg	Left	Right	Bypass	Left	Right	Bypass	Leg
1	James Ranch Road	98.4	122.8		111.4	27.6	34.5		F	F		F
2	SR 80	9.2	9.1		9.2	2.1	2.3		A	A		A
3	James Ranch Road		7.7		7.7		0.2		A			A
4	SR 80	9.5	9.1		9.3	1.7	1.8		A	A		A

Global Results

Performance and Accidents

2050 PM Peak Global Performance

Parameter	Units	Entries	Bypasses	Total
Arrive Flows	veh/hr	2608		2608
Capacity	veh/hr	5168		7909
Average Delay	sec/veh	118.35		118.35
L.O.S. (Signal)	A – F	F		F
L.O.S. (Unsig)	A – F	F		F
Total Delay	veh.hrs	85.74		85.74

***SR 80 / US 191 Intersection
(Existing, 2028/2050 No-Build, 2028/2050 Build)***


Timing Report, Sorted By Phase
2: SR 80 & US 191

Existing AM



Phase Number	2	4	6
Movement	EBTL	SBL	WBT
Lead/Lag			
Lead-Lag Optimize			
Recall Mode	Min	None	Min
Maximum Split (s)	66.1	31.5	66.1
Maximum Split (%)	67.7%	32.3%	67.7%
Minimum Split (s)	24.1	24.5	24.1
Yellow Time (s)	5	4.3	5
All-Red Time (s)	1.1	2.2	1.1
Minimum Initial (s)	10	6	6
Vehicle Extension (s)	6	1.5	6
Minimum Gap (s)	3	3	3
Time Before Reduce (s)	0	0	0
Time To Reduce (s)	0	0	0
Walk Time (s)			
Flash Dont Walk (s)			
Dual Entry	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes
Start Time (s)	0	66.1	0
End Time (s)	66.1	0	66.1
Yield/Force Off (s)	60	91.1	60
Yield/Force Off 170(s)	60	91.1	60
Local Start Time (s)	0	66.1	0
Local Yield (s)	60	91.1	60
Local Yield 170(s)	60	91.1	60
Intersection Summary			
Cycle Length	97.6		
Control Type	Actuated-Uncoordinated		
Natural Cycle	50		

Splits and Phases: 2: SR 80 & US 191



HCM 6th Signalized Intersection Summary
2: SR 80 & US 191

Existing AM



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↑ ↗	↑ ↗	↑ ↗	↑ ↗	↑ ↗	↑ ↗
Traffic Volume (veh/h)	32	79	205	136	75	45
Future Volume (veh/h)	32	79	205	136	75	45
Initial Q (Q _b), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1737	1737	1737	1737	1737	1737
Adj Flow Rate, veh/h	43	105	223	148	88	56
Peak Hour Factor	0.75	0.75	0.92	0.92	0.85	0.80
Percent Heavy Veh, %	11	11	11	11	11	11
Cap, veh/h	583	1244	1244	555	245	218
Arrive On Green	0.38	0.38	0.38	0.38	0.15	0.15
Sat Flow, veh/h	939	3387	3387	1472	1654	1472
Grp Volume(v), veh/h	43	105	223	148	88	56
Grp Sat Flow(s), veh/h/ln	939	1650	1650	1472	1654	1472
Q Serve(g_s), s	0.9	0.5	1.2	1.8	1.3	0.9
Cycle Q Clear(g_c), s	2.0	0.5	1.2	1.8	1.3	0.9
Prop In Lane	1.00			1.00	1.00	1.00
Lane Grp Cap(c), veh/h	583	1244	1244	555	245	218
V/C Ratio(X)	0.07	0.08	0.18	0.27	0.36	0.26
Avail Cap(c_a), veh/h	2354	7466	7466	3330	1559	1387
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	6.2	5.3	5.5	5.7	10.2	10.0
Incr Delay (d2), s/veh	0.2	0.1	0.2	0.9	0.3	0.2
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.1	0.1	0.2	0.4	0.5	0.3
Unsig. Movement Delay, s/veh						
LnGrp Delay(d), s/veh	6.4	5.4	5.8	6.6	10.5	10.2
LnGrp LOS	A	A	A	A	B	B
Approach Vol, veh/h		148	371		144	
Approach Delay, s/veh		5.7	6.1		10.4	
Approach LOS		A	A		B	
Timer - Assigned Phs		2		4		6
Phs Duration (G+Y+R _c), s		16.1		10.4		16.1
Change Period (Y+R _c), s		* 6.1		* 6.5		* 6.1
Max Green Setting (Gmax), s		* 60		* 25		* 60
Max Q Clear Time (g_c+l1), s		4.0		3.3		3.8
Green Ext Time (p_c), s		2.2		0.1		5.4
Intersection Summary						
HCM 6th Ctrl Delay			7.0			
HCM 6th LOS			A			
Notes						

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Timing Report, Sorted By Phase
2: SR 80 & US 191

Existing PM



Phase Number	2	4	6
Movement	EBTL	SBL	WBT
Lead/Lag			
Lead-Lag Optimize			
Recall Mode	Min	None	Min
Maximum Split (s)	66.1	31.5	66.1
Maximum Split (%)	67.7%	32.3%	67.7%
Minimum Split (s)	24.1	24.5	24.1
Yellow Time (s)	5	4.3	5
All-Red Time (s)	1.1	2.2	1.1
Minimum Initial (s)	10	6	6
Vehicle Extension (s)	6	1.5	6
Minimum Gap (s)	3	3	3
Time Before Reduce (s)	0	0	0
Time To Reduce (s)	0	0	0
Walk Time (s)			
Flash Dont Walk (s)			
Dual Entry	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes
Start Time (s)	0	66.1	0
End Time (s)	66.1	0	66.1
Yield/Force Off (s)	60	91.1	60
Yield/Force Off 170(s)	60	91.1	60
Local Start Time (s)	0	66.1	0
Local Yield (s)	60	91.1	60
Local Yield 170(s)	60	91.1	60
Intersection Summary			
Cycle Length	97.6		
Control Type	Actuated-Uncoordinated		
Natural Cycle	50		

Splits and Phases: 2: SR 80 & US 191



HCM 6th Signalized Intersection Summary
2: SR 80 & US 191

Existing PM



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↑ ↗	↑ ↗	↑ ↗	↑ ↗	↑ ↗	↑ ↗
Traffic Volume (veh/h)	76	191	158	105	85	51
Future Volume (veh/h)	76	191	158	105	85	51
Initial Q (Q _b), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1737	1737	1737	1737	1737	1737
Adj Flow Rate, veh/h	101	255	172	114	100	64
Peak Hour Factor	0.75	0.75	0.92	0.92	0.85	0.80
Percent Heavy Veh, %	11	11	11	11	11	11
Cap, veh/h	618	1269	1269	566	258	230
Arrive On Green	0.38	0.38	0.38	0.38	0.16	0.16
Sat Flow, veh/h	1015	3387	3387	1472	1654	1472
Grp Volume(v), veh/h	101	255	172	114	100	64
Grp Sat Flow(s), veh/h/ln	1015	1650	1650	1472	1654	1472
Q Serve(g_s), s	2.0	1.4	0.9	1.4	1.5	1.1
Cycle Q Clear(g_c), s	2.9	1.4	0.9	1.4	1.5	1.1
Prop In Lane	1.00			1.00	1.00	1.00
Lane Grp Cap(c), veh/h	618	1269	1269	566	258	230
V/C Ratio(X)	0.16	0.20	0.14	0.20	0.39	0.28
Avail Cap(c_a), veh/h	2450	7222	7222	3221	1508	1342
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	6.4	5.6	5.5	5.6	10.4	10.2
Incr Delay (d2), s/veh	0.4	0.3	0.2	0.6	0.4	0.2
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.3	0.3	0.2	0.3	0.6	0.4
Unsig. Movement Delay, s/veh						
LnGrp Delay(d), s/veh	6.9	5.9	5.7	6.3	10.7	10.4
LnGrp LOS	A	A	A	A	B	B
Approach Vol, veh/h	356	286		164		
Approach Delay, s/veh	6.2	5.9		10.6		
Approach LOS	A	A		B		
Timer - Assigned Phs	2		4		6	
Phs Duration (G+Y+R _c), s	16.6		10.8		16.6	
Change Period (Y+R _c), s	* 6.1		* 6.5		* 6.1	
Max Green Setting (Gmax), s	* 60		* 25		* 60	
Max Q Clear Time (g_c+l1), s	4.9		3.5		3.4	
Green Ext Time (p_c), s	5.6		0.1		4.1	
Intersection Summary						
HCM 6th Ctrl Delay		7.0				
HCM 6th LOS		A				
Notes						

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Timing Report, Sorted By Phase
2: SR 80 & US 191

2028 No-Build AM



Phase Number	2	4	6
Movement	EBTL	SBL	WBT
Lead/Lag			
Lead-Lag Optimize			
Recall Mode	Min	None	Min
Maximum Split (s)	66.1	31.5	66.1
Maximum Split (%)	67.7%	32.3%	67.7%
Minimum Split (s)	24.1	24.5	24.1
Yellow Time (s)	5	4.3	5
All-Red Time (s)	1.1	2.2	1.1
Minimum Initial (s)	10	6	6
Vehicle Extension (s)	6	1.5	6
Minimum Gap (s)	3	3	3
Time Before Reduce (s)	0	0	0
Time To Reduce (s)	0	0	0
Walk Time (s)			
Flash Dont Walk (s)			
Dual Entry	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes
Start Time (s)	0	66.1	0
End Time (s)	66.1	0	66.1
Yield/Force Off (s)	60	91.1	60
Yield/Force Off 170(s)	60	91.1	60
Local Start Time (s)	0	66.1	0
Local Yield (s)	60	91.1	60
Local Yield 170(s)	60	91.1	60
Intersection Summary			
Cycle Length	97.6		
Control Type	Actuated-Uncoordinated		
Natural Cycle	50		

Splits and Phases: 2: SR 80 & US 191



HCM 6th Signalized Intersection Summary
2: SR 80 & US 191

2028 No-Build AM



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↑	↑↑	↑↑	↑	↑	↑
Traffic Volume (veh/h)	36	89	230	154	84	50
Future Volume (veh/h)	36	89	230	154	84	50
Initial Q (Q _b), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1737	1737	1737	1737	1737	1737
Adj Flow Rate, veh/h	45	111	271	181	99	62
Peak Hour Factor	0.80	0.80	0.85	0.85	0.85	0.80
Percent Heavy Veh, %	11	11	11	11	11	11
Cap, veh/h	556	1311	1311	585	253	225
Arrive On Green	0.40	0.40	0.40	0.40	0.15	0.15
Sat Flow, veh/h	872	3387	3387	1472	1654	1472
Grp Volume(v), veh/h	45	111	271	181	99	62
Grp Sat Flow(s), veh/h/ln	872	1650	1650	1472	1654	1472
Q Serve(g_s), s	1.0	0.6	1.5	2.4	1.5	1.0
Cycle Q Clear(g_c), s	2.5	0.6	1.5	2.4	1.5	1.0
Prop In Lane	1.00			1.00	1.00	1.00
Lane Grp Cap(c), veh/h	556	1311	1311	585	253	225
V/C Ratio(X)	0.08	0.08	0.21	0.31	0.39	0.28
Avail Cap(c_a), veh/h	2077	7069	7069	3153	1476	1314
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	6.4	5.3	5.5	5.8	10.7	10.5
Incr Delay (d2), s/veh	0.2	0.1	0.3	1.1	0.4	0.2
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.2	0.1	0.3	0.6	0.6	0.4
Unsig. Movement Delay, s/veh						
LnGrp Delay(d), s/veh	6.6	5.4	5.8	6.9	11.1	10.7
LnGrp LOS	A	A	A	A	B	B
Approach Vol, veh/h	156	452		161		
Approach Delay, s/veh	5.7	6.3		10.9		
Approach LOS	A	A		B		
Timer - Assigned Phs	2		4		6	
Phs Duration (G+Y+Rc), s	17.2		10.8		17.2	
Change Period (Y+Rc), s	* 6.1		* 6.5		* 6.1	
Max Green Setting (Gmax), s	* 60		* 25		* 60	
Max Q Clear Time (g_c+l1), s	4.5		3.5		4.4	
Green Ext Time (p_c), s	2.4		0.1		6.8	
Intersection Summary						
HCM 6th Ctrl Delay		7.1				
HCM 6th LOS		A				
Notes						

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.


Timing Report, Sorted By Phase
2: SR 80 & US 191

2028 No-Build PM




Phase Number	2	4	6
Movement	EBTL	SBL	WBT
Lead/Lag			
Lead-Lag Optimize			
Recall Mode	Min	None	Min
Maximum Split (s)	66.1	31.5	66.1
Maximum Split (%)	67.7%	32.3%	67.7%
Minimum Split (s)	24.1	24.5	24.1
Yellow Time (s)	5	4.3	5
All-Red Time (s)	1.1	2.2	1.1
Minimum Initial (s)	10	6	6
Vehicle Extension (s)	6	1.5	6
Minimum Gap (s)	3	3	3
Time Before Reduce (s)	0	0	0
Time To Reduce (s)	0	0	0
Walk Time (s)			
Flash Dont Walk (s)			
Dual Entry	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes
Start Time (s)	0	66.1	0
End Time (s)	66.1	0	66.1
Yield/Force Off (s)	60	91.1	60
Yield/Force Off 170(s)	60	91.1	60
Local Start Time (s)	0	66.1	0
Local Yield (s)	60	91.1	60
Local Yield 170(s)	60	91.1	60
Intersection Summary			
Cycle Length	97.6		
Control Type	Actuated-Uncoordinated		
Natural Cycle	50		

Splits and Phases: 2: SR 80 & US 191



HCM 6th Signalized Intersection Summary
2: SR 80 & US 191

2028 No-Build PM



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↑	↑↑	↑↑	↑	↑	↑
Traffic Volume (veh/h)	86	215	178	118	95	57
Future Volume (veh/h)	86	215	178	118	95	57
Initial Q (Q _b), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1737	1737	1737	1737	1737	1737
Adj Flow Rate, veh/h	101	253	209	139	112	71
Peak Hour Factor	0.85	0.85	0.85	0.85	0.85	0.80
Percent Heavy Veh, %	11	11	11	11	11	11
Cap, veh/h	591	1290	1290	575	268	239
Arrive On Green	0.39	0.39	0.39	0.39	0.16	0.16
Sat Flow, veh/h	959	3387	3387	1472	1654	1472
Grp Volume(v), veh/h	101	253	209	139	112	71
Grp Sat Flow(s), veh/h/ln	959	1650	1650	1472	1654	1472
Q Serve(g_s), s	2.2	1.4	1.2	1.8	1.7	1.2
Cycle Q Clear(g_c), s	3.3	1.4	1.2	1.8	1.7	1.2
Prop In Lane	1.00			1.00	1.00	1.00
Lane Grp Cap(c), veh/h	591	1290	1290	575	268	239
V/C Ratio(X)	0.17	0.20	0.16	0.24	0.42	0.30
Avail Cap(c_a), veh/h	2259	7028	7028	3134	1468	1306
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	6.7	5.7	5.6	5.8	10.6	10.4
Incr Delay (d2), s/veh	0.5	0.3	0.2	0.8	0.4	0.3
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.4	0.3	0.2	0.4	0.7	0.4
Unsig. Movement Delay, s/veh						
LnGrp Delay(d), s/veh	7.2	5.9	5.8	6.6	11.0	10.6
LnGrp LOS	A	A	A	A	B	B
Approach Vol, veh/h	354	348		183		
Approach Delay, s/veh	6.3	6.1		10.9		
Approach LOS	A	A		B		
Timer - Assigned Phs	2		4		6	
Phs Duration (G+Y+R _c), s	17.1		11.1		17.1	
Change Period (Y+R _c), s	* 6.1		* 6.5		* 6.1	
Max Green Setting (Gmax), s	* 60		* 25		* 60	
Max Q Clear Time (g_c+l1), s	5.3		3.7		3.8	
Green Ext Time (p_c), s	5.7		0.1		5.0	
Intersection Summary						
HCM 6th Ctrl Delay		7.2				
HCM 6th LOS		A				
Notes						

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.


Timing Report, Sorted By Phase
2: SR 80 & US 191

2050 No-Build AM



Phase Number	2	4	6
Movement	EBTL	SBL	WBT
Lead/Lag			
Lead-Lag Optimize			
Recall Mode	Min	None	Min
Maximum Split (s)	66.1	31.5	66.1
Maximum Split (%)	67.7%	32.3%	67.7%
Minimum Split (s)	24.1	24.5	24.1
Yellow Time (s)	5	4.3	5
All-Red Time (s)	1.1	2.2	1.1
Minimum Initial (s)	10	6	6
Vehicle Extension (s)	6	1.5	6
Minimum Gap (s)	3	3	3
Time Before Reduce (s)	0	0	0
Time To Reduce (s)	0	0	0
Walk Time (s)			
Flash Dont Walk (s)			
Dual Entry	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes
Start Time (s)	0	66.1	0
End Time (s)	66.1	0	66.1
Yield/Force Off (s)	60	91.1	60
Yield/Force Off 170(s)	60	91.1	60
Local Start Time (s)	0	66.1	0
Local Yield (s)	60	91.1	60
Local Yield 170(s)	60	91.1	60
Intersection Summary			
Cycle Length	97.6		
Control Type	Actuated-Uncoordinated		
Natural Cycle	50		

Splits and Phases: 2: SR 80 & US 191



HCM 6th Signalized Intersection Summary
2: SR 80 & US 191

2050 No-Build AM



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↑	↑↑	↑↑	↑	↑	↑
Traffic Volume (veh/h)	55	138	356	237	130	78
Future Volume (veh/h)	55	138	356	237	130	78
Initial Q (Q _b), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1737	1737	1737	1737	1737	1737
Adj Flow Rate, veh/h	69	172	419	279	153	92
Peak Hour Factor	0.80	0.80	0.85	0.85	0.85	0.85
Percent Heavy Veh, %	11	11	11	11	11	11
Cap, veh/h	494	1632	1632	728	253	225
Arrive On Green	0.49	0.49	0.49	0.49	0.15	0.15
Sat Flow, veh/h	694	3387	3387	1472	1654	1472
Grp Volume(v), veh/h	69	172	419	279	153	92
Grp Sat Flow(s), veh/h/ln	694	1650	1650	1472	1654	1472
Q Serve(g_s), s	2.3	1.0	2.6	4.2	3.1	2.0
Cycle Q Clear(g_c), s	4.9	1.0	2.6	4.2	3.1	2.0
Prop In Lane	1.00			1.00	1.00	1.00
Lane Grp Cap(c), veh/h	494	1632	1632	728	253	225
V/C Ratio(X)	0.14	0.11	0.26	0.38	0.60	0.41
Avail Cap(c_a), veh/h	1315	5536	5536	2469	1156	1029
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	6.7	4.8	5.2	5.6	14.1	13.7
Incr Delay (d2), s/veh	0.5	0.1	0.3	1.2	0.9	0.4
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.4	0.2	0.6	1.1	1.6	0.9
Unsig. Movement Delay, s/veh						
LnGrp Delay(d), s/veh	7.1	4.9	5.5	6.8	15.0	14.1
LnGrp LOS	A	A	A	A	B	B
Approach Vol, veh/h		241	698		245	
Approach Delay, s/veh		5.5	6.1		14.7	
Approach LOS		A	A		B	
Timer - Assigned Phs		2		4		6
Phs Duration (G+Y+Rc), s		23.8		12.0		23.8
Change Period (Y+Rc), s		* 6.1		* 6.5		* 6.1
Max Green Setting (Gmax), s		* 60		* 25		* 60
Max Q Clear Time (g_c+l1), s		6.9		5.1		6.2
Green Ext Time (p_c), s		4.1		0.2		11.5
Intersection Summary						
HCM 6th Ctrl Delay			7.7			
HCM 6th LOS			A			
Notes						

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.


Timing Report, Sorted By Phase
2: SR 80 & US 191

2050 No-Build PM



Phase Number	2	4	6
Movement	EBTL	SBL	WBT
Lead/Lag			
Lead-Lag Optimize			
Recall Mode	Min	None	Min
Maximum Split (s)	66.1	31.5	66.1
Maximum Split (%)	67.7%	32.3%	67.7%
Minimum Split (s)	24.1	24.5	24.1
Yellow Time (s)	5	4.3	5
All-Red Time (s)	1.1	2.2	1.1
Minimum Initial (s)	10	6	6
Vehicle Extension (s)	6	1.5	6
Minimum Gap (s)	3	3	3
Time Before Reduce (s)	0	0	0
Time To Reduce (s)	0	0	0
Walk Time (s)			
Flash Dont Walk (s)			
Dual Entry	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes
Start Time (s)	0	66.1	0
End Time (s)	66.1	0	66.1
Yield/Force Off (s)	60	91.1	60
Yield/Force Off 170(s)	60	91.1	60
Local Start Time (s)	0	66.1	0
Local Yield (s)	60	91.1	60
Local Yield 170(s)	60	91.1	60
Intersection Summary			
Cycle Length	97.6		
Control Type	Actuated-Uncoordinated		
Natural Cycle	50		

Splits and Phases: 2: SR 80 & US 191



HCM 6th Signalized Intersection Summary
2: SR 80 & US 191

2050 No-Build PM



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↑	↑↑	↑↑	↑	↑	↑
Traffic Volume (veh/h)	133	332	275	183	147	88
Future Volume (veh/h)	133	332	275	183	147	88
Initial Q (Q _b), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1737	1737	1737	1737	1737	1737
Adj Flow Rate, veh/h	156	391	324	215	173	104
Peak Hour Factor	0.85	0.85	0.85	0.85	0.85	0.85
Percent Heavy Veh, %	11	11	11	11	11	11
Cap, veh/h	559	1671	1671	745	253	225
Arrive On Green	0.51	0.51	0.51	0.51	0.15	0.15
Sat Flow, veh/h	805	3387	3387	1472	1654	1472
Grp Volume(v), veh/h	156	391	324	215	173	104
Grp Sat Flow(s), veh/h/ln	805	1650	1650	1472	1654	1472
Q Serve(g_s), s	4.9	2.5	2.0	3.1	3.7	2.4
Cycle Q Clear(g_c), s	6.9	2.5	2.0	3.1	3.7	2.4
Prop In Lane	1.00			1.00	1.00	1.00
Lane Grp Cap(c), veh/h	559	1671	1671	745	253	225
V/C Ratio(X)	0.28	0.23	0.19	0.29	0.68	0.46
Avail Cap(c_a), veh/h	1457	5355	5355	2389	1118	995
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	6.9	5.1	5.0	5.3	14.8	14.3
Incr Delay (d2), s/veh	1.0	0.3	0.2	0.8	1.2	0.5
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.8	0.5	0.4	0.8	1.9	1.1
Unsig. Movement Delay, s/veh						
LnGrp Delay(d), s/veh	7.8	5.4	5.2	6.0	16.0	14.8
LnGrp LOS	A	A	A	A	B	B
Approach Vol, veh/h	547	539		277		
Approach Delay, s/veh	6.1	5.5		15.6		
Approach LOS	A	A		B		
Timer - Assigned Phs	2		4		6	
Phs Duration (G+Y+R _c), s	24.8		12.2		24.8	
Change Period (Y+R _c), s	* 6.1		* 6.5		* 6.1	
Max Green Setting (Gmax), s	* 60		* 25		* 60	
Max Q Clear Time (g_c+l1), s	8.9		5.7		5.1	
Green Ext Time (p_c), s	9.9		0.2		8.3	
Intersection Summary						
HCM 6th Ctrl Delay		7.8				
HCM 6th LOS		A				
Notes						

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.


Timing Report, Sorted By Phase
2: US 191 & SR 80

Opening Year AM



Phase Number	2	4	6	8
Movement	EBTL	SBTL	WBTL	NBTL
Lead/Lag				
Lead-Lag Optimize				
Recall Mode	Min	None	Min	None
Maximum Split (s)	66.1	31.5	66.1	31.5
Maximum Split (%)	67.7%	32.3%	67.7%	32.3%
Minimum Split (s)	24.1	24.5	24.1	24.5
Yellow Time (s)	5	4.3	5	4.3
All-Red Time (s)	1.1	2.2	1.1	2.2
Minimum Initial (s)	10	6	10	6
Vehicle Extension (s)	6	1.5	6	1.5
Minimum Gap (s)	3	3	3	3
Time Before Reduce (s)	0	0	0	0
Time To Reduce (s)	0	0	0	0
Walk Time (s)				
Flash Dont Walk (s)				
Dual Entry	Yes	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes
Start Time (s)	0	66.1	0	66.1
End Time (s)	66.1	0	66.1	0
Yield/Force Off (s)	60	91.1	60	91.1
Yield/Force Off 170(s)	60	91.1	60	91.1
Local Start Time (s)	0	66.1	0	66.1
Local Yield (s)	60	91.1	60	91.1
Local Yield 170(s)	60	91.1	60	91.1
Intersection Summary				
Cycle Length	97.6			
Control Type	Actuated-Uncoordinated			
Natural Cycle	50			

Splits and Phases: 2: US 191 & SR 80



HCM 6th Signalized Intersection Summary
2: US 191 & SR 80

Opening Year AM

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑ ↗	↑ ↘	↗ ↖	↖ ↙	↑ ↗	↑ ↘	↗ ↖	↖ ↙	↑ ↗	↑ ↘	↗ ↖	↖ ↙
Traffic Volume (veh/h)	88	134	65	6	393	118	49	36	4	55	47	103
Future Volume (veh/h)	88	134	65	6	393	118	49	36	4	55	47	103
Initial Q (Q _b), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach	No		No		No		No		No		No	
Adj Sat Flow, veh/h/ln	1189	1663	1870	1870	1663	1737	1870	1870	1870	1500	1870	1485
Adj Flow Rate, veh/h	104	168	81	8	462	139	61	45	5	69	55	121
Peak Hour Factor	0.85	0.80	0.80	0.80	0.85	0.85	0.80	0.80	0.80	0.80	0.85	0.85
Percent Heavy Veh, %	48	16	2	2	16	11	2	2	2	27	2	28
Cap, veh/h	389	1492	748	691	1492	695	311	322	36	377	101	223
Arrive On Green	0.47	0.47	0.47	0.47	0.47	0.47	0.19	0.19	0.19	0.19	0.19	0.19
Sat Flow, veh/h	520	3159	1585	1131	3159	1472	1209	1654	184	1087	520	1144
Grp Volume(v), veh/h	104	168	81	8	462	139	61	0	50	69	0	176
Grp Sat Flow(s), veh/h/ln	520	1580	1585	1131	1580	1472	1209	0	1837	1087	0	1664
Q Serve(g_s), s	5.8	1.1	1.1	0.2	3.4	2.1	1.8	0.0	0.9	2.1	0.0	3.6
Cycle Q Clear(g_c), s	9.3	1.1	1.1	1.3	3.4	2.1	5.4	0.0	0.9	3.0	0.0	3.6
Prop In Lane	1.00		1.00	1.00		1.00	1.00		0.10	1.00		0.69
Lane Grp Cap(c), veh/h	389	1492	748	691	1492	695	311	0	358	377	0	324
V/C Ratio(X)	0.27	0.11	0.11	0.01	0.31	0.20	0.20	0.00	0.14	0.18	0.00	0.54
Avail Cap(c_a), veh/h	968	5011	2514	1950	5011	2335	874	0	1214	884	0	1100
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	9.0	5.6	5.6	5.9	6.2	5.8	16.2	0.0	12.6	13.8	0.0	13.7
Incr Delay (d2), s/veh	1.3	0.1	0.2	0.0	0.4	0.5	0.1	0.0	0.1	0.1	0.0	0.5
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	0.8	0.3	0.3	0.0	0.9	0.6	0.7	0.0	0.5	0.7	0.0	1.8
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	10.4	5.7	5.8	5.9	6.6	6.3	16.3	0.0	12.7	13.9	0.0	14.2
LnGrp LOS	B	A	A	A	A	A	B	A	B	B	A	B
Approach Vol, veh/h	353				609			111			245	
Approach Delay, s/veh	7.1				6.5			14.6			14.2	
Approach LOS	A				A			B			B	
Timer - Assigned Phs	2		4		6		8					
Phs Duration (G+Y+Rc), s	24.0		13.9		24.0		13.9					
Change Period (Y+Rc), s	* 6.1		* 6.5		* 6.1		* 6.5					
Max Green Setting (Gmax), s	* 60		* 25		* 60		* 25					
Max Q Clear Time (g_c+l1), s	11.3		5.6		5.4		7.4					
Green Ext Time (p_c), s	6.6		0.5		10.2		0.1					
Intersection Summary												
HCM 6th Ctrl Delay			8.8									
HCM 6th LOS			A									
Notes												
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.												


Timing Report, Sorted By Phase
2: US 191 & SR 80

Opening Year PM



Phase Number	2	4	6	8
Movement	EBTL	SBTL	WBTL	NBTL
Lead/Lag				
Lead-Lag Optimize				
Recall Mode	Min	None	Min	None
Maximum Split (s)	66.1	31.5	66.1	31.5
Maximum Split (%)	67.7%	32.3%	67.7%	32.3%
Minimum Split (s)	24.1	24.5	24.1	24.5
Yellow Time (s)	5	4.3	5	4.3
All-Red Time (s)	1.1	2.2	1.1	2.2
Minimum Initial (s)	10	6	10	6
Vehicle Extension (s)	6	1.5	6	1.5
Minimum Gap (s)	3	3	3	3
Time Before Reduce (s)	0	0	0	0
Time To Reduce (s)	0	0	0	0
Walk Time (s)				
Flash Dont Walk (s)				
Dual Entry	Yes	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes
Start Time (s)	0	66.1	0	66.1
End Time (s)	66.1	0	66.1	0
Yield/Force Off (s)	60	91.1	60	91.1
Yield/Force Off 170(s)	60	91.1	60	91.1
Local Start Time (s)	0	66.1	0	66.1
Local Yield (s)	60	91.1	60	91.1
Local Yield 170(s)	60	91.1	60	91.1
Intersection Summary				
Cycle Length	97.6			
Control Type	Actuated-Uncoordinated			
Natural Cycle	55			

Splits and Phases: 2: US 191 & SR 80



HCM 6th Signalized Intersection Summary
2: US 191 & SR 80

Opening Year PM

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑ ↗	↑ ↘	↗ ↗	↖ ↗	↑ ↗	↗ ↗	↖ ↗	↖ ↗	↑ ↗	↖ ↗	↑ ↗	↖ ↗
Traffic Volume (veh/h)	166	370	113	10	212	82	51	37	5	32	82	87
Future Volume (veh/h)	166	370	113	10	212	82	51	37	5	32	82	87
Initial Q (Q _b), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach	No			No			No		No		No	
Adj Sat Flow, veh/h/ln	1426	1663	1870	1870	1693	1737	1870	1870	1870	1530	1870	1485
Adj Flow Rate, veh/h	195	435	133	12	249	96	64	46	6	40	96	102
Peak Hour Factor	0.85	0.85	0.85	0.80	0.85	0.85	0.80	0.80	0.80	0.80	0.85	0.85
Percent Heavy Veh, %	32	16	2	2	14	11	2	2	2	25	2	28
Cap, veh/h	543	1694	850	592	1724	789	264	324	42	346	166	176
Arrive On Green	0.54	0.54	0.54	0.54	0.54	0.54	0.20	0.20	0.20	0.20	0.20	0.20
Sat Flow, veh/h	790	3159	1585	954	3216	1472	1185	1621	211	1106	830	882
Grp Volume(v), veh/h	195	435	133	12	249	96	64	0	52	40	0	198
Grp Sat Flow(s), veh/h/ln	790	1580	1585	954	1608	1472	1185	0	1832	1106	0	1712
Q Serve(g_s), s	7.9	3.5	2.0	0.3	1.9	1.5	2.5	0.0	1.1	1.5	0.0	5.0
Cycle Q Clear(g_c), s	9.7	3.5	2.0	3.9	1.9	1.5	7.5	0.0	1.1	2.6	0.0	5.0
Prop In Lane	1.00		1.00	1.00		1.00	1.00		0.12	1.00		0.52
Lane Grp Cap(c), veh/h	543	1694	850	592	1724	789	264	0	366	346	0	342
V/C Ratio(X)	0.36	0.26	0.16	0.02	0.14	0.12	0.24	0.00	0.14	0.12	0.00	0.58
Avail Cap(c_a), veh/h	1113	3973	1993	1279	4044	1851	648	0	960	705	0	897
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	8.0	6.0	5.6	7.0	5.6	5.5	20.7	0.0	15.7	16.8	0.0	17.3
Incr Delay (d2), s/veh	1.5	0.3	0.3	0.0	0.1	0.2	0.2	0.0	0.1	0.1	0.0	0.6
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	1.6	1.1	0.7	0.1	0.6	0.5	1.1	0.0	0.8	0.6	0.0	2.9
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	9.5	6.2	5.9	7.0	5.7	5.7	20.8	0.0	15.8	16.8	0.0	17.9
LnGrp LOS	A	A	A	A	A	A	C	A	B	B	A	B
Approach Vol, veh/h	763				357			116			238	
Approach Delay, s/veh	7.0				5.8			18.6			17.7	
Approach LOS	A				A			B			B	
Timer - Assigned Phs	2		4		6		8					
Phs Duration (G+Y+R _c), s	31.7		16.0		31.7		16.0					
Change Period (Y+R _c), s	* 6.1		* 6.5		* 6.1		* 6.5					
Max Green Setting (Gmax), s	* 60		* 25		* 60		* 25					
Max Q Clear Time (g_c+l1), s	11.7		7.0		5.9		9.5					
Green Ext Time (p_c), s	13.9		0.5		5.4		0.2					
Intersection Summary												
HCM 6th Ctrl Delay			9.3									
HCM 6th LOS			A									
Notes												
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.												

Timing Report, Sorted By Phase
2: US 191 & SR 80

Horizon Year AM




Phase Number	1	2	4	5	6	8
Movement	WBL	EBTL	SBTL	EBL	WBTL	NBTL
Lead/Lag	Lead	Lag		Lead	Lag	
Lead-Lag Optimize	Yes	Yes		Yes	Yes	
Recall Mode	None	Min	None	None	Min	None
Maximum Split (s)	12	50	28	17	45	28
Maximum Split (%)	13.3%	55.6%	31.1%	18.9%	50.0%	31.1%
Minimum Split (s)	9.5	24.1	24.5	9.5	24.1	24.5
Yellow Time (s)	3.5	5	4.3	3.5	5	4.3
All-Red Time (s)	1	1.1	2.2	1	1.1	2.2
Minimum Initial (s)	5	10	6	5	10	6
Vehicle Extension (s)	3	6	1.5	3	6	1.5
Minimum Gap (s)	3	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0	0
Walk Time (s)						
Flash Dont Walk (s)						
Dual Entry	No	Yes	Yes	No	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes	Yes
Start Time (s)	0	12	62	0	17	62
End Time (s)	12	62	0	17	62	0
Yield/Force Off (s)	7.5	55.9	83.5	12.5	55.9	83.5
Yield/Force Off 170(s)	7.5	55.9	83.5	12.5	55.9	83.5
Local Start Time (s)	78	0	50	78	5	50
Local Yield (s)	85.5	43.9	71.5	0.5	43.9	71.5
Local Yield 170(s)	85.5	43.9	71.5	0.5	43.9	71.5

Intersection Summary

Cycle Length	90
Control Type	Actuated-Uncoordinated
Natural Cycle	75

Splits and Phases: 2: US 191 & SR 80



HCM 6th Signalized Intersection Summary
2: US 191 & SR 80

Horizon Year AM

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑ ↗	↑ ↘	↗ ↖	↖ ↙	↑ ↗	↑ ↘	↗ ↖	↖ ↙	↑ ↗	↑ ↘	↗ ↖	↖ ↙
Traffic Volume (veh/h)	162	402	100	9	987	182	76	55	7	80	73	222
Future Volume (veh/h)	162	402	100	9	987	182	76	55	7	80	73	222
Initial Q (Q _b), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach	No			No			No			No		
Adj Sat Flow, veh/h/ln	1307	1633	1870	1870	1648	1737	1870	1870	1870	1544	1870	1544
Adj Flow Rate, veh/h	191	473	118	11	1097	214	89	69	9	94	86	261
Peak Hour Factor	0.85	0.85	0.85	0.80	0.90	0.85	0.85	0.80	0.80	0.85	0.85	0.85
Percent Heavy Veh, %	40	18	2	2	17	11	2	2	2	24	2	24
Cap, veh/h	254	1637	836	471	1370	644	144	414	54	328	104	317
Arrive On Green	0.10	0.53	0.53	0.01	0.44	0.44	0.26	0.26	0.26	0.26	0.26	0.26
Sat Flow, veh/h	1245	3103	1585	1781	3131	1472	1034	1621	211	1091	408	1239
Grp Volume(v), veh/h	191	473	118	11	1097	214	89	0	78	94	0	347
Grp Sat Flow(s), veh/h/ln	1245	1552	1585	1781	1566	1472	1034	0	1832	1091	0	1647
Q Serve(g_s), s	6.6	7.1	3.2	0.3	25.5	8.0	4.8	0.0	2.8	6.2	0.0	16.7
Cycle Q Clear(g_c), s	6.6	7.1	3.2	0.3	25.5	8.0	21.5	0.0	2.8	9.0	0.0	16.7
Prop In Lane	1.00		1.00	1.00		1.00	1.00		0.12	1.00		0.75
Lane Grp Cap(c), veh/h	254	1637	836	471	1370	644	144	0	468	328	0	421
V/C Ratio(X)	0.75	0.29	0.14	0.02	0.80	0.33	0.62	0.00	0.17	0.29	0.00	0.82
Avail Cap(c_a), veh/h	310	1637	836	606	1448	681	144	0	468	328	0	421
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	17.2	11.1	10.1	12.8	20.5	15.6	40.5	0.0	24.3	27.8	0.0	29.5
Incr Delay (d2), s/veh	8.0	0.4	0.3	0.0	4.5	1.1	5.7	0.0	0.1	0.2	0.0	11.8
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	3.5	3.7	1.7	0.2	13.4	4.5	3.6	0.0	2.0	2.7	0.0	11.9
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	25.2	11.4	10.4	12.8	25.0	16.7	46.2	0.0	24.4	28.0	0.0	41.3
LnGrp LOS	C	B	B	B	C	B	D	A	C	C	A	D
Approach Vol, veh/h		782			1322			167			441	
Approach Delay, s/veh		14.6			23.5			36.0			38.5	
Approach LOS		B			C			D			D	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+R _c), s	5.6	50.5		28.0	13.2	42.9		28.0				
Change Period (Y+R _c), s	4.5	* 6.1		* 6.5	4.5	* 6.1		* 6.5				
Max Green Setting (Gmax), s	7.5	* 44		* 22	12.5	* 39		* 22				
Max Q Clear Time (g_c+l1), s	2.3	9.1		18.7	8.6	27.5		23.5				
Green Ext Time (p_c), s	0.0	9.0		0.4	0.2	9.3		0.0				
Intersection Summary												
HCM 6th Ctrl Delay			24.2									
HCM 6th LOS			C									
Notes												
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.												

Timing Report, Sorted By Phase
2: US 191 & SR 80

Horizon Year PM



Phase Number	1	2	4	5	6	8
Movement	WBL	EBTL	SBTL	EBL	WBTL	NBTL
Lead/Lag	Lead	Lag		Lead	Lag	
Lead-Lag Optimize	Yes	Yes		Yes	Yes	
Recall Mode	None	Min	None	None	Min	None
Maximum Split (s)	12	48	30	20	40	30
Maximum Split (%)	13.3%	53.3%	33.3%	22.2%	44.4%	33.3%
Minimum Split (s)	9.5	24.1	24.5	9.5	24.1	24.5
Yellow Time (s)	3.5	5	4.3	3.5	5	4.3
All-Red Time (s)	1	1.1	2.2	1	1.1	2.2
Minimum Initial (s)	5	10	6	5	10	6
Vehicle Extension (s)	3	6	1.5	3	6	1.5
Minimum Gap (s)	3	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0	0
Walk Time (s)						
Flash Dont Walk (s)						
Dual Entry	No	Yes	Yes	No	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes	Yes
Start Time (s)	0	12	60	0	20	60
End Time (s)	12	60	0	20	60	0
Yield/Force Off (s)	7.5	53.9	83.5	15.5	53.9	83.5
Yield/Force Off 170(s)	7.5	53.9	83.5	15.5	53.9	83.5
Local Start Time (s)	78	0	48	78	8	48
Local Yield (s)	85.5	41.9	71.5	3.5	41.9	71.5
Local Yield 170(s)	85.5	41.9	71.5	3.5	41.9	71.5

Intersection Summary

Cycle Length	90
Control Type	Actuated-Uncoordinated
Natural Cycle	70

Splits and Phases: 2: US 191 & SR 80



HCM 6th Signalized Intersection Summary
2: US 191 & SR 80

Horizon Year PM

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑	↑↑	↑	↑	↑↑	↑	↑	↑↑	↑	↑	↑↑	↑
Traffic Volume (veh/h)	332	1050	174	16	478	126	78	57	7	44	127	157
Future Volume (veh/h)	332	1050	174	16	478	126	78	57	7	44	127	157
Initial Q (Q _b), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach	No			No			No			No		
Adj Sat Flow, veh/h/ln	1485	1633	1870	1870	1663	1737	1870	1870	1870	1559	1870	1530
Adj Flow Rate, veh/h	391	1167	205	20	562	148	92	71	9	55	149	185
Peak Hour Factor	0.85	0.90	0.85	0.80	0.85	0.85	0.85	0.80	0.80	0.80	0.85	0.85
Percent Heavy Veh, %	28	18	2	2	16	11	2	2	2	23	2	25
Cap, veh/h	455	1496	764	210	992	462	204	464	59	366	216	269
Arrive On Green	0.19	0.48	0.48	0.02	0.31	0.31	0.29	0.29	0.29	0.29	0.29	0.29
Sat Flow, veh/h	1414	3103	1585	1781	3159	1472	1046	1627	206	1099	759	942
Grp Volume(v), veh/h	391	1167	205	20	562	148	92	0	80	55	0	334
Grp Sat Flow(s), veh/h/ln	1414	1552	1585	1781	1580	1472	1046	0	1833	1099	0	1701
Q Serve(g_s), s	14.6	25.4	6.3	0.6	12.1	6.2	7.0	0.0	2.7	3.2	0.0	14.2
Cycle Q Clear(g_c), s	14.6	25.4	6.3	0.6	12.1	6.2	21.2	0.0	2.7	5.9	0.0	14.2
Prop In Lane	1.00		1.00	1.00		1.00	1.00		0.11	1.00		0.55
Lane Grp Cap(c), veh/h	455	1496	764	210	992	462	204	0	523	366	0	485
V/C Ratio(X)	0.86	0.78	0.27	0.10	0.57	0.32	0.45	0.00	0.15	0.15	0.00	0.69
Avail Cap(c_a), veh/h	455	1599	817	335	1317	614	208	0	530	370	0	491
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	15.4	17.5	12.5	19.0	23.3	21.3	35.3	0.0	21.7	23.9	0.0	25.9
Incr Delay (d2), s/veh	15.1	3.6	0.7	0.2	1.8	1.4	0.6	0.0	0.0	0.1	0.0	3.3
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	9.3	12.6	3.5	0.4	7.5	3.7	3.2	0.0	2.0	1.4	0.0	9.6
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	30.6	21.1	13.2	19.2	25.1	22.7	35.8	0.0	21.8	24.0	0.0	29.1
LnGrp LOS	C	C	B	B	C	C	D	A	C	C	A	C
Approach Vol, veh/h		1763			730			172			389	
Approach Delay, s/veh		22.3			24.5			29.3			28.4	
Approach LOS		C			C			C			C	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+R _c), s	6.3	45.3		29.7	20.0	31.6		29.7				
Change Period (Y+R _c), s	4.5	* 6.1		* 6.5	4.5	* 6.1		* 6.5				
Max Green Setting (Gmax), s	7.5	* 42		* 24	15.5	* 34		* 24				
Max Q Clear Time (g_c+l1), s	2.6	27.4		16.2	16.6	14.1		23.2				
Green Ext Time (p_c), s	0.0	11.8		0.6	0.0	8.5		0.0				
Intersection Summary												
HCM 6th Ctrl Delay		24.0										
HCM 6th LOS		C										
Notes												
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.												

IPOE East Intersection
(2028/2050 Build)

Intersection

Intersection Delay, s/veh 8.9

Intersection LOS A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	1	1	1	1	1	1	1	1	1	1	1	1
Traffic Vol, veh/h	52	5	5	5	5	30	5	5	5	58	50	69
Future Vol, veh/h	52	5	5	5	5	30	5	5	5	58	50	69
Peak Hour Factor	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.85	0.85	0.80
Heavy Vehicles, %	71	2	2	2	2	20	2	2	2	20	2	58
Mvmt Flow	65	6	6	6	6	38	6	6	6	68	59	86
Number of Lanes	1	1	0	0	1	0	0	1	0	0	1	1
Approach	EB		WB			NB			SB			
Opposing Approach	WB		EB			NB			SB			NB
Opposing Lanes	1		2			2			2			1
Conflicting Approach Left	SB		NB			EB			WB			WB
Conflicting Lanes Left	2		1			2			1			1
Conflicting Approach Right	NB		SB			WB			EB			EB
Conflicting Lanes Right	1		2			1			2			2
HCM Control Delay	10		8.2			8.2			8.2			8.7
HCM LOS	A		A			A			A			A

Lane	NBLn1	EBLn1	EBLn2	WBLn1	SBLn1	SBLn2
Vol Left, %	33%	100%	0%	12%	54%	0%
Vol Thru, %	33%	0%	50%	12%	46%	0%
Vol Right, %	33%	0%	50%	75%	0%	100%
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop
Traffic Vol by Lane	15	52	10	40	108	69
LT Vol	5	52	0	5	58	0
Through Vol	5	0	5	5	50	0
RT Vol	5	0	5	30	0	69
Lane Flow Rate	19	65	12	50	127	86
Geometry Grp	4b	5	5	4b	5	5
Degree of Util (X)	0.026	0.123	0.017	0.067	0.194	0.101
Departure Headway (Hd)	5.027	6.838	4.806	4.803	5.506	4.228
Convergence, Y/N	Yes	Yes	Yes	Yes	Yes	Yes
Cap	713	526	746	747	654	850
Service Time	3.051	4.562	2.529	2.826	3.222	1.943
HCM Lane V/C Ratio	0.027	0.124	0.016	0.067	0.194	0.101
HCM Control Delay	8.2	10.5	7.6	8.2	9.5	7.4
HCM Lane LOS	A	B	A	A	A	A
HCM 95th-tile Q	0.1	0.4	0.1	0.2	0.7	0.3

Intersection

Intersection Delay, s/veh 9.1

Intersection LOS A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	1	1	1	1	1	1	1	1	1	1	1	1
Traffic Vol, veh/h	79	5	5	5	5	74	5	50	5	23	50	48
Future Vol, veh/h	79	5	5	5	5	74	5	50	5	23	50	48
Peak Hour Factor	0.85	0.80	0.80	0.85	0.85	0.85	0.80	0.80	0.80	0.80	0.80	0.80
Heavy Vehicles, %	53	2	2	2	2	20	2	2	2	20	2	76
Mvmt Flow	93	6	6	6	6	87	6	63	6	29	63	60
Number of Lanes	1	1	0	0	1	0	0	1	0	0	1	1
Approach	EB		WB			NB			SB			
Opposing Approach	WB		EB			NB			SB			NB
Opposing Lanes	1		2			2			2			1
Conflicting Approach Left	SB		NB			EB			WB			WB
Conflicting Lanes Left	2		1			2			1			1
Conflicting Approach Right	NB		SB			WB			EB			EB
Conflicting Lanes Right	1		2			1			2			2
HCM Control Delay	10.3		8.5			9			8.6			
HCM LOS	B		A			A			A			

Lane	NBLn1	EBLn1	EBLn2	WBLn1	SBLn1	SBLn2
Vol Left, %	8%	100%	0%	6%	32%	0%
Vol Thru, %	83%	0%	50%	6%	68%	0%
Vol Right, %	8%	0%	50%	88%	0%	100%
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop
Traffic Vol by Lane	60	79	10	84	73	48
LT Vol	5	79	0	5	23	0
Through Vol	50	0	5	5	50	0
RT Vol	5	0	5	74	0	48
Lane Flow Rate	75	93	12	99	91	60
Geometry Grp	4b	5	5	4b	5	5
Degree of Util (X)	0.11	0.17	0.017	0.131	0.143	0.075
Departure Headway (Hd)	5.269	6.582	4.855	4.765	5.651	4.482
Convergence, Y/N	Yes	Yes	Yes	Yes	Yes	Yes
Cap	680	546	736	751	635	799
Service Time	3.308	4.32	2.593	2.803	3.384	2.214
HCM Lane V/C Ratio	0.11	0.17	0.016	0.132	0.143	0.075
HCM Control Delay	9	10.7	7.7	8.5	9.3	7.6
HCM Lane LOS	A	B	A	A	A	A
HCM 95th-tile Q	0.4	0.6	0.1	0.4	0.5	0.2

Intersection				
Approach	EB	WB	NB	SB
Entry Lanes	1	1	1	1
Conflicting Circle Lanes	1	1	1	1
Adj Approach Flow, veh/h	148	142	36	453
Demand Flow Rate, veh/h	212	166	36	571
Vehicles Circulating, veh/h	328	212	459	36
Vehicles Exiting, veh/h	279	283	81	342
Ped Vol Crossing Leg, #/h	0	0	0	0
Ped Cap Adj	1.000	1.000	1.000	1.000
Approach Delay, s/veh	7.7	5.2	4.6	8.1
Approach LOS	A	A	A	A
Lane	Left	Left	Left	Left
Designated Moves	LTR	LTR	LTR	LTR
Assumed Moves	LTR	LTR	LTR	LTR
RT Channelized				
Lane Util	1.000	1.000	1.000	1.000
Follow-Up Headway, s	2.609	2.609	2.609	2.609
Critical Headway, s	4.976	4.976	4.976	4.976
Entry Flow, veh/h	212	166	36	571
Cap Entry Lane, veh/h	988	1112	864	1330
Entry HV Adj Factor	0.697	0.854	0.993	0.793
Flow Entry, veh/h	148	142	36	453
Cap Entry, veh/h	688	949	858	1055
V/C Ratio	0.215	0.149	0.042	0.429
Control Delay, s/veh	7.7	5.2	4.6	8.1
LOS	A	A	A	A
95th %tile Queue, veh	1	1	0	2

Intersection				
Approach	EB	WB	NB	SB
Entry Lanes	1	1	1	1
Conflicting Circle Lanes	1	1	1	1
Adj Approach Flow, veh/h	255	312	86	256
Demand Flow Rate, veh/h	340	370	87	335
Vehicles Circulating, veh/h	181	391	437	36
Vehicles Exiting, veh/h	190	133	84	725
Ped Vol Crossing Leg, #/h	0	0	0	0
Ped Cap Adj	1.000	1.000	1.000	1.000
Approach Delay, s/veh	7.4	9.6	5.1	6.0
Approach LOS	A	A	A	A
Lane	Left	Left	Left	Left
Designated Moves	LTR	LTR	LTR	LTR
Assumed Moves	LTR	LTR	LTR	LTR
RT Channelized				
Lane Util	1.000	1.000	1.000	1.000
Follow-Up Headway, s	2.609	2.609	2.609	2.609
Critical Headway, s	4.976	4.976	4.976	4.976
Entry Flow, veh/h	340	370	87	335
Cap Entry Lane, veh/h	1147	926	884	1330
Entry HV Adj Factor	0.749	0.843	0.986	0.764
Flow Entry, veh/h	255	312	86	256
Cap Entry, veh/h	860	780	871	1016
V/C Ratio	0.296	0.400	0.098	0.252
Control Delay, s/veh	7.4	9.6	5.1	6.0
LOS	A	A	A	A
95th %tile Queue, veh	1	2	0	1

IPOE West Intersection
(2028/2050 Build)

Intersection

Intersection Delay, s/veh 8.6

Intersection LOS A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔		↑	↔			↔			↔	
Traffic Vol, veh/h	5	15	5	33	29	7	5	5	33	6	5	5
Future Vol, veh/h	5	15	5	33	29	7	5	5	33	6	5	5
Peak Hour Factor	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80
Heavy Vehicles, %	2	20	100	100	20	20	100	100	100	13	100	2
Mvmt Flow	6	19	6	41	36	9	6	6	41	8	6	6
Number of Lanes	0	1	0	1	1	0	0	1	0	0	1	0
Approach	EB			WB			NB			SB		
Opposing Approach	WB			EB			SB			NB		
Opposing Lanes	2			1			1			1		
Conflicting Approach Left	SB			NB			EB			WB		
Conflicting Lanes Left	1			1			1			2		
Conflicting Approach Right	NB			SB			WB			EB		
Conflicting Lanes Right	1			1			2			1		
HCM Control Delay	7.4			9.1			9			7.5		
HCM LOS	A			A			A			A		

Lane	NBLn1	EBLn1	WBLn1	WBLn2	SBLn1
Vol Left, %	12%	20%	100%	0%	38%
Vol Thru, %	12%	60%	0%	81%	31%
Vol Right, %	77%	20%	0%	19%	31%
Sign Control	Stop	Stop	Stop	Stop	Stop
Traffic Vol by Lane	43	25	33	36	16
LT Vol	5	5	33	0	6
Through Vol	5	15	0	29	5
RT Vol	33	5	0	7	5
Lane Flow Rate	54	31	41	45	20
Geometry Grp	2	4a	5	5	2
Degree of Util (X)	0.082	0.037	0.078	0.061	0.024
Departure Headway (Hd)	5.514	4.275	6.849	4.85	4.408
Convergence, Y/N	Yes	Yes	Yes	Yes	Yes
Cap	654	842	520	730	816
Service Time	3.516	2.279	4.635	2.635	2.412
HCM Lane V/C Ratio	0.083	0.037	0.079	0.062	0.025
HCM Control Delay	9	7.4	10.2	8	7.5
HCM Lane LOS	A	A	B	A	A
HCM 95th-tile Q	0.3	0.1	0.3	0.2	0.1

Intersection

Intersection Delay, s/veh 8.6

Intersection LOS A

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔		↑	↔			↔			↔	
Traffic Vol, veh/h	5	37	5	33	12	6	5	5	33	9	5	5
Future Vol, veh/h	5	37	5	33	12	6	5	5	33	9	5	5
Peak Hour Factor	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80
Heavy Vehicles, %	2	20	100	100	20	10	100	100	100	20	100	2
Mvmt Flow	6	46	6	41	15	8	6	6	41	11	6	6
Number of Lanes	0	1	0	1	1	0	0	1	0	0	1	0
Approach	EB			WB			NB			SB		
Opposing Approach	WB			EB			SB			NB		
Opposing Lanes	2			1			1			1		
Conflicting Approach Left	SB			NB			EB			WB		
Conflicting Lanes Left	1			1			1			2		
Conflicting Approach Right	NB			SB			WB			EB		
Conflicting Lanes Right	1			1			2			1		
HCM Control Delay	7.6			9.4			9			7.7		
HCM LOS	A			A			A			A		

Lane	NBLn1	EBLn1	WBLn1	WBLn2	SBLn1
Vol Left, %	12%	11%	100%	0%	47%
Vol Thru, %	12%	79%	0%	67%	26%
Vol Right, %	77%	11%	0%	33%	26%
Sign Control	Stop	Stop	Stop	Stop	Stop
Traffic Vol by Lane	43	47	33	18	19
LT Vol	5	5	33	0	9
Through Vol	5	37	0	12	5
RT Vol	33	5	0	6	5
Lane Flow Rate	54	59	41	22	24
Geometry Grp	2	4a	5	5	2
Degree of Util (X)	0.083	0.07	0.08	0.03	0.03
Departure Headway (Hd)	5.526	4.298	6.97	4.773	4.584
Convergence, Y/N	Yes	Yes	Yes	Yes	Yes
Cap	651	837	517	739	784
Service Time	3.533	2.307	4.67	2.571	2.593
HCM Lane V/C Ratio	0.083	0.07	0.079	0.03	0.031
HCM Control Delay	9	7.6	10.3	7.7	7.7
HCM Lane LOS	A	A	B	A	A
HCM 95th-tile Q	0.3	0.2	0.3	0.1	0.1

Intersection				
Approach	EB	WB	NB	SB
Entry Lanes	1	1	1	1
Conflicting Circle Lanes	1	1	1	1
Adj Approach Flow, veh/h	76	177	68	36
Demand Flow Rate, veh/h	98	249	136	50
Vehicles Circulating, veh/h	131	55	93	240
Vehicles Exiting, veh/h	159	174	136	64
Ped Vol Crossing Leg, #/h	0	0	0	0
Ped Cap Adj	1.000	1.000	1.000	1.000
Approach Delay, s/veh	4.6	5.7	7.0	5.1
Approach LOS	A	A	A	A
Lane	Left	Left	Left	Left
Designated Moves	LTR	LTR	LTR	LTR
Assumed Moves	LTR	LTR	LTR	LTR
RT Channelized				
Lane Util	1.000	1.000	1.000	1.000
Follow-Up Headway, s	2.609	2.609	2.609	2.609
Critical Headway, s	4.976	4.976	4.976	4.976
Entry Flow, veh/h	98	249	136	50
Cap Entry Lane, veh/h	1207	1305	1255	1080
Entry HV Adj Factor	0.777	0.711	0.500	0.720
Flow Entry, veh/h	76	177	68	36
Cap Entry, veh/h	938	927	627	778
V/C Ratio	0.081	0.191	0.108	0.046
Control Delay, s/veh	4.6	5.7	7.0	5.1
LOS	A	A	A	A
95th %tile Queue, veh	0	1	0	0

Intersection				
Approach	EB	WB	NB	SB
Entry Lanes	1	1	1	1
Conflicting Circle Lanes	1	1	1	1
Adj Approach Flow, veh/h	156	100	68	56
Demand Flow Rate, veh/h	194	157	136	74
Vehicles Circulating, veh/h	155	55	213	163
Vehicles Exiting, veh/h	82	294	136	49
Ped Vol Crossing Leg, #/h	0	0	0	0
Ped Cap Adj	1.000	1.000	1.000	1.000
Approach Delay, s/veh	5.4	5.5	8.0	4.7
Approach LOS	A	A	A	A
Lane	Left	Left	Left	Left
Designated Moves	LTR	LTR	LTR	LTR
Assumed Moves	LTR	LTR	LTR	LTR
RT Channelized				
Lane Util	1.000	1.000	1.000	1.000
Follow-Up Headway, s	2.609	2.609	2.609	2.609
Critical Headway, s	4.976	4.976	4.976	4.976
Entry Flow, veh/h	194	157	136	74
Cap Entry Lane, veh/h	1178	1305	1110	1169
Entry HV Adj Factor	0.805	0.636	0.500	0.757
Flow Entry, veh/h	156	100	68	56
Cap Entry, veh/h	948	830	555	884
V/C Ratio	0.165	0.120	0.122	0.063
Control Delay, s/veh	5.4	5.5	8.0	4.7
LOS	A	A	A	A
95th %tile Queue, veh	1	0	0	0

Appendix C: Agency Comments and Responses

FHWA Comments on Initial Modeling Files (Received 8/30/2024)

- The AERMOD input file includes erroneous factors in the SRCPARAM keyword resulting in source emissions that are ~100-200 times too low. The emissions were calculated correctly using MOVES output and road dust factors and used to generate an HROFDY EMISFACT table. However, additional factors were also provided in the SRCPARAM keyword that were likely due to the AERMOD View software further dividing by the source area to calculate g/s/m² (this step was already completed in the “emission rates and fugitive dust” spreadsheet.) This explains why the reported project contributions are incredibly low (H8H of 0.09). We re-ran the scenario with correct factors and are now seeing a H6H concentration of ~33 ug/m³.
 - Response: Model files were corrected, and results were revised within the report.
- The LINE sources do not include initsigZ values defining each source’s initial plume (recommended per EPA guidance).
 - Response: initsig values were added to the LINE sources.
- It appears some of the highest receptors may be too close to sources and at inappropriate locations (< 1 m away).
 - Response: Receptor locations were checked and adjusted as needed.
- The design values appear to have been incorrectly calculated from the background data. The results indicate the background component is the average of each year’s max PM10 concentration. However, the design value should be calculated as the fourth high value from three years of monitoring data following the example in Appendix K.5 of the EPA PM Hot-Spot Guidance. The monitoring data from the EPA website (<https://www.epa.gov/outdoor-air-quality-data>) has been attach for the Paul Spur and Douglas for the years 2021 – 2023. The 4th highest concentration for Paul Spur is 93 ug/m³ and 4th highest concentration for Douglas is 107 ug/m³.
 - Response: The background values were adjusted to reflect this procedure. The concentration for Douglas was used as the background value.
- We believe it is unnecessary for this project to use terrain/AERMAP. Using “FLAT” should be sufficient for this project given the lack of elevations differences near the focus intersection.
 - Response: Model was revised to use “FLAT” instead of terrain/AERMAP.
- How were the meteorological files processed with AERMET? How was the surface roughness determined? Was AERSURFACE run to process the met data?
 - Response: The meteorological files were provided by ADEQ. AERMET (version 23132) and AERMINUTE (version 15272) were used to process five years (2015-2019) of surface meteorological data obtained from Bisbee-Douglas International Airport along with concurrent upper air radiosonde data obtained from Tucson. In Arizona, there are two radiosonde stations, Tucson and Flagstaff. The Tucson radiosonde

station is located in a similar climatic region and is most representative of upper air conditions at the project site. Based on the EPA's guidance for AERMINUTE, a minimum wind speed threshold of 0.5 m/s was applied to the hourly averaged wind speeds provided by AERMINUTE. To address issues with model overprediction due to underprediction of the surface friction velocity (u^*) during light wind/stable conditions, EPA has integrated the ADJ_U* option into the AERMET. Based on the EPA's evaluations, using the ADJ_U* option is appropriate when standard NWS data are used. Therefore, the ADJ_U* option was used as a regulatory option in the data processing.

The EPA's AERSURFACE tool (version 20060) was used to calculate surface characteristic parameters (albedo, Bowen ratio and surface roughness) required by AERMET. National Land Cover Data 2016 (NLCD 2016) obtained from the U.S. Geological Survey was input to AERSURFACE. In addition to the NLCD 2016 data, the following inputs were used:

*Method for determining surface roughness length – ZORAD;
Study radius for surface roughness (km) – 1 kilometer;
Number of sectors – 12;
Temporal resolution – Monthly;
Continuous snow cover most of the winter? – No;
Surface moisture: Average;
Arid Region? – No;
Month/Season assignments – Default.*

- Can ADOT explain why there is only a single peak traffic period between 4-7pm and all other hours assume the same traffic?
 - Response: The Final Traffic Report only contained AM and PM peak hour traffic volume projections, with PM being the peak hour for the day. To be conservative, the AM traffic volumes were used for both the midday and overnight periods.
- We would like to see additional discussion justifying the rationale for modeling a single intersection and not the remainder of James Ranch to the IPOE. Specifically, we are interested in why the new port of entry south on James Ranch Road might not need additional dispersion modeling. Though the port itself is covered under general conformity, are the emissions from idling trucks significant enough to necessitate modeling the southern portion of James Ranch Road that connects to the port? Section 8 of the PM Hot-Spot Guidance discussion discusses when nearby sources should be considered. Since the IPOE is not yet built, it will potentially contribute to the background concentration for the project.
 - Response: Additional justification is provided in the PM₁₀ Hot Spot Air Quality Memorandum - City of Douglas Commercial Land Port of Entry (LPOE), which is included as Appendix E of this report.

EPA Comments on Initial Modeling Files (Received 9/5/2024)

- EPA concurs with and strongly emphasizes FHWA's comments, provided to ADOT on Friday, August 30th via e-mail.
 - Response: See responses to FHWA comments above.
- The receptor grid spacing labeled in the figure titled "AERMOD Receptor Grid Map" on page 29 of the IAC document does not appear to be consistent with the spacing shown in the AERMOD files (e.g., some distances < 5 m despite labels). Please ensure that labels are accurate and consistent with AERMOD files and that receptor spacing relative to sources is consistent with guidance documents, as also described by FHWA.
 - Response: Receptor locations were reviewed and corrected as needed to ensure appropriate spacing.

Appendix D: PM₁₀ Modeling Results by Receptor

Discrete Receptor ID	X	Y	Concentration Elevation (Hill Heights (ZHILL))		
FENCEGRD	627837.1	3470279	3.65853	1239.09	1239.09
FENCEGRD	627861.5	3470276	4.1079	1238.89	1238.89
FENCEGRD	627885.9	3470274	4.25763	1238.65	1238.65
FENCEGRD	627910.2	3470271	4.32769	1238.47	1238.47
FENCEGRD	627934.6	3470268	4.37221	1238.37	1238.37
FENCEGRD	627959	3470266	4.42676	1238.2	1238.2
FENCEGRD	627983.3	3470263	4.47358	1238	1238
FENCEGRD	628007.7	3470260	4.5109	1237.88	1237.88
FENCEGRD	628032	3470257	4.55633	1237.74	1237.74
FENCEGRD	628056.4	3470255	4.58577	1237.54	1237.54
FENCEGRD	628080.8	3470252	4.65372	1237.39	1237.39
FENCEGRD	628105.1	3470249	4.7212	1237.32	1237.32
FENCEGRD	628129.5	3470247	4.79716	1237.07	1237.07
FENCEGRD	628153.9	3470244	4.86968	1236.87	1236.87
FENCEGRD	628178.2	3470241	4.95279	1236.75	1236.75
FENCEGRD	628202.6	3470239	5.04188	1236.55	1236.55
FENCEGRD	628227	3470236	5.13303	1236.32	1236.32
FENCEGRD	628251.3	3470233	5.22565	1236.16	1236.16
FENCEGRD	628275.7	3470230	5.3161	1236.01	1236.01
FENCEGRD	628300.1	3470228	5.44199	1235.76	1235.76
FENCEGRD	628324.4	3470225	5.58465	1235.55	1235.55
FENCEGRD	628348.8	3470222	5.76078	1235.41	1235.41
FENCEGRD	628373.2	3470220	5.91762	1235.2	1235.2
FENCEGRD	628397.5	3470217	6.15765	1235.03	1235.03
FENCEGRD	628421.9	3470214	6.47473	1234.84	1234.84
FENCEGRD	628446.3	3470212	6.73771	1234.62	1234.62
FENCEGRD	628470.6	3470209	7.23846	1234.4	1234.4
FENCEGRD	628495	3470206	7.64567	1234.24	1234.24
FENCEGRD	628519.4	3470203	8.34608	1234.09	1234.09
FENCEGRD	628543.7	3470201	9.15533	1233.85	1233.85
FENCEGRD	628568.1	3470198	10.43609	1233.67	1233.67
FENCEGRD	628592.4	3470195	12.01271	1233.53	1233.53
FENCEGRD	628616.8	3470193	14.58254	1233.33	1233.33
FENCEGRD	627839.9	3470304	2.64876	1233.18	1233.18
FENCEGRD	627864.2	3470301	2.82307	1238.2	1238.2
FENCEGRD	627888.6	3470298	2.91274	1237.69	1237.69
FENCEGRD	627913	3470296	3.0163	1237.41	1237.41
FENCEGRD	627937.3	3470293	3.12209	1237.29	1237.29
FENCEGRD	627961.7	3470290	3.20359	1237.15	1237.15
FENCEGRD	627986.1	3470288	3.28146	1237.01	1237.01
FENCEGRD	628010.4	3470285	3.34343	1236.82	1236.82
FENCEGRD	628034.8	3470282	3.41701	1236.63	1236.63
FENCEGRD	628059.2	3470280	3.48585	1236.46	1236.46
FENCEGRD	628083.5	3470277	3.55411	1236.26	1236.26
FENCEGRD	628107.9	3470274	3.62465	1236.19	1236.19
FENCEGRD	628132.3	3470271	3.70734	1236.55	1236.55
FENCEGRD	628156.6	3470269	3.78118	1236.21	1236.21
FENCEGRD	628181	3470266	3.86348	1235.85	1235.85
FENCEGRD	628205.4	3470263	3.96667	1235.7	1235.7
FENCEGRD	628229.7	3470261	4.07077	1235.51	1235.51
FENCEGRD	628254.1	3470258	4.16909	1235.38	1235.38
FENCEGRD	628278.5	3470255	4.27716	1235.2	1235.2
FENCEGRD	628302.8	3470253	4.4072	1234.98	1234.98
FENCEGRD	628327.2	3470250	4.55061	1234.81	1234.81
FENCEGRD	628351.5	3470247	4.70396	1234.66	1234.66
FENCEGRD	628375.9	3470244	4.88774	1234.49	1234.49
FENCEGRD	628400.3	3470242	5.08245	1234.37	1234.37
FENCEGRD	628424.6	3470239	5.36128	1234.22	1234.22
FENCEGRD	628449	3470236	5.6104	1233.94	1233.94
FENCEGRD	628473.4	3470234	5.97711	1233.66	1233.66
FENCEGRD	628497.7	3470231	6.57862	1233.48	1233.48
FENCEGRD	628522.1	3470228	7.08473	1233.49	1233.49
FENCEGRD	627822.4	3470323	2.23736	1233.57	1233.57
FENCEGRD	627792.1	3470299	2.20002	1233.2	1233.2
FENCEGRD	627842.6	3470329	2.32238	1232.76	1232.76
FENCEGRD	627867	3470326	2.4418	1232.55	1232.55
FENCEGRD	627891.4	3470323	2.51408	1232.38	1232.38
FENCEGRD	627915.7	3470321	2.56772	1232.47	1232.47
FENCEGRD	627940.1	3470318	2.64339	1238.12	1238.12
FENCEGRD	627964.5	3470315	2.70962	1238.63	1238.63
FENCEGRD	627988.8	3470313	2.78999	1237.9	1237.9
FENCEGRD	628013.2	3470310	2.8776	1237.63	1237.63
FENCEGRD	628037.6	3470307	2.94728	1237.41	1237.41
FENCEGRD	628061.9	3470304	3.02211	1237.3	1237.3
FENCEGRD	628086.3	3470302	3.09756	1237.15	1237.15
FENCEGRD	628110.7	3470299	3.17124	1236.95	1236.95
FENCEGRD	628135	3470296	3.25144	1236.76	1236.76
FENCEGRD	628159.4	3470294	3.33452	1236.57	1236.57
FENCEGRD	628183.7	3470291	3.41885	1236.41	1236.41
FENCEGRD	628208.1	3470288	3.49648	1236.26	1236.26
FENCEGRD	628232.5	3470286	3.57936	1236.13	1236.13
FENCEGRD	628256.8	3470283	3.66358	1236.23	1236.23
FENCEGRD	628281.2	3470280	3.77244	1235.89	1235.89

Paul Spur/Douglas PM10 Monitoring Data (2020-2023)

Year	PM10 Annual 24-hr Mean Concentration		PM10 Max 24-hr Concentration	
	Paul Spur	Douglas	Paul Spur	Douglas
2020		22.40	28.70	154.00
2021		21.30	31.90	161.00
2022		18.80	26.20	91.00
2023		19.00	27.70	99.00

Summary of Model Results and Compare to NAAQS (unit in ug/m3)	
Project - Max	31.06
Background - 4th Highest Value of 3 Years	107.00
Total (Project + Background)	138.06
Total (Project + Background)	138.06
NAAQS Threshold	150
Exceed Threshold?	No

FENCEGRD	628305.6	3470277	3.88593	1235.72	1235.72
FENCEGRD	628329.9	3470275	4.00603	1235.58	1235.58
FENCEGRD	628354.3	3470272	4.17836	1235.49	1235.49
FENCEGRD	628378.7	3470269	4.40155	1235.34	1235.34
FENCEGRD	628403	3470267	4.63491	1235.16	1235.16
FENCEGRD	628427.4	3470264	4.90777	1234.98	1234.98
FENCEGRD	628451.8	3470261	5.19134	1234.74	1234.74
FENCEGRD	628476.1	3470259	5.51016	1234.57	1234.57
FENCEGRD	628500.5	3470256	5.97367	1234.44	1234.44
FENCEGRD	628524.9	3470253	6.45168	1234.27	1234.27
FENCEGRD	627825.8	3470348	2.04308	1234.15	1234.15
FENCEGRD	627806.2	3470342	1.98333	1233.99	1233.99
FENCEGRD	627776.7	3470319	1.93296	1233.75	1233.75
FENCEGRD	627766.9	3470301	1.98918	1233.58	1233.58
FENCEGRD	627845.4	3470354	2.10023	1233.42	1233.42
FENCEGRD	627869.8	3470351	2.21735	1233.11	1233.11
FENCEGRD	627894.1	3470348	2.28096	1232.9	1232.9
FENCEGRD	627918.5	3470345	2.33219	1232.79	1232.79
FENCEGRD	627942.8	3470343	2.37718	1232.6	1232.6
FENCEGRD	627967.2	3470340	2.43211	1232.47	1232.47
FENCEGRD	627991.6	3470337	2.49517	1238.14	1238.14
FENCEGRD	628015.9	3470335	2.56589	1238.32	1238.32
FENCEGRD	628040.3	3470332	2.6417	1238.56	1238.56
FENCEGRD	628064.7	3470329	2.71866	1238.92	1238.92
FENCEGRD	628089	3470327	2.79391	1237.94	1237.94
FENCEGRD	628113.4	3470324	2.87322	1237.62	1237.62
FENCEGRD	628137.8	3470321	2.95425	1237.4	1237.4
FENCEGRD	628162.1	3470318	3.03765	1237.28	1237.28
FENCEGRD	628186.5	3470316	3.10222	1237.09	1237.09
FENCEGRD	628210.9	3470313	3.16963	1236.93	1236.93
FENCEGRD	628235.2	3470310	3.24749	1236.76	1236.76
FENCEGRD	628259.6	3470308	3.33317	1236.58	1236.58
FENCEGRD	628284	3470305	3.46467	1236.42	1236.42
FENCEGRD	628308.3	3470302	3.62615	1236.25	1236.25
FENCEGRD	628332.7	3470300	3.8006	1236.12	1236.12
FENCEGRD	628357.1	3470297	3.94851	1235.97	1235.97
FENCEGRD	628381.4	3470294	4.08351	1235.77	1235.77
FENCEGRD	628405.8	3470291	4.29384	1235.67	1235.67
FENCEGRD	628430.2	3470289	4.50766	1235.57	1235.57
FENCEGRD	628454.5	3470286	4.74604	1235.46	1235.46
FENCEGRD	628478.9	3470283	5.10399	1235.32	1235.32
FENCEGRD	628503.2	3470281	5.39594	1235.15	1235.15
FENCEGRD	628527.6	3470278	5.84946	1234.99	1234.99
FENCEGRD	627828.8	3470373	1.91621	1234.81	1234.81
FENCEGRD	627809.5	3470367	1.89512	1234.59	1234.59
FENCEGRD	627790.3	3470362	1.78764	1234.42	1234.42
FENCEGRD	627761.3	3470338	1.746	1234.26	1234.26
FENCEGRD	627751.6	3470321	1.80244	1234.09	1234.09
FENCEGRD	627741.9	3470303	1.82338	1233.94	1233.94
FENCEGRD	627848.1	3470378	1.91622	1233.8	1233.8
FENCEGRD	627872.5	3470376	2.00663	1233.6	1233.6
FENCEGRD	627896.9	3470373	2.09618	1233.4	1233.4
FENCEGRD	627921.2	3470370	2.17632	1233.2	1233.2
FENCEGRD	627945.6	3470368	2.22009	1233.03	1233.03
FENCEGRD	627970	3470365	2.26497	1232.8	1232.8
FENCEGRD	627994.3	3470362	2.31526	1232.65	1232.65
FENCEGRD	628018.7	3470360	2.37271	1232.53	1232.53
FENCEGRD	628043.1	3470357	2.43706	1238.1	1238.1
FENCEGRD	628067.4	3470354	2.50537	1238.34	1238.34
FENCEGRD	628091.8	3470351	2.57909	1238.46	1238.46
FENCEGRD	628116.2	3470349	2.65446	1238.65	1238.65
FENCEGRD	628140.5	3470346	2.7286	1238.78	1238.78
FENCEGRD	628164.9	3470343	2.80373	1239.18	1239.18
FENCEGRD	628189.3	3470341	2.86351	1237.9	1237.9
FENCEGRD	628213.6	3470338	2.93189	1237.64	1237.64
FENCEGRD	628238	3470335	3.05443	1237.46	1237.46
FENCEGRD	628262.3	3470333	3.14753	1237.28	1237.28
FENCEGRD	628286.7	3470330	3.25271	1237.08	1237.08
FENCEGRD	628311.1	3470327	3.36245	1236.89	1236.89
FENCEGRD	628335.4	3470324	3.47663	1236.7	1236.7
FENCEGRD	628359.8	3470322	3.60697	1236.51	1236.51
FENCEGRD	628384.2	3470319	3.75149	1236.37	1236.37
FENCEGRD	628408.5	3470316	3.91163	1236.22	1236.22
FENCEGRD	628432.9	3470314	4.14276	1236.09	1236.09
FENCEGRD	628457.3	3470311	4.35371	1235.87	1235.87
FENCEGRD	628481.6	3470308	4.55931	1235.71	1235.71
FENCEGRD	628506	3470306	4.86161	1235.62	1235.62
FENCEGRD	628530.4	3470303	5.22098	1235.5	1235.5
FENCEGRD	628639	3470226	11.98682	1235.36	1235.36
FENCEGRD	628614.1	3470228	10.50944	1235.22	1235.22
FENCEGRD	628589.2	3470230	9.32435	1235.06	1235.06
FENCEGRD	628564.3	3470232	8.28845	1234.88	1234.88
FENCEGRD	628539.4	3470234	7.54283	1234.74	1234.74
FENCEGRD	628639.9	3470245	10.4225	1234.58	1234.58
FENCEGRD	628640.8	3470265	9.23071	1234.4	1234.4
FENCEGRD	628641.7	3470285	8.28417	1234.25	1234.25

FENCEGRD	628642.6	3470304	7.46517	1234.06	1234.06
FENCEGRD	628614.9	3470246	9.03896	1233.9	1233.9
FENCEGRD	628615.8	3470266	8.13388	1233.75	1233.75
FENCEGRD	628616.7	3470286	7.53671	1233.62	1233.62
FENCEGRD	628617.6	3470305	6.66208	1233.41	1233.41
FENCEGRD	628590	3470247	8.22677	1233.23	1233.23
FENCEGRD	628590.9	3470267	7.16617	1233.04	1233.04
FENCEGRD	628591.8	3470287	6.5533	1232.81	1232.81
FENCEGRD	628592.7	3470307	5.90292	1232.61	1232.61
FENCEGRD	628565	3470248	7.58688	1232.47	1232.47
FENCEGRD	628565.9	3470268	6.82553	1233.26	1233.26
FENCEGRD	628566.8	3470288	5.96316	1232.51	1232.51
FENCEGRD	628567.7	3470308	5.33637	1232.4	1232.4
FENCEGRD	628540	3470250	6.94776	1232.55	1232.55
FENCEGRD	628540.9	3470269	6.25341	1232.73	1232.73
FENCEGRD	628541.8	3470289	5.75738	1232.7	1232.7
FENCEGRD	628542.7	3470309	5.21462	1232.85	1232.85
FENCEGRD	628647.8	3470309	7.39425	1232.85	1232.85
FENCEGRD	628656.3	3470309	7.34237	1232.41	1232.41
FENCEGRD	628641.6	3470331	6.50524	1232.46	1232.46
FENCEGRD	628634.4	3470329	6.45192	1232.43	1232.43
FENCEGRD	628624.1	3470319	6.43253	1232.42	1232.42
FENCEGRD	628620.8	3470312	6.50533	1232.4	1232.4
FENCEGRD	628648.8	3470334	6.54527	1232.48	1232.48
FENCEGRD	628657.3	3470334	6.4485	1232.55	1232.55
FENCEGRD	628641.9	3470356	5.87987	1232.52	1232.52
FENCEGRD	628634	3470353	5.84123	1232.53	1232.53
FENCEGRD	628626.1	3470350	5.76426	1233.71	1233.71
FENCEGRD	628618.2	3470348	5.63316	1232.55	1232.55
FENCEGRD	628606.8	3470337	5.89057	1232.64	1232.64
FENCEGRD	628603.3	3470329	5.88571	1232.69	1232.69
FENCEGRD	628599.7	3470322	5.8474	1232.69	1232.69
FENCEGRD	628596.2	3470314	5.83395	1232.7	1232.7
FENCEGRD	628649.7	3470359	5.97257	1232.76	1232.76
FENCEGRD	628658.3	3470359	5.83164	1232.81	1232.81
FENCEGRD	628643.5	3470381	5.45038	1232.91	1232.91
FENCEGRD	628636.4	3470379	5.37255	1232.92	1232.92
FENCEGRD	628629.2	3470376	5.32526	1233.18	1233.18
FENCEGRD	628622.1	3470374	5.25191	1233.36	1233.36
FENCEGRD	628614.9	3470371	5.15662	1232.99	1232.99
FENCEGRD	628607.8	3470368	5.06772	1233.12	1233.12
FENCEGRD	628600.6	3470366	5.19085	1233.15	1233.15
FENCEGRD	628590.2	3470356	5.00123	1232.35	1232.35
FENCEGRD	628587	3470349	4.97181	1232.29	1232.29
FENCEGRD	628583.8	3470342	4.94049	1232.38	1232.38
FENCEGRD	628580.6	3470335	5.04477	1232.42	1232.42
FENCEGRD	628577.3	3470328	5.17273	1232.44	1232.44
FENCEGRD	628574.1	3470322	5.30907	1232.45	1232.45
FENCEGRD	628570.9	3470315	5.26374	1232.48	1232.48
FENCEGRD	628650.7	3470384	5.40648	1232.48	1232.48
FENCEGRD	628659.2	3470384	5.39327	1232.5	1232.5
FENCEGRD	628644.1	3470406	5.06778	1232.32	1232.32
FENCEGRD	628636.6	3470404	4.97485	1232.3	1232.3
FENCEGRD	628629.1	3470401	4.92931	1232.36	1232.36
FENCEGRD	628621.6	3470398	4.87375	1232.41	1232.41
FENCEGRD	628614.1	3470395	4.78218	1232.44	1232.44
FENCEGRD	628606.6	3470392	4.68822	1232.47	1232.47
FENCEGRD	628599.1	3470390	4.74789	1232.49	1232.49
FENCEGRD	628591.6	3470387	4.64013	1232.52	1232.52
FENCEGRD	628584	3470384	4.50165	1232.55	1232.55
FENCEGRD	628573.1	3470374	4.28964	1232.59	1232.59
FENCEGRD	628569.8	3470367	4.37644	1232.6	1232.6
FENCEGRD	628566.4	3470360	4.46856	1232.61	1232.61
FENCEGRD	628563	3470352	4.56454	1232.62	1232.62
FENCEGRD	628559.6	3470345	4.6004	1232.64	1232.64
FENCEGRD	628556.2	3470338	4.67064	1232.66	1232.66
FENCEGRD	628552.9	3470331	4.71717	1232.68	1232.68
FENCEGRD	628549.5	3470323	4.76826	1232.3	1232.3
FENCEGRD	628546.1	3470316	4.99254	1232.29	1232.29
FENCEGRD	628651.7	3470409	4.9443	1232.36	1232.36
FENCEGRD	628660.2	3470409	5.04038	1232.44	1232.44
FENCEGRD	628661.1	3470304	7.26372	1232.47	1232.47
FENCEGRD	628661.1	3470280	8.28597	1232.5	1232.5
FENCEGRD	628661.1	3470255	9.48244	1232.52	1232.52
FENCEGRD	628661.1	3470231	10.96377	1232.56	1232.56
FENCEGRD	628661.1	3470207	12.97387	1232.59	1232.59
FENCEGRD	628686.1	3470304	6.85136	1232.63	1232.63
FENCEGRD	628686.1	3470280	7.53453	1232.66	1232.66
FENCEGRD	628686.1	3470255	8.36111	1232.7	1232.7
FENCEGRD	628686.1	3470231	9.50722	1232.77	1232.77
FENCEGRD	628686.1	3470207	12.04393	1232.78	1232.78
FENCEGRD	628703.4	3470323	5.90376	1232.8	1232.8
FENCEGRD	628677	3470350	5.9676	1232.81	1232.81
FENCEGRD	628711.1	3470304	5.96029	1232.83	1232.83
FENCEGRD	628711.1	3470280	6.67137	1232.84	1232.84
FENCEGRD	628711.1	3470255	7.71041	1232.85	1232.85

FENCEGRD	628711.1	3470231	9.35046	1232.87	1232.87
FENCEGRD	628711.1	3470207	11.63928	1232.88	1232.88
FENCEGRD	628711.1	3470183	15.18336	1232.9	1232.9
FENCEGRD	628728.7	3470322	5.28875	1232.29	1232.29
FENCEGRD	628721.2	3470341	5.11432	1232.23	1232.23
FENCEGRD	628695.6	3470367	5.23195	1232.35	1232.35
FENCEGRD	628677.4	3470376	5.45707	1232.43	1232.43
FENCEGRD	628736.1	3470304	5.54084	1232.47	1232.47
FENCEGRD	628736.1	3470280	6.48605	1232.51	1232.51
FENCEGRD	628736.1	3470255	7.47577	1232.54	1232.54
FENCEGRD	628736.1	3470231	8.57887	1232.57	1232.57
FENCEGRD	628736.1	3470207	9.80929	1232.59	1232.59
FENCEGRD	628736.1	3470183	12.94975	1232.62	1232.62
FENCEGRD	628753.8	3470322	5.04205	1232.65	1232.65
FENCEGRD	628746.5	3470340	4.61915	1232.67	1232.67
FENCEGRD	628739.1	3470358	4.49474	1232.69	1232.69
FENCEGRD	628713.9	3470385	4.71077	1232.72	1232.72
FENCEGRD	628696	3470393	4.88183	1232.76	1232.76
FENCEGRD	628678.1	3470401	5.11757	1232.81	1232.81
FENCEGRD	628761.1	3470304	5.41888	1232.88	1232.88
FENCEGRD	628761.1	3470280	6.10103	1232.91	1232.91
FENCEGRD	628761.1	3470255	6.71883	1232.94	1232.94
FENCEGRD	628761.1	3470231	7.29403	1232.96	1232.96
FENCEGRD	628761.1	3470207	8.24898	1232.97	1232.97
FENCEGRD	628761.1	3470183	10.50599	1232.99	1232.99
FENCEGRD	628678.7	3470186	17.28629	1233.01	1233.01
FENCEGRD	628789.2	3470175	9.7552	1233.03	1233.03
FENCEGRD	628811.3	3470173	9.33215	1233.05	1233.05
FENCEGRD	628791.5	3470200	7.93306	1233.06	1233.06
FENCEGRD	628813.6	3470198	7.20329	1233.07	1233.07
FENCEGRD	628793.9	3470225	6.48663	1233.09	1233.09
FENCEGRD	628816	3470223	5.96999	1233.11	1233.11
FENCEGRD	628796.2	3470250	5.83965	1233.13	1233.13
FENCEGRD	628818.3	3470248	5.351	1232.29	1232.29
FENCEGRD	628798.6	3470275	5.36896	1232.25	1232.25
FENCEGRD	628820.7	3470273	4.83835	1232.23	1232.23
FENCEGRD	628834.5	3470171	8.94009	1232.27	1232.27
FENCEGRD	628857.7	3470168	8.67779	1232.26	1232.26
FENCEGRD	628880.9	3470165	8.41265	1232.28	1232.28
FENCEGRD	628904.1	3470163	8.3316	1232.43	1232.43
FENCEGRD	628927.2	3470160	8.23677	1233.14	1233.14
FENCEGRD	628950.4	3470158	8.1106	1232.05	1232.05
FENCEGRD	628973.6	3470155	8.02565	1232.14	1232.14
FENCEGRD	628837.3	3470195	6.66002	1232.13	1232.13
FENCEGRD	628860.5	3470193	6.25252	1232.04	1232.04
FENCEGRD	628883.7	3470190	5.97	1232.06	1232.06
FENCEGRD	628906.8	3470188	5.86015	1232.85	1232.85
FENCEGRD	628930	3470185	5.68664	1231.99	1231.99
FENCEGRD	628953.2	3470183	5.58866	1232.17	1232.17
FENCEGRD	628976.4	3470180	5.49488	1231.91	1231.91
FENCEGRD	628840.1	3470220	5.52029	1231.98	1231.98
FENCEGRD	628863.3	3470218	5.14784	1231.84	1231.84
FENCEGRD	628886.4	3470215	4.83657	1231.79	1231.79
FENCEGRD	628909.6	3470213	4.56149	1231.88	1231.88
FENCEGRD	628932.8	3470210	4.48614	1232.5	1232.5
FENCEGRD	628956	3470207	4.4136	1231.76	1231.76
FENCEGRD	628979.2	3470205	4.35018	1231.85	1231.85
FENCEGRD	628842.8	3470245	4.82775	1231.93	1231.93
FENCEGRD	628866	3470243	4.57246	1232.12	1232.12
FENCEGRD	628889.2	3470240	4.30799	1231.83	1231.83
FENCEGRD	628912.4	3470237	4.04976	1231.56	1231.56
FENCEGRD	628935.6	3470235	3.89393	1231.63	1231.63
FENCEGRD	628958.8	3470232	3.78493	1231.66	1231.66
FENCEGRD	628981.9	3470230	3.68341	1231.72	1231.72
FENCEGRD	628845.6	3470270	4.33416	1232.14	1232.14
FENCEGRD	628868.8	3470267	3.97886	1231.58	1231.58
FENCEGRD	628892	3470265	3.80749	1231.61	1231.61
FENCEGRD	628915.2	3470262	3.72673	1231.7	1231.7
FENCEGRD	628938.3	3470260	3.48802	1231.84	1231.84
FENCEGRD	628961.5	3470257	3.40286	1231.96	1231.96
FENCEGRD	628984.7	3470254	3.31636	1232.12	1232.12
FENCEGRD	628991.7	3470153	8.01132	1231.74	1231.74
FENCEGRD	629009.7	3470151	7.98152	1231.67	1231.67
FENCEGRD	629027.8	3470149	7.92656	1231.47	1231.47
FENCEGRD	628994.4	3470178	5.43193	1231.48	1231.48
FENCEGRD	629012.5	3470176	5.37207	1231.51	1231.51
FENCEGRD	629030.6	3470174	5.30143	1231.73	1231.73
FENCEGRD	628997.2	3470203	4.30056	1233.08	1233.08
FENCEGRD	629015.3	3470201	4.24939	1232.87	1232.87
FENCEGRD	629033.3	3470199	4.19605	1232.68	1232.68
FENCEGRD	629000	3470228	3.60838	1232.48	1232.48
FENCEGRD	629018	3470226	3.54904	1232.35	1232.35
FENCEGRD	629036.1	3470224	3.5093	1232.2	1232.2
FENCEGRD	629002.8	3470252	3.25194	1231.92	1231.92
FENCEGRD	629020.8	3470250	3.21639	1231.72	1231.72
FENCEGRD	629038.9	3470248	3.18137	1232.41	1232.41

FENCEGRD	629045.1	3470147	7.84878	1232.11	1232.11
FENCEGRD	629062.4	3470145	7.77713	1231.92	1231.92
FENCEGRD	629079.7	3470143	7.7098	1231.78	1231.78
FENCEGRD	629047.8	3470172	5.22687	1231.64	1231.64
FENCEGRD	629065.1	3470170	5.1539	1231.4	1231.4
FENCEGRD	629082.4	3470168	5.08922	1231.22	1231.22
FENCEGRD	629050.5	3470197	4.12629	1231.04	1231.04
FENCEGRD	629067.8	3470195	4.06042	1232.21	1232.21
FENCEGRD	629085.1	3470193	4.00028	1231.68	1231.68
FENCEGRD	629053.2	3470222	3.47174	1231.57	1231.57
FENCEGRD	629070.5	3470220	3.43488	1231.38	1231.38
FENCEGRD	629087.8	3470218	3.40168	1231.23	1231.23
FENCEGRD	629055.9	3470247	3.14761	1231.02	1231.02
FENCEGRD	629073.2	3470245	3.11486	1232.19	1232.19
FENCEGRD	629090.5	3470243	3.08195	1231.66	1231.66
FENCEGRD	629102.3	3470141	7.65358	1231.54	1231.54
FENCEGRD	629124.9	3470138	7.51886	1231.35	1231.35
FENCEGRD	629147.6	3470136	7.39645	1231.2	1231.2
FENCEGRD	629170.2	3470133	7.38656	1230.97	1230.97
FENCEGRD	629192.8	3470131	7.38752	1232.19	1232.19
FENCEGRD	629105.1	3470166	4.99973	1232.09	1232.09
FENCEGRD	629127.7	3470163	4.9086	1231.76	1231.76
FENCEGRD	629150.3	3470161	4.82682	1231.29	1231.29
FENCEGRD	629172.9	3470158	4.75041	1231.16	1231.16
FENCEGRD	629195.5	3470156	4.68151	1230.95	1230.95
FENCEGRD	629107.9	3470191	3.93434	1231.61	1231.61
FENCEGRD	629130.5	3470188	3.87128	1231.45	1231.45
FENCEGRD	629153.1	3470185	3.78538	1231.2	1231.2
FENCEGRD	629175.7	3470183	3.69515	1231.05	1231.05
FENCEGRD	629198.3	3470180	3.62722	1230.97	1230.97
FENCEGRD	629110.7	3470215	3.35319	1230.76	1230.76
FENCEGRD	629133.3	3470213	3.3087	1230.55	1230.55
FENCEGRD	629155.9	3470210	3.26756	1230.88	1230.88
FENCEGRD	629178.5	3470208	3.21811	1230.71	1230.71
FENCEGRD	629201.1	3470205	3.16849	1230.53	1230.53
FENCEGRD	629113.5	3470240	3.03489	1230.36	1230.36
FENCEGRD	629136.1	3470238	2.98617	1230.17	1230.17
FENCEGRD	629158.7	3470235	2.94117	1230.04	1230.04
FENCEGRD	629181.3	3470233	2.89098	1229.88	1229.88
FENCEGRD	629203.9	3470230	2.8341	1230.86	1230.86
FENCEGRD	629212.8	3470129	7.31599	1230.69	1230.69
FENCEGRD	629232.8	3470126	7.21721	1230.51	1230.51
FENCEGRD	629252.8	3470124	7.09561	1230.34	1230.34
FENCEGRD	629272.8	3470122	7.0017	1230.18	1230.18
FENCEGRD	629215.4	3470153	4.61067	1230.02	1230.02
FENCEGRD	629235.5	3470151	4.54482	1229.9	1229.9
FENCEGRD	629255.5	3470149	4.4564	1230.85	1230.85
FENCEGRD	629275.5	3470147	4.31182	1230.68	1230.68
FENCEGRD	629218.1	3470178	3.57683	1230.51	1230.51
FENCEGRD	629238.1	3470176	3.52826	1230.35	1230.35
FENCEGRD	629258.2	3470174	3.47138	1230.19	1230.19
FENCEGRD	629278.2	3470172	3.40542	1230.03	1230.03
FENCEGRD	629220.8	3470203	3.12039	1229.91	1229.91
FENCEGRD	629240.8	3470201	3.06606	1230.84	1230.84
FENCEGRD	629260.8	3470199	3.00295	1230.67	1230.67
FENCEGRD	629280.9	3470197	2.92934	1230.51	1230.51
FENCEGRD	629223.5	3470228	2.78261	1230.35	1230.35
FENCEGRD	629243.5	3470226	2.72466	1230.19	1230.19
FENCEGRD	629263.5	3470224	2.66085	1230.05	1230.05
FENCEGRD	629283.5	3470222	2.5924	1229.92	1229.92
FENCEGRD	629295.3	3470120	6.82079	1230.43	1230.43
FENCEGRD	629317.7	3470117	6.70044	1230.34	1230.34
FENCEGRD	629340.1	3470115	6.4159	1230.07	1230.07
FENCEGRD	629362.5	3470112	6.08602	1229.92	1229.92
FENCEGRD	629384.9	3470110	5.50445	1229.81	1229.81
FENCEGRD	629407.4	3470108	4.12909	1229.61	1229.61
FENCEGRD	629297.9	3470145	4.25401	1229.4	1229.4
FENCEGRD	629320.4	3470142	4.14246	1229.28	1229.28
FENCEGRD	629342.8	3470140	4.00295	1229.19	1229.19
FENCEGRD	629365.2	3470137	3.81777	1229.73	1229.73
FENCEGRD	629387.6	3470135	3.44553	1229.58	1229.58
FENCEGRD	629410	3470132	2.96951	1229.45	1229.45
FENCEGRD	629300.6	3470169	3.31103	1229.29	1229.29
FENCEGRD	629323	3470167	3.21116	1229.15	1229.15
FENCEGRD	629345.5	3470165	3.12875	1228.97	1228.97
FENCEGRD	629367.9	3470162	3.02698	1228.81	1228.81
FENCEGRD	629390.3	3470160	2.86116	1228.65	1228.65
FENCEGRD	629412.7	3470157	2.54327	1228.49	1228.49
FENCEGRD	629303.3	3470194	2.83172	1229.73	1229.73
FENCEGRD	629325.7	3470192	2.71135	1229.6	1229.6
FENCEGRD	629348.2	3470189	2.60072	1229.43	1229.43
FENCEGRD	629370.6	3470187	2.50992	1229.3	1229.3
FENCEGRD	629393	3470185	2.41329	1229.15	1229.15
FENCEGRD	629415.4	3470182	2.24916	1228.99	1228.99
FENCEGRD	629306	3470219	2.5055	1228.8	1228.8
FENCEGRD	629328.4	3470217	2.39762	1228.64	1228.64

FENCEGRD	629350.8	3470214	2.26113	1228.47	1228.47
FENCEGRD	629373.3	3470212	2.20705	1229.73	1229.73
FENCEGRD	629395.7	3470209	2.14263	1229.6	1229.6
FENCEGRD	629418.1	3470207	2.05498	1229.44	1229.44
FENCEGRD	629411.8	3470102	4.37845	1229.29	1229.29
FENCEGRD	629409.7	3470088	3.75346	1229.14	1229.14
FENCEGRD	629407.7	3470075	3.84551	1228.98	1228.98
FENCEGRD	629433.5	3470110	2.98414	1228.77	1228.77
FENCEGRD	629420.3	3470127	2.76035	1228.62	1228.62
FENCEGRD	629436.5	3470098	2.92913	1228.44	1228.44
FENCEGRD	629434.4	3470084	2.76553	1229.76	1229.76
FENCEGRD	629432.4	3470071	2.58878	1229.62	1229.62
FENCEGRD	629458.5	3470105	2.48359	1229.47	1229.47
FENCEGRD	629455.8	3470115	2.48948	1229.29	1229.29
FENCEGRD	629453.1	3470126	2.34903	1229.14	1229.14
FENCEGRD	629441	3470141	2.27185	1228.98	1228.98
FENCEGRD	629431.5	3470147	2.33306	1228.8	1228.8
FENCEGRD	629422.1	3470152	2.44365	1228.61	1228.61
FENCEGRD	629461.2	3470094	2.31397	1228.44	1228.44
FENCEGRD	629459.2	3470081	2.25599	1228.92	1228.92
FENCEGRD	629457.1	3470067	2.15042	1228.82	1228.82
FENCEGRD	629482.8	3470103	2.17392	1228.74	1228.74
FENCEGRD	629479.6	3470115	2.19462	1228.58	1228.58
FENCEGRD	629476.5	3470127	2.11802	1228.4	1228.4
FENCEGRD	629473.3	3470139	1.99766	1228.35	1228.35
FENCEGRD	629459.2	3470158	2.01242	1228.28	1228.28
FENCEGRD	629448.3	3470164	2.05132	1228.04	1228.04
FENCEGRD	629437.3	3470170	2.10165	1227.91	1227.91
FENCEGRD	629426.4	3470176	2.21718	1228.26	1228.26
FENCEGRD	629485.9	3470091	1.99383	1228.13	1228.13
FENCEGRD	629483.9	3470077	1.91737	1228.03	1228.03
FENCEGRD	629481.8	3470063	1.90749	1227.93	1227.93
FENCEGRD	629507.2	3470100	1.86813	1227.8	1227.8
FENCEGRD	629503.8	3470114	1.96092	1227.67	1227.67
FENCEGRD	629500.3	3470127	1.94959	1227.53	1227.53
FENCEGRD	629496.9	3470140	1.86054	1227.4	1227.4
FENCEGRD	629493.4	3470153	1.72702	1227.26	1227.26
FENCEGRD	629478	3470173	1.82223	1228.32	1228.32
FENCEGRD	629466	3470180	1.84483	1228.14	1228.14
FENCEGRD	629454	3470187	1.88603	1228.03	1228.03
FENCEGRD	629442.1	3470194	1.92837	1227.88	1227.88
FENCEGRD	629430.1	3470200	1.96152	1227.74	1227.74
FENCEGRD	629510.7	3470087	1.74228	1227.6	1227.6
FENCEGRD	629508.6	3470073	1.68355	1227.48	1227.48
FENCEGRD	629506.6	3470060	1.66668	1227.32	1227.32
FENCEGRD	629402.2	3470070	3.87228	1227.19	1227.19
FENCEGRD	629377.6	3470073	4.6745	1228.29	1228.29
FENCEGRD	629353	3470076	5.03924	1228.14	1228.14
FENCEGRD	629328.4	3470078	5.31319	1228.01	1228.01
FENCEGRD	629303.8	3470081	5.50711	1227.83	1227.83
FENCEGRD	629399.5	3470045	2.78597	1227.69	1227.69
FENCEGRD	629374.9	3470048	3.03295	1227.56	1227.56
FENCEGRD	629350.3	3470051	3.31793	1227.41	1227.41
FENCEGRD	629325.7	3470053	3.47023	1227.26	1227.26
FENCEGRD	629301.1	3470056	3.52311	1227.18	1227.18
FENCEGRD	629416.5	3470026	2.12087	1228.28	1228.28
FENCEGRD	629446.7	3470049	1.99386	1228.15	1228.15
FENCEGRD	629396.8	3470021	2.2007	1228	1228
FENCEGRD	629372.2	3470023	2.42679	1227.79	1227.79
FENCEGRD	629347.6	3470026	2.60167	1227.61	1227.61
FENCEGRD	629323	3470029	2.76175	1227.5	1227.5
FENCEGRD	629298.4	3470031	2.85392	1227.33	1227.33
FENCEGRD	629413.2	3470001	1.86781	1227.23	1227.23
FENCEGRD	629432.4	3470007	1.80369	1227.16	1227.16
FENCEGRD	629461.7	3470029	1.72629	1228.1	1228.1
FENCEGRD	629471.8	3470046	1.78722	1227.85	1227.85
FENCEGRD	629394.1	3469996	1.8901	1227.49	1227.49
FENCEGRD	629369.5	3469998	2.08723	1227.2	1227.2
FENCEGRD	629344.9	3470001	2.202	1227.89	1227.89
FENCEGRD	629320.3	3470004	2.33122	1227.68	1227.68
FENCEGRD	629295.7	3470006	2.46368	1227.12	1227.12
FENCEGRD	629410.3	3469976	1.69223	1227.13	1227.13
FENCEGRD	629429.1	3469982	1.63081	1227.76	1227.76
FENCEGRD	629448	3469987	1.62417	1227.61	1227.61
FENCEGRD	629476.8	3470009	1.56169	1226.88	1226.88
FENCEGRD	629486.7	3470026	1.55942	1226.89	1226.89
FENCEGRD	629496.6	3470043	1.61262	1227.01	1227.01
FENCEGRD	629391.4	3469971	1.70971	1227.12	1227.12
FENCEGRD	629366.8	3469974	1.89634	1227.7	1227.7
FENCEGRD	629342.2	3469976	1.95351	1227.58	1227.58
FENCEGRD	629317.6	3469979	2.04904	1226.84	1226.84
FENCEGRD	629293	3469982	2.15683	1226.76	1226.76
FENCEGRD	629282.4	3470083	5.77712	1226.76	1226.76
FENCEGRD	629261	3470086	5.86784	1226.85	1226.85
FENCEGRD	629239.6	3470088	5.97673	1226.98	1226.98
FENCEGRD	629218.2	3470091	6.06218	1227.07	1227.07

FENCEGRD	629196.9	3470093	6.15156	1227.52	1227.52
FENCEGRD	629279.6	3470059	3.77351	1227.39	1227.39
FENCEGRD	629258.2	3470061	3.8416	1227.62	1227.62
FENCEGRD	629236.8	3470063	3.92381	1227.81	1227.81
FENCEGRD	629215.4	3470066	3.98572	1227.91	1227.91
FENCEGRD	629194.1	3470068	4.03091	1228	1228
FENCEGRD	629276.8	3470034	2.92095	1228.19	1228.19
FENCEGRD	629255.4	3470036	3.0511	1227.08	1227.08
FENCEGRD	629234	3470039	3.16051	1227.26	1227.26
FENCEGRD	629212.6	3470041	3.23376	1227.47	1227.47
FENCEGRD	629191.2	3470043	3.30243	1227.56	1227.56
FENCEGRD	629274	3470009	2.48757	1227.6	1227.6
FENCEGRD	629252.6	3470011	2.57893	1227.52	1227.52
FENCEGRD	629231.2	3470014	2.65814	1227	1227
FENCEGRD	629209.8	3470016	2.77126	1227.4	1227.4
FENCEGRD	629188.4	3470019	2.84551	1227.54	1227.54
FENCEGRD	629271.2	3469984	2.23476	1227.6	1227.6
FENCEGRD	629249.8	3469986	2.29684	1227.75	1227.75
FENCEGRD	629228.4	3469989	2.34695	1227.87	1227.87
FENCEGRD	629207	3469991	2.43173	1227.21	1227.21
FENCEGRD	629185.6	3469994	2.50595	1227.08	1227.08
FENCEGRD	629173.3	3470096	6.25323	1227.1	1227.1
FENCEGRD	629149.7	3470098	6.29336	1226.88	1226.88
FENCEGRD	629126.1	3470101	6.33301	1227.4	1227.4
FENCEGRD	629102.5	3470103	6.36665	1227.53	1227.53
FENCEGRD	629078.8	3470106	6.42431	1227.7	1227.7
FENCEGRD	629170.6	3470071	4.10156	1227.89	1227.89
FENCEGRD	629147	3470073	4.23243	1227.98	1227.98
FENCEGRD	629123.4	3470076	4.32271	1227.37	1227.37
FENCEGRD	629099.8	3470078	4.45744	1227.27	1227.27
FENCEGRD	629076.2	3470081	4.57424	1227.11	1227.11
FENCEGRD	629167.9	3470046	3.42404	1227	1227
FENCEGRD	629144.3	3470048	3.55582	1227	1227
FENCEGRD	629120.7	3470051	3.60782	1226.73	1226.73
FENCEGRD	629097.1	3470054	3.66039	1227.5	1227.5
FENCEGRD	629073.5	3470056	3.715	1227.64	1227.64
FENCEGRD	629165.2	3470021	2.89792	1227.79	1227.79
FENCEGRD	629141.6	3470024	2.98828	1227.92	1227.92
FENCEGRD	629118	3470026	3.08852	1228.06	1228.06
FENCEGRD	629094.4	3470029	3.15687	1228.33	1228.33
FENCEGRD	629070.8	3470031	3.21981	1228.4	1228.4
FENCEGRD	629162.5	3469996	2.58288	1228.49	1228.49
FENCEGRD	629138.9	3469999	2.65939	1228.79	1228.79
FENCEGRD	629115.3	3470001	2.73228	1228.87	1228.87
FENCEGRD	629091.7	3470004	2.80136	1227.86	1227.86
FENCEGRD	629068.1	3470006	2.8696	1227.99	1227.99
FENCEGRD	629054.2	3470109	6.54306	1228.07	1228.07
FENCEGRD	629029.6	3470112	6.59721	1228.22	1228.22
FENCEGRD	629005	3470114	6.84381	1228.62	1228.62
FENCEGRD	628980.3	3470117	7.03319	1228.01	1228.01
FENCEGRD	628955.7	3470120	7.22119	1228.1	1228.1
FENCEGRD	628931.1	3470123	7.33261	1228.21	1228.21
FENCEGRD	628906.5	3470126	7.55362	1228.42	1228.42
FENCEGRD	629051.4	3470084	4.68581	1228.33	1228.33
FENCEGRD	629026.7	3470087	4.82215	1228.09	1228.09
FENCEGRD	629002.1	3470089	4.94617	1228.21	1228.21
FENCEGRD	628977.5	3470092	5.03962	1228.33	1228.33
FENCEGRD	628952.9	3470095	5.1656	1228.42	1228.42
FENCEGRD	628928.3	3470098	5.31465	1228.52	1228.52
FENCEGRD	628903.7	3470101	5.47647	1228.17	1228.17
FENCEGRD	629048.5	3470059	3.77787	1228.26	1228.26
FENCEGRD	629023.9	3470062	3.84826	1228.36	1228.36
FENCEGRD	628999.3	3470065	3.92414	1228.5	1228.5
FENCEGRD	628974.7	3470067	4.01021	1228.64	1228.64
FENCEGRD	628950	3470070	4.16747	1228.94	1228.94
FENCEGRD	628925.4	3470073	4.2815	1229.09	1229.09
FENCEGRD	628900.8	3470076	4.50868	1229.26	1229.26
FENCEGRD	629045.7	3470034	3.32524	1229.43	1229.43
FENCEGRD	629021.1	3470037	3.4826	1229.56	1229.56
FENCEGRD	628996.4	3470040	3.55909	1228.73	1228.73
FENCEGRD	628971.8	3470043	3.62291	1228.81	1228.81
FENCEGRD	628947.2	3470045	3.69244	1228.95	1228.95
FENCEGRD	628922.6	3470048	3.81429	1229.07	1229.07
FENCEGRD	628898	3470051	4.01864	1229.18	1229.18
FENCEGRD	629042.8	3470009	2.94764	1228.54	1228.54
FENCEGRD	629018.2	3470012	3.02754	1228.65	1228.65
FENCEGRD	628993.6	3470015	3.11967	1228.83	1228.83
FENCEGRD	628969	3470018	3.22062	1228.96	1228.96
FENCEGRD	628944.4	3470021	3.33702	1229.07	1229.07
FENCEGRD	628919.7	3470023	3.52571	1228.65	1228.65
FENCEGRD	628895.1	3470026	3.72675	1228.83	1228.83
FENCEGRD	628896.8	3470127	7.67693	1228.94	1228.94
FENCEGRD	628893.7	3470102	5.55193	1229.13	1229.13
FENCEGRD	628890.6	3470077	4.63708	1229.23	1229.23
FENCEGRD	628887.5	3470052	4.08821	1228.74	1228.74
FENCEGRD	628884.4	3470028	3.82666	1228.85	1228.85

FENCEGRD	628874.1	3470129	7.81166	1229.01	1229.01
FENCEGRD	628851.3	3470132	7.98428	1229.21	1229.21
FENCEGRD	628828.5	3470135	8.26683	1229.4	1229.4
FENCEGRD	628805.8	3470137	9.02712	1229.75	1229.75
FENCEGRD	628871.2	3470105	5.73681	1229.94	1229.94
FENCEGRD	628848.4	3470107	6.15042	1230.04	1230.04
FENCEGRD	628825.7	3470110	6.49526	1230.19	1230.19
FENCEGRD	628802.9	3470113	6.82414	1230.37	1230.37
FENCEGRD	628868.3	3470080	4.84594	1230.5	1230.5
FENCEGRD	628845.6	3470082	5.09684	1230.63	1230.63
FENCEGRD	628822.8	3470085	5.40088	1229.3	1229.3
FENCEGRD	628800	3470088	5.82362	1229.47	1229.47
FENCEGRD	628865.5	3470055	4.31942	1229.58	1229.58
FENCEGRD	628842.7	3470058	4.62084	1229.74	1229.74
FENCEGRD	628819.9	3470060	4.98334	1229.88	1229.88
FENCEGRD	628797.2	3470063	5.41146	1230.04	1230.04
FENCEGRD	628862.6	3470030	4.05341	1230.22	1230.22
FENCEGRD	628839.8	3470033	4.31896	1229.26	1229.26
FENCEGRD	628817.1	3470035	4.70964	1229.39	1229.39
FENCEGRD	628794.3	3470038	5.20856	1229.57	1229.57
FENCEGRD	628782	3470140	9.62213	1229.7	1229.7
FENCEGRD	628758.2	3470143	10.49752	1229.9	1229.9
FENCEGRD	628734.3	3470145	11.39966	1230.13	1230.13
FENCEGRD	628710.5	3470148	12.78233	1230.32	1230.32
FENCEGRD	628667.4	3470129	18.36443	1229.36	1229.36
FENCEGRD	628666.8	3470112	18.76197	1229.58	1229.58
FENCEGRD	628666.5	3470091	18.26715	1229.73	1229.73
FENCEGRD	628692.4	3470153	15.13994	1229.82	1229.82
FENCEGRD	628692.1	3470132	12.5067	1229.97	1229.97
FENCEGRD	628691.8	3470111	12.02845	1230.18	1230.18
FENCEGRD	628691.5	3470091	12.05743	1230.37	1230.37
FENCEGRD	628717.1	3470132	10.46271	1229.52	1229.52
FENCEGRD	628716.8	3470111	9.64146	1229.64	1229.64
FENCEGRD	628716.5	3470090	9.26173	1229.76	1229.76
FENCEGRD	628742.1	3470131	9.15992	1229.89	1229.89
FENCEGRD	628741.8	3470111	8.14314	1230.04	1230.04
FENCEGRD	628741.5	3470090	7.69035	1230.25	1230.25
FENCEGRD	628767.1	3470131	8.4756	1230.43	1230.43
FENCEGRD	628766.8	3470110	7.21927	1230.85	1230.85
FENCEGRD	628766.5	3470090	6.65453	1231.02	1231.02
FENCEGRD	628662.9	3470070	21.45469	1231.16	1231.16
FENCEGRD	628736.8	3470057	7.62789	1231.36	1231.36
FENCEGRD	628764.9	3470073	6.5145	1231.58	1231.58
FENCEGRD	628761.4	3470053	6.23027	1231.73	1231.73
FENCEGRD	628663.1	3470055	21.5511	1231.96	1231.96
FENCEGRD	628663.2	3470038	21.58453	1232.17	1232.17
FENCEGRD	628688	3470071	12.85956	1232.34	1232.34
FENCEGRD	628688.1	3470055	12.91485	1232.67	1232.67
FENCEGRD	628688.2	3470038	13.02811	1230.49	1230.49
FENCEGRD	628713	3470071	9.35176	1230.65	1230.65
FENCEGRD	628713.1	3470055	9.3303	1230.8	1230.8
FENCEGRD	628713.2	3470038	9.36947	1231.02	1231.02
FENCEGRD	628738	3470072	7.70114	1231.21	1231.21
FENCEGRD	628738.2	3470039	7.44463	1231.42	1231.42
FENCEGRD	628763.2	3470039	6.22254	1231.7	1231.7
FENCEGRD	628663.3	3470016	21.44557	1231.89	1231.89
FENCEGRD	628663.4	3469994	21.6981	1232.02	1232.02
FENCEGRD	628663.5	3469972	21.83757	1230.53	1230.53
FENCEGRD	628663.6	3469951	21.96537	1230.79	1230.79
FENCEGRD	628663.7	3469929	22.04023	1230.97	1230.97
FENCEGRD	628663.8	3469907	22.09886	1231.16	1231.16
FENCEGRD	628663.9	3469885	22.49332	1231.48	1231.48
FENCEGRD	628664	3469863	22.51507	1231.74	1231.74
FENCEGRD	628688.3	3470016	13.07804	1231.94	1231.94
FENCEGRD	628688.4	3469995	12.96888	1232.16	1232.16
FENCEGRD	628688.5	3469973	12.82701	1232.27	1232.27
FENCEGRD	628688.6	3469951	13.0262	1230.58	1230.58
FENCEGRD	628688.7	3469929	13.17242	1230.76	1230.76
FENCEGRD	628688.8	3469907	13.28714	1230.98	1230.98
FENCEGRD	628688.9	3469885	13.24686	1231.17	1231.17
FENCEGRD	628689	3469863	13.36217	1231.47	1231.47
FENCEGRD	628713.3	3470017	9.43322	1231.77	1231.77
FENCEGRD	628713.4	3469995	9.40328	1231.95	1231.95
FENCEGRD	628713.5	3469973	9.37873	1232.08	1232.08
FENCEGRD	628713.6	3469951	9.35168	1232.31	1232.31
FENCEGRD	628713.7	3469929	9.45124	1230.6	1230.6
FENCEGRD	628713.8	3469907	9.45413	1230.81	1230.81
FENCEGRD	628713.9	3469885	9.44134	1231.01	1231.01
FENCEGRD	628714	3469863	9.38749	1231.25	1231.25
FENCEGRD	628738.3	3470017	7.38837	1231.44	1231.44
FENCEGRD	628738.4	3469995	7.3079	1231.67	1231.67
FENCEGRD	628738.5	3469973	7.20371	1231.87	1231.87
FENCEGRD	628738.6	3469951	7.2926	1232.03	1232.03
FENCEGRD	628738.7	3469929	7.38713	1232.23	1232.23
FENCEGRD	628738.8	3469907	7.38976	1232.79	1232.79
FENCEGRD	628738.9	3469885	7.37709	1232.48	1232.48

FENCEGRD	628739	3469863	7.36441	1232.46	1232.46
FENCEGRD	628763.3	3470017	6.05691	1232.19	1232.19
FENCEGRD	628763.4	3469995	6.03944	1232.22	1232.22
FENCEGRD	628763.5	3469973	6.02726	1231.86	1231.86
FENCEGRD	628763.6	3469951	6.06335	1231.91	1231.91
FENCEGRD	628763.7	3469929	6.0556	1231.63	1231.63
FENCEGRD	628763.8	3469907	6.05838	1231.62	1231.62
FENCEGRD	628763.9	3469885	6.0927	1231.38	1231.38
FENCEGRD	628764	3469863	6.08245	1232.09	1232.09
FENCEGRD	628664	3469839	22.65405	1232.41	1232.41
FENCEGRD	628664	3469815	22.42948	1232.23	1232.23
FENCEGRD	628664.1	3469791	22.74871	1232.3	1232.3
FENCEGRD	628664.1	3469767	22.64807	1232.23	1232.23
FENCEGRD	628664.1	3469743	22.64776	1231.88	1231.88
FENCEGRD	628664.1	3469719	23.01244	1232.25	1232.25
FENCEGRD	628664.1	3469695	22.99184	1232.05	1232.05
FENCEGRD	628664.1	3469671	23.1325	1232.13	1232.13
FENCEGRD	628689	3469839	13.3972	1232.06	1232.06
FENCEGRD	628689	3469815	13.3729	1231.66	1231.66
FENCEGRD	628689.1	3469791	13.39399	1232.12	1232.12
FENCEGRD	628689.1	3469767	13.41148	1231.85	1231.85
FENCEGRD	628689.1	3469743	13.42099	1231.97	1231.97
FENCEGRD	628689.1	3469719	13.56716	1231.9	1231.9
FENCEGRD	628689.1	3469695	13.56592	1231.46	1231.46
FENCEGRD	628689.1	3469671	13.59149	1231.85	1231.85
FENCEGRD	628714	3469839	9.39051	1231.68	1231.68
FENCEGRD	628714	3469815	9.41003	1231.82	1231.82
FENCEGRD	628714.1	3469791	9.41925	1231.71	1231.71
FENCEGRD	628714.1	3469767	9.4744	1231.26	1231.26
FENCEGRD	628714.1	3469743	9.47632	1231.6	1231.6
FENCEGRD	628714.1	3469719	9.45861	1231.44	1231.44
FENCEGRD	628714.1	3469695	9.45224	1231.58	1231.58
FENCEGRD	628714.1	3469671	9.41393	1231.5	1231.5
FENCEGRD	628739	3469839	7.3935	1232.19	1232.19
FENCEGRD	628739	3469815	7.34395	1232.21	1232.21
FENCEGRD	628739.1	3469791	7.3267	1232.11	1232.11
FENCEGRD	628739.1	3469767	7.30261	1232.08	1232.08
FENCEGRD	628739.1	3469743	7.28559	1232.07	1232.07
FENCEGRD	628739.1	3469719	7.2756	1232.04	1232.04
FENCEGRD	628739.1	3469695	7.26644	1232.04	1232.04
FENCEGRD	628739.1	3469671	7.25354	1232.07	1232.07
FENCEGRD	628764	3469839	6.07516	1232.01	1232.01
FENCEGRD	628764	3469815	6.06096	1231.93	1231.93
FENCEGRD	628764.1	3469791	6.04069	1231.91	1231.91
FENCEGRD	628764.1	3469767	6.01998	1231.92	1231.92
FENCEGRD	628764.1	3469743	6.00166	1231.9	1231.9
FENCEGRD	628764.1	3469719	6.04689	1231.88	1231.88
FENCEGRD	628764.1	3469695	6.03204	1231.87	1231.87
FENCEGRD	628764.1	3469671	6.01463	1231.89	1231.89
FENCEGRD	628664.2	3469648	23.26554	1231.83	1231.83
FENCEGRD	628664.2	3469624	23.40485	1231.75	1231.75
FENCEGRD	628664.3	3469600	23.24794	1231.73	1231.73
FENCEGRD	628664.3	3469576	23.33272	1231.71	1231.71
FENCEGRD	628664.4	3469552	23.37144	1231.71	1231.71
FENCEGRD	628664.4	3469529	23.4365	1231.7	1231.7
FENCEGRD	628664.5	3469505	23.51442	1231.71	1231.71
FENCEGRD	628664.5	3469481	23.42771	1231.73	1231.73
FENCEGRD	628664.6	3469457	23.30284	1231.67	1231.67
FENCEGRD	628664.6	3469433	23.43797	1231.64	1231.64
FENCEGRD	628664.7	3469409	23.52519	1231.62	1231.62
FENCEGRD	628664.7	3469386	23.66619	1231.55	1231.55
FENCEGRD	628664.8	3469362	23.80084	1231.55	1231.55
FENCEGRD	628689.2	3469648	13.59036	1231.55	1231.55
FENCEGRD	628689.2	3469624	13.40617	1231.56	1231.56
FENCEGRD	628689.3	3469600	13.4483	1231.6	1231.6
FENCEGRD	628689.3	3469576	13.44556	1231.5	1231.5
FENCEGRD	628689.4	3469552	13.44393	1231.51	1231.51
FENCEGRD	628689.4	3469529	13.48501	1231.46	1231.46
FENCEGRD	628689.5	3469505	13.45014	1231.4	1231.4
FENCEGRD	628689.5	3469481	13.457	1231.37	1231.37
FENCEGRD	628689.6	3469457	13.47928	1231.39	1231.39
FENCEGRD	628689.6	3469433	13.56272	1231.4	1231.4
FENCEGRD	628689.7	3469410	13.52403	1231.43	1231.43
FENCEGRD	628689.7	3469386	13.62986	1232.08	1232.08
FENCEGRD	628689.8	3469362	13.96932	1232.13	1232.13
FENCEGRD	628714.2	3469648	9.44071	1232.21	1232.21
FENCEGRD	628714.2	3469624	9.38785	1232.21	1232.21
FENCEGRD	628714.3	3469600	9.39234	1232.22	1232.22
FENCEGRD	628714.3	3469576	9.32938	1232.22	1232.22
FENCEGRD	628714.4	3469552	9.31929	1232.18	1232.18
FENCEGRD	628714.4	3469529	9.30957	1232.29	1232.29
FENCEGRD	628714.5	3469505	9.34433	1232.36	1232.36
FENCEGRD	628714.5	3469481	9.40431	1232.43	1232.43
FENCEGRD	628714.6	3469457	9.44218	1232.55	1232.55
FENCEGRD	628714.6	3469433	9.45383	1232.55	1232.55
FENCEGRD	628714.7	3469410	9.4565	1232.48	1232.48

FENCEGRD	628714.7	3469386	9.44558	1232.48	1232.48
FENCEGRD	628714.8	3469362	9.45139	1232.64	1232.64
FENCEGRD	628739.2	3469648	7.23554	1232.7	1232.7
FENCEGRD	628739.2	3469624	7.25783	1232.77	1232.77
FENCEGRD	628739.3	3469600	7.31905	1232.7	1232.7
FENCEGRD	628739.3	3469576	7.38032	1232.7	1232.7
FENCEGRD	628739.4	3469553	7.42487	1232.73	1232.73
FENCEGRD	628739.4	3469529	7.47594	1231.96	1231.96
FENCEGRD	628739.5	3469505	7.50086	1232.04	1232.04
FENCEGRD	628739.5	3469481	7.55333	1232.02	1232.02
FENCEGRD	628739.6	3469457	7.57602	1232.01	1232.01
FENCEGRD	628739.6	3469433	7.61609	1232.04	1232.04
FENCEGRD	628739.7	3469410	7.63681	1232.04	1232.04
FENCEGRD	628739.7	3469386	7.67468	1231.98	1231.98
FENCEGRD	628739.8	3469362	7.69544	1232.08	1232.08
FENCEGRD	628764.2	3469648	5.93286	1232.11	1232.11
FENCEGRD	628764.2	3469624	5.97954	1232.17	1232.17
FENCEGRD	628764.3	3469600	6.04517	1232.19	1232.19
FENCEGRD	628764.3	3469576	6.11136	1232.21	1232.21
FENCEGRD	628764.4	3469553	6.17019	1232.27	1232.27
FENCEGRD	628764.4	3469529	6.31303	1232.25	1232.25
FENCEGRD	628764.5	3469505	6.35952	1232.36	1232.36
FENCEGRD	628764.5	3469481	6.31008	1232.51	1232.51
FENCEGRD	628764.6	3469457	6.3379	1232.53	1232.53
FENCEGRD	628764.6	3469434	6.39275	1232.53	1232.53
FENCEGRD	628764.7	3469410	6.42324	1232.58	1232.58
FENCEGRD	628764.7	3469386	6.46646	1232.53	1232.53
FENCEGRD	628764.8	3469362	6.48275	1231.82	1231.82
FENCEGRD	628664.8	3469337	24.10311	1231.82	1231.82
FENCEGRD	628664.9	3469312	24.01002	1231.79	1231.79
FENCEGRD	628665	3469287	23.90836	1231.84	1231.84
FENCEGRD	628665.1	3469262	23.84273	1231.87	1231.87
FENCEGRD	628665.2	3469237	23.59716	1231.86	1231.86
FENCEGRD	628665.3	3469212	23.57913	1231.83	1231.83
FENCEGRD	628665.4	3469187	23.35849	1231.85	1231.85
FENCEGRD	628665.5	3469163	23.36807	1231.91	1231.91
FENCEGRD	628665.6	3469138	23.31993	1231.94	1231.94
FENCEGRD	628665.7	3469113	23.49446	1231.94	1231.94
FENCEGRD	628665.8	3469088	23.46436	1232	1232
FENCEGRD	628665.9	3469063	23.3723	1232.08	1232.08
FENCEGRD	628666	3469038	23.35248	1232.06	1232.06
FENCEGRD	628666.1	3469013	23.52548	1232.1	1232.1
FENCEGRD	628666.2	3468988	23.53952	1232.21	1232.21
FENCEGRD	628666.3	3468963	23.45873	1232.28	1232.28
FENCEGRD	628666.4	3468938	23.34199	1232.29	1232.29
FENCEGRD	628666.5	3468913	23.31063	1232.37	1232.37
FENCEGRD	628666.5	3468888	23.1383	1232.4	1232.4
FENCEGRD	628666.6	3468863	22.99527	1231.64	1231.64
FENCEGRD	628666.7	3468839	22.94351	1231.63	1231.63
FENCEGRD	628666.8	3468814	22.87913	1231.63	1231.63
FENCEGRD	628666.9	3468789	23.21964	1231.64	1231.64
FENCEGRD	628667	3468764	23.26992	1231.64	1231.64
FENCEGRD	628667.1	3468739	23.16486	1231.62	1231.62
FENCEGRD	628667.2	3468714	23.32943	1231.62	1231.62
FENCEGRD	628667.3	3468689	22.9792	1231.66	1231.66
FENCEGRD	628667.4	3468664	23.07655	1231.71	1231.71
FENCEGRD	628667.5	3468639	23.05174	1231.69	1231.69
FENCEGRD	628667.6	3468614	22.99506	1231.73	1231.73
FENCEGRD	628667.7	3468589	22.91266	1231.81	1231.81
FENCEGRD	628667.8	3468564	22.92247	1231.92	1231.92
FENCEGRD	628667.9	3468539	23.00193	1231.9	1231.9
FENCEGRD	628668	3468515	23.10646	1231.89	1231.89
FENCEGRD	628668.1	3468490	23.28191	1231.95	1231.95
FENCEGRD	628668.2	3468465	23.21456	1232.02	1232.02
FENCEGRD	628668.2	3468440	23.31884	1232.08	1232.08
FENCEGRD	628668.3	3468415	23.39171	1232.14	1232.14
FENCEGRD	628668.4	3468390	23.43347	1232.21	1232.21
FENCEGRD	628668.5	3468365	23.31327	1231.43	1231.43
FENCEGRD	628668.6	3468340	23.36136	1231.44	1231.44
FENCEGRD	628668.7	3468315	23.30924	1231.42	1231.42
FENCEGRD	628668.8	3468290	23.13347	1231.44	1231.44
FENCEGRD	628668.9	3468265	23.09228	1231.44	1231.44
FENCEGRD	628669	3468240	22.96447	1231.47	1231.47
FENCEGRD	628669.1	3468216	22.655	1231.46	1231.46
FENCEGRD	628669.2	3468191	22.23575	1231.48	1231.48
FENCEGRD	628669.3	3468166	21.74155	1231.51	1231.51
FENCEGRD	628669.4	3468141	21.24628	1231.52	1231.52
FENCEGRD	628669.5	3468116	20.8767	1231.52	1231.52
FENCEGRD	628669.6	3468091	21.06871	1231.56	1231.56
FENCEGRD	628669.7	3468066	20.69009	1231.62	1231.62
FENCEGRD	628669.8	3468041	20.64254	1231.7	1231.7
FENCEGRD	628669.9	3468016	20.36189	1231.71	1231.71
FENCEGRD	628669.9	3467991	19.86295	1231.78	1231.78
FENCEGRD	628670	3467966	19.68561	1231.82	1231.82
FENCEGRD	628670.1	3467941	18.26535	1231.85	1231.85
FENCEGRD	628689.8	3469337	13.67309	1231.94	1231.94

FENCEGRD	628689.9	3469312	13.91245	1231.98	1231.98
FENCEGRD	628690	3469287	13.69539	1232.75	1232.75
FENCEGRD	628690.1	3469262	13.86761	1232.76	1232.76
FENCEGRD	628690.2	3469237	13.88552	1232.79	1232.79
FENCEGRD	628690.3	3469212	13.82543	1232.81	1232.81
FENCEGRD	628690.4	3469188	13.76693	1232.82	1232.82
FENCEGRD	628690.5	3469163	13.62418	1232.85	1232.85
FENCEGRD	628690.6	3469138	13.7713	1232.91	1232.91
FENCEGRD	628690.7	3469113	13.72069	1232.96	1232.96
FENCEGRD	628690.8	3469088	13.66727	1232.55	1232.55
FENCEGRD	628690.9	3469063	13.63716	1232.58	1232.58
FENCEGRD	628691	3469038	13.65407	1232.62	1232.62
FENCEGRD	628691.1	3469013	13.57273	1232.66	1232.66
FENCEGRD	628691.2	3468988	13.62683	1232.68	1232.68
FENCEGRD	628691.3	3468963	13.67144	1232.73	1232.73
FENCEGRD	628691.4	3468938	13.70403	1232.79	1232.79
FENCEGRD	628691.5	3468913	13.71752	1232.8	1232.8
FENCEGRD	628691.5	3468888	13.53147	1232.42	1232.42
FENCEGRD	628691.6	3468864	13.53661	1232.44	1232.44
FENCEGRD	628691.7	3468839	13.58134	1232.47	1232.47
FENCEGRD	628691.8	3468814	13.52921	1232.49	1232.49
FENCEGRD	628691.9	3468789	13.46062	1232.53	1232.53
FENCEGRD	628692	3468764	13.5258	1232.6	1232.6
FENCEGRD	628692.1	3468739	13.49006	1232.65	1232.65
FENCEGRD	628692.2	3468714	13.29503	1232.67	1232.67
FENCEGRD	628692.3	3468689	13.34576	1232.26	1232.26
FENCEGRD	628692.4	3468664	13.44729	1232.31	1232.31
FENCEGRD	628692.5	3468639	13.42599	1232.32	1232.32
FENCEGRD	628692.6	3468614	13.0929	1232.38	1232.38
FENCEGRD	628692.7	3468589	13.04876	1232.42	1232.42
FENCEGRD	628692.8	3468564	13.00177	1232.49	1232.49
FENCEGRD	628692.9	3468540	12.88809	1232.54	1232.54
FENCEGRD	628693	3468515	13.04133	1232.55	1232.55
FENCEGRD	628693.1	3468490	13.04862	1232.06	1232.06
FENCEGRD	628693.2	3468465	13.07282	1232.16	1232.16
FENCEGRD	628693.2	3468440	13.05031	1232.19	1232.19
FENCEGRD	628693.3	3468415	12.912	1232.23	1232.23
FENCEGRD	628693.4	3468390	12.98156	1232.3	1232.3
FENCEGRD	628693.5	3468365	12.91288	1232.38	1232.38
FENCEGRD	628693.6	3468340	12.73262	1232.38	1232.38
FENCEGRD	628693.7	3468315	12.53913	1232.37	1232.37
FENCEGRD	628693.8	3468290	12.32919	1233.01	1233.01
FENCEGRD	628693.9	3468265	12.28391	1233.03	1233.03
FENCEGRD	628694	3468241	12.25056	1233.1	1233.1
FENCEGRD	628694.1	3468216	12.11732	1233.02	1233.02
FENCEGRD	628694.2	3468191	12.25936	1232.93	1232.93
FENCEGRD	628694.3	3468166	12.42302	1232.99	1232.99
FENCEGRD	628694.4	3468141	12.48508	1232.97	1232.97
FENCEGRD	628694.5	3468116	12.48358	1233.01	1233.01
FENCEGRD	628694.6	3468091	12.40685	1233.03	1233.03
FENCEGRD	628694.7	3468066	12.28912	1233	1233
FENCEGRD	628694.8	3468041	12.32266	1232.87	1232.87
FENCEGRD	628694.9	3468016	11.76775	1232.8	1232.8
FENCEGRD	628694.9	3467991	11.72618	1232.98	1232.98
FENCEGRD	628695	3467966	12.00999	1232.88	1232.88
FENCEGRD	628695.1	3467941	11.3193	1232.92	1232.92
FENCEGRD	628714.8	3469337	9.47408	1232.62	1232.62
FENCEGRD	628714.9	3469312	9.48492	1232.61	1232.61
FENCEGRD	628715	3469287	9.4906	1232.76	1232.76
FENCEGRD	628715.1	3469262	9.57967	1232.84	1232.84
FENCEGRD	628715.2	3469237	9.5865	1232.77	1232.77
FENCEGRD	628715.3	3469213	9.59224	1232.67	1232.67
FENCEGRD	628715.4	3469188	9.48935	1232.71	1232.71
FENCEGRD	628715.5	3469163	9.4919	1232.81	1232.81
FENCEGRD	628715.6	3469138	9.50776	1232.98	1232.98
FENCEGRD	628715.7	3469113	9.53315	1232.47	1232.47
FENCEGRD	628715.8	3469088	9.56472	1232.4	1232.4
FENCEGRD	628715.9	3469063	9.57133	1232.12	1232.12
FENCEGRD	628716	3469038	9.5995	1231.93	1231.93
FENCEGRD	628716.1	3469013	9.60888	1232.37	1232.37
FENCEGRD	628716.2	3468988	9.64347	1232.54	1232.54
FENCEGRD	628716.3	3468963	9.64603	1232.55	1232.55
FENCEGRD	628716.4	3468938	9.63638	1232.44	1232.44
FENCEGRD	628716.5	3468913	9.70172	1232.5	1232.5
FENCEGRD	628716.5	3468889	9.71149	1232.76	1232.76
FENCEGRD	628716.6	3468864	9.66344	1232.69	1232.69
FENCEGRD	628716.7	3468839	9.69615	1233.18	1233.18
FENCEGRD	628716.8	3468814	9.70614	1233.14	1233.14
FENCEGRD	628716.9	3468789	9.68371	1233.15	1233.15
FENCEGRD	628717	3468764	9.70375	1233.13	1233.13
FENCEGRD	628717.1	3468739	9.71709	1233.12	1233.12
FENCEGRD	628717.2	3468714	9.73868	1233.16	1233.16
FENCEGRD	628717.3	3468689	9.61343	1233.13	1233.13
FENCEGRD	628717.4	3468664	9.47683	1233.17	1233.17
FENCEGRD	628717.5	3468639	9.42714	1233.18	1233.18
FENCEGRD	628717.6	3468614	9.56135	1233.14	1233.14

FENCEGRD	628717.7	3468590	9.50115	1233.05	1233.05
FENCEGRD	628717.8	3468565	9.40073	1233.07	1233.07
FENCEGRD	628717.9	3468540	9.29649	1233.07	1233.07
FENCEGRD	628718.	3468515	9.29105	1233	1233
FENCEGRD	628718.1	3468490	9.22928	1232.98	1232.98
FENCEGRD	628718.2	3468465	9.36286	1232.97	1232.97
FENCEGRD	628718.2	3468440	9.38388	1232.92	1232.92
FENCEGRD	628718.3	3468415	9.3128	1232.82	1232.82
FENCEGRD	628718.4	3468390	9.21625	1232.8	1232.8
FENCEGRD	628718.5	3468365	9.18544	1232.69	1232.69
FENCEGRD	628718.6	3468340	9.34487	1232.6	1232.6
FENCEGRD	628718.7	3468315	9.25524	1232.53	1232.53
FENCEGRD	628718.8	3468290	9.2768	1232.48	1232.48
FENCEGRD	628718.9	3468266	9.22862	1232.47	1232.47
FENCEGRD	628719.	3468241	9.13246	1232.46	1232.46
FENCEGRD	628719.1	3468216	9.22317	1232.4	1232.4
FENCEGRD	628719.2	3468191	9.24059	1232.33	1232.33
FENCEGRD	628719.3	3468166	9.18811	1232.29	1232.29
FENCEGRD	628719.4	3468141	9.12975	1232.27	1232.27
FENCEGRD	628719.5	3468116	9.09937	1232.26	1232.26
FENCEGRD	628719.6	3468091	9.09861	1232.27	1232.27
FENCEGRD	628719.7	3468066	9.17289	1232.26	1232.26
FENCEGRD	628719.8	3468041	9.11265	1232.29	1232.29
FENCEGRD	628719.9	3468016	8.95683	1232.3	1232.3
FENCEGRD	628719.9	3467991	8.98009	1232.37	1232.37
FENCEGRD	628720.	3467966	8.90572	1232.45	1232.45
FENCEGRD	628720.1	3467942	8.30471	1232.55	1232.55
FENCEGRD	628739.8	3469337	7.71789	1232.63	1232.63
FENCEGRD	628739.9	3469312	7.74579	1232.65	1232.65
FENCEGRD	628740.	3469287	7.7524	1232.53	1232.53
FENCEGRD	628740.1	3469262	7.76247	1232.81	1232.81
FENCEGRD	628740.2	3469238	7.77092	1233.12	1233.12
FENCEGRD	628740.3	3469213	7.75147	1233.19	1233.19
FENCEGRD	628740.4	3469188	7.77137	1233.23	1233.23
FENCEGRD	628740.5	3469163	7.76963	1233.24	1233.24
FENCEGRD	628740.6	3469138	7.7725	1233.26	1233.26
FENCEGRD	628740.7	3469113	7.77247	1233.24	1233.24
FENCEGRD	628740.8	3469088	7.76334	1233.25	1233.25
FENCEGRD	628740.9	3469063	7.79381	1233.28	1233.28
FENCEGRD	628741.	3469038	7.79494	1233.28	1233.28
FENCEGRD	628741.1	3469013	7.7647	1233.3	1233.3
FENCEGRD	628741.2	3468988	7.78872	1233.26	1233.26
FENCEGRD	628741.3	3468963	7.78602	1233.22	1233.22
FENCEGRD	628741.4	3468939	7.7547	1233.27	1233.27
FENCEGRD	628741.5	3468914	7.76211	1233.21	1233.21
FENCEGRD	628741.5	3468889	7.77233	1233.12	1233.12
FENCEGRD	628741.6	3468864	7.74271	1233.11	1233.11
FENCEGRD	628741.7	3468839	7.76408	1233.07	1233.07
FENCEGRD	628741.8	3468814	7.75335	1232.94	1232.94
FENCEGRD	628741.9	3468789	7.71872	1232.89	1232.89
FENCEGRD	628742.	3468764	7.70033	1232.84	1232.84
FENCEGRD	628742.1	3468739	7.68476	1232.79	1232.79
FENCEGRD	628742.2	3468714	7.65364	1232.78	1232.78
FENCEGRD	628742.3	3468689	7.58547	1232.68	1232.68
FENCEGRD	628742.4	3468664	7.55241	1232.66	1232.66
FENCEGRD	628742.5	3468639	7.51364	1232.61	1232.61
FENCEGRD	628742.6	3468615	7.47293	1232.55	1232.55
FENCEGRD	628742.7	3468590	7.4429	1232.46	1232.46
FENCEGRD	628742.8	3468565	7.39668	1232.39	1232.39
FENCEGRD	628742.9	3468540	7.35161	1232.38	1232.38
FENCEGRD	628743.	3468515	7.31504	1232.38	1232.38
FENCEGRD	628743.1	3468490	7.29081	1232.38	1232.38
FENCEGRD	628743.2	3468465	7.27335	1232.36	1232.36
FENCEGRD	628743.2	3468440	7.31439	1232.39	1232.39
FENCEGRD	628743.3	3468415	7.22202	1232.38	1232.38
FENCEGRD	628743.4	3468390	7.18741	1232.45	1232.45
FENCEGRD	628743.5	3468365	7.17036	1232.53	1232.53
FENCEGRD	628743.6	3468340	7.23111	1232.64	1232.64
FENCEGRD	628743.7	3468315	7.16969	1232.73	1232.73
FENCEGRD	628743.8	3468291	7.20455	1232.8	1232.8
FENCEGRD	628743.9	3468266	7.16813	1232.72	1232.72
FENCEGRD	628744.	3468241	7.16879	1232.87	1232.87
FENCEGRD	628744.1	3468216	7.10847	1233.12	1233.12
FENCEGRD	628744.2	3468191	7.12501	1233.01	1233.01
FENCEGRD	628744.3	3468166	7.1255	1233.2	1233.2
FENCEGRD	628744.4	3468141	7.02561	1233.35	1233.35
FENCEGRD	628744.5	3468116	7.00753	1233.46	1233.46
FENCEGRD	628744.6	3468091	7.09645	1233.41	1233.41
FENCEGRD	628744.7	3468066	7.10174	1233.37	1233.37
FENCEGRD	628744.8	3468041	7.0002	1233.37	1233.37
FENCEGRD	628744.9	3468016	7.06542	1233.36	1233.36
FENCEGRD	628744.9	3467992	7.28469	1233.38	1233.38
FENCEGRD	628745.	3467967	7.1376	1233.39	1233.39
FENCEGRD	628745.1	3467942	6.76434	1233.49	1233.49
FENCEGRD	628764.8	3469337	6.5368	1233.6	1233.6
FENCEGRD	628764.9	3469312	6.65251	1233.46	1233.46

FENCEGRD	628765	3469287	6.65652	1233.51	1233.51
FENCEGRD	628765.1	3469263	6.60408	1233.42	1233.42
FENCEGRD	628765.2	3469238	6.62401	1233.35	1233.35
FENCEGRD	628765.3	3469213	6.63914	1233.25	1233.25
FENCEGRD	628765.4	3469188	6.60045	1233.18	1233.18
FENCEGRD	628765.5	3469163	6.55782	1233.12	1233.12
FENCEGRD	628765.6	3469138	6.52064	1233.04	1233.04
FENCEGRD	628765.7	3469113	6.478	1232.99	1232.99
FENCEGRD	628765.8	3469088	6.42945	1232.92	1232.92
FENCEGRD	628765.9	3469063	6.38532	1232.88	1232.88
FENCEGRD	628766	3469038	6.33949	1232.83	1232.83
FENCEGRD	628766.1	3469013	6.28476	1232.81	1232.81
FENCEGRD	628766.2	3468988	6.24043	1232.75	1232.75
FENCEGRD	628766.3	3468964	6.27313	1232.69	1232.69
FENCEGRD	628766.4	3468939	6.23979	1232.6	1232.6
FENCEGRD	628766.5	3468914	6.26807	1232.56	1232.56
FENCEGRD	628766.5	3468889	6.28072	1232.51	1232.51
FENCEGRD	628766.6	3468864	6.28355	1232.5	1232.5
FENCEGRD	628766.7	3468839	6.38694	1232.48	1232.48
FENCEGRD	628766.8	3468814	6.38644	1232.47	1232.47
FENCEGRD	628766.9	3468789	6.32934	1232.48	1232.48
FENCEGRD	628767	3468764	6.34797	1232.53	1232.53
FENCEGRD	628767.1	3468739	6.31596	1232.55	1232.55
FENCEGRD	628767.2	3468714	6.29135	1232.61	1232.61
FENCEGRD	628767.3	3468689	6.27557	1232.71	1232.71
FENCEGRD	628767.4	3468664	6.24526	1232.82	1232.82
FENCEGRD	628767.5	3468640	6.20906	1232.97	1232.97
FENCEGRD	628767.6	3468615	6.1821	1232.88	1232.88
FENCEGRD	628767.7	3468590	6.16654	1232.93	1232.93
FENCEGRD	628767.8	3468565	6.21008	1233.25	1233.25
FENCEGRD	628767.9	3468540	6.15063	1233.19	1233.19
FENCEGRD	628768	3468515	6.09396	1233.02	1233.02
FENCEGRD	628768.1	3468490	6.07261	1232.93	1232.93
FENCEGRD	628768.2	3468465	6.07641	1233.3	1233.3
FENCEGRD	628768.2	3468440	6.06468	1233.49	1233.49
FENCEGRD	628768.3	3468415	6.04917	1233.55	1233.55
FENCEGRD	628768.4	3468390	6.0365	1233.55	1233.55
FENCEGRD	628768.5	3468365	6.02818	1233.55	1233.55
FENCEGRD	628768.6	3468340	6.00038	1233.48	1233.48
FENCEGRD	628768.7	3468316	5.96194	1233.47	1233.47
FENCEGRD	628768.8	3468291	5.91149	1233.51	1233.51
FENCEGRD	628768.9	3468266	5.91158	1233.48	1233.48
FENCEGRD	628769	3468241	5.92355	1233.59	1233.59
FENCEGRD	628769.1	3468216	5.93177	1233.69	1233.69
FENCEGRD	628769.2	3468191	5.93776	1233.65	1233.65
FENCEGRD	628769.3	3468166	5.81337	1233.65	1233.65
FENCEGRD	628769.4	3468141	5.92698	1233.57	1233.57
FENCEGRD	628769.5	3468116	5.94734	1233.48	1233.48
FENCEGRD	628769.6	3468091	5.96421	1233.38	1233.38
FENCEGRD	628769.7	3468066	5.78582	1233.34	1233.34
FENCEGRD	628769.8	3468041	5.86188	1233.27	1233.27
FENCEGRD	628769.9	3468017	6.01302	1233.19	1233.19
FENCEGRD	628769.9	3467992	6.09764	1233.13	1233.13
FENCEGRD	628770	3467967	5.96472	1233.07	1233.07
FENCEGRD	628770.1	3467942	5.76369	1233.05	1233.05
FENCEGRD	628665.1	3467936	19.68413	1233	1233
FENCEGRD	628640.9	3467936	16.71833	1232.95	1232.95
FENCEGRD	628616.6	3467937	15.85889	1232.89	1232.89
FENCEGRD	628592.3	3467937	14.35778	1232.83	1232.83
FENCEGRD	628568.1	3467937	14.61041	1232.76	1232.76
FENCEGRD	628543.8	3467937	13.86612	1232.72	1232.72
FENCEGRD	628519.6	3467937	13.23344	1232.68	1232.68
FENCEGRD	628495.3	3467937	12.95715	1232.65	1232.65
FENCEGRD	628471	3467937	10.94941	1232.64	1232.64
FENCEGRD	628665	3467911	13.09324	1232.6	1232.6
FENCEGRD	628640.7	3467911	12.92439	1232.61	1232.61
FENCEGRD	628616.5	3467912	12.17366	1232.68	1232.68
FENCEGRD	628592.2	3467912	11.05005	1232.71	1232.71
FENCEGRD	628568	3467912	10.48143	1232.73	1232.73
FENCEGRD	628543.7	3467912	9.68085	1232.84	1232.84
FENCEGRD	628519.4	3467912	8.99388	1232.95	1232.95
FENCEGRD	628495.2	3467912	8.52061	1233.11	1233.11
FENCEGRD	628470.9	3467912	7.95707	1233.05	1233.05
FENCEGRD	628684.4	3467894	9.88552	1232.99	1232.99
FENCEGRD	628712.1	3467922	8.73319	1233.38	1233.38
FENCEGRD	628664.9	3467886	10.37961	1233.36	1233.36
FENCEGRD	628640.6	3467886	10.21615	1233.23	1233.23
FENCEGRD	628616.4	3467887	9.80177	1233.01	1233.01
FENCEGRD	628592.1	3467887	9.22078	1232.88	1232.88
FENCEGRD	628567.8	3467887	8.69083	1232.86	1232.86
FENCEGRD	628543.6	3467887	8.0247	1233.43	1233.43
FENCEGRD	628519.3	3467887	7.31439	1233.62	1233.62
FENCEGRD	628495.1	3467887	6.82858	1233.66	1233.66
FENCEGRD	628470.8	3467887	6.49818	1233.69	1233.69
FENCEGRD	628683.7	3467869	8.5328	1233.69	1233.69
FENCEGRD	628702.7	3467877	7.69511	1233.68	1233.68

FENCEGRD	628729.5	3467904	7.38341	1233.58	1233.58
FENCEGRD	628737.3	3467923	6.99021	1233.63	1233.63
FENCEGRD	628664.7	3467861	8.47037	1233.61	1233.61
FENCEGRD	628640.5	3467861	8.35976	1233.59	1233.59
FENCEGRD	628616.2	3467862	8.23839	1233.8	1233.8
FENCEGRD	628592	3467862	7.85837	1233.79	1233.79
FENCEGRD	628567.7	3467862	7.33626	1233.75	1233.75
FENCEGRD	628543.5	3467862	6.89516	1233.7	1233.7
FENCEGRD	628519.2	3467862	6.34964	1233.62	1233.62
FENCEGRD	628494.9	3467862	6.04348	1233.55	1233.55
FENCEGRD	628470.7	3467862	5.52834	1233.49	1233.49
FENCEGRD	628683.3	3467844	7.3637	1233.43	1233.43
FENCEGRD	628702	3467852	7.05071	1233.34	1233.34
FENCEGRD	628720.7	3467859	6.47341	1233.27	1233.27
FENCEGRD	628747	3467886	5.80808	1233.24	1233.24
FENCEGRD	628754.7	3467904	6.02906	1233.23	1233.23
FENCEGRD	628762.4	3467923	5.63513	1233.15	1233.15
FENCEGRD	628664.6	3467836	7.2952	1233.1	1233.1
FENCEGRD	628640.4	3467836	7.17752	1233.04	1233.04
FENCEGRD	628616.1	3467837	6.94375	1232.97	1232.97
FENCEGRD	628591.9	3467837	6.70867	1232.93	1232.93
FENCEGRD	628567.6	3467837	6.45909	1232.86	1232.86
FENCEGRD	628543.3	3467837	6.11625	1232.82	1232.82
FENCEGRD	628519.1	3467837	5.63601	1232.81	1232.81
FENCEGRD	628494.8	3467837	5.34289	1232.76	1232.76
FENCEGRD	628470.6	3467837	4.89924	1232.76	1232.76
FENCEGRD	628466.1	3467943	11.35403	1232.77	1232.77
FENCEGRD	628467	3467963	12.65089	1232.84	1232.84
FENCEGRD	628445.2	3467933	7.82583	1232.87	1232.87
FENCEGRD	628460.1	3467917	7.86705	1232.91	1232.91
FENCEGRD	628441.1	3467944	8.06962	1232.98	1232.98
FENCEGRD	628442	3467964	7.96688	1233.11	1233.11
FENCEGRD	628421.2	3467931	6.6957	1233.26	1233.26
FENCEGRD	628426.2	3467918	5.91511	1233.23	1233.23
FENCEGRD	628444.4	3467899	6.41265	1233.16	1233.16
FENCEGRD	628457.6	3467893	6.39859	1232.62	1232.62
FENCEGRD	628416.1	3467945	6.57303	1232.72	1232.72
FENCEGRD	628417	3467966	6.07291	1232.54	1232.54
FENCEGRD	628396.6	3467931	5.46471	1232.65	1232.65
FENCEGRD	628402.1	3467916	5.27217	1232.75	1232.75
FENCEGRD	628407.6	3467902	5.10839	1232.6	1232.6
FENCEGRD	628427.5	3467881	5.40316	1232.74	1232.74
FENCEGRD	628441.9	3467875	5.43092	1232.82	1232.82
FENCEGRD	628456.3	3467869	5.45346	1232.64	1232.64
FENCEGRD	628391.1	3467946	5.41799	1232.69	1232.69
FENCEGRD	628392.1	3467967	5.02883	1232.75	1232.75
FENCEGRD	628373.4	3467928	4.78767	1232.54	1232.54
FENCEGRD	628380.6	3467908	4.57797	1232.6	1232.6
FENCEGRD	628387.8	3467889	4.47689	1232.65	1232.65
FENCEGRD	628413.9	3467862	4.77016	1233.32	1233.32
FENCEGRD	628432.8	3467854	4.74091	1233.55	1233.55
FENCEGRD	628451.7	3467845	4.84678	1233.64	1233.64
FENCEGRD	628366.2	3467947	4.5907	1233.77	1233.77
FENCEGRD	628367.1	3467968	4.37566	1233.93	1233.93
FENCEGRD	628472	3467968	12.95936	1234.03	1234.03
FENCEGRD	628496.4	3467968	14.99323	1234.17	1234.17
FENCEGRD	628520.8	3467968	15.41513	1234.41	1234.41
FENCEGRD	628545.2	3467968	15.35993	1234.51	1234.51
FENCEGRD	628569.6	3467968	15.35865	1234.63	1234.63
FENCEGRD	628594	3467967	15.39345	1235.01	1235.01
FENCEGRD	628618.4	3467967	16.52886	1235.34	1235.34
FENCEGRD	628472.2	3467993	7.95364	1235.48	1235.48
FENCEGRD	628496.6	3467993	8.90777	1235.71	1235.71
FENCEGRD	628520.9	3467993	9.15929	1235.93	1235.93
FENCEGRD	628453.2	3468011	6.03127	1236.01	1236.01
FENCEGRD	628425.5	3467984	6.28926	1236.14	1236.14
FENCEGRD	628472.3	3468018	6.54686	1236.39	1236.39
FENCEGRD	628496.7	3468018	7.12099	1236.66	1236.66
FENCEGRD	628521.1	3468018	7.78842	1233.08	1233.08
FENCEGRD	628453.9	3468036	5.53055	1233.33	1233.33
FENCEGRD	628435.4	3468028	5.12856	1233.5	1233.5
FENCEGRD	628408.6	3468003	5.10548	1233.6	1233.6
FENCEGRD	628400.3	3467985	5.26564	1233.79	1233.79
FENCEGRD	628472.4	3468043	5.9373	1233.89	1233.89
FENCEGRD	628496.8	3468043	6.51453	1233.97	1233.97
FENCEGRD	628521.2	3468043	7.04364	1234.15	1234.15
FENCEGRD	628454.3	3468061	5.32932	1234.31	1234.31
FENCEGRD	628436.1	3468054	5.01379	1234.38	1234.38
FENCEGRD	628417.8	3468046	4.74623	1234.52	1234.52
FENCEGRD	628391.5	3468021	4.5334	1234.9	1234.9
FENCEGRD	628383.3	3468003	4.55118	1235.12	1235.12
FENCEGRD	628375.2	3467986	4.51712	1235.22	1235.22
FENCEGRD	628472.6	3468068	5.72793	1235.45	1235.45
FENCEGRD	628497	3468068	6.30296	1235.56	1235.56
FENCEGRD	628521.4	3468068	6.96084	1235.62	1235.62
FENCEGRD	628637.7	3467987	18.95997	1235.85	1235.85

FENCEGRD	628637.6	3468012	19.72152	1236.12	1236.12
FENCEGRD	628637.5	3468037	20.18938	1233.02	1233.02
FENCEGRD	628637.4	3468062	20.6089	1233.14	1233.14
FENCEGRD	628637.3	3468087	20.83947	1233.33	1233.33
FENCEGRD	628637.2	3468112	21.04854	1233.51	1233.51
FENCEGRD	628637.1	3468136	21.09071	1233.67	1233.67
FENCEGRD	628637.1	3468161	21.09567	1233.93	1233.93
FENCEGRD	628637	3468186	20.93994	1234.09	1234.09
FENCEGRD	628636.9	3468211	20.96404	1234.23	1234.23
FENCEGRD	628636.8	3468236	20.84861	1234.4	1234.4
FENCEGRD	628636.7	3468261	21.01673	1234.6	1234.6
FENCEGRD	628636.6	3468286	20.99645	1234.84	1234.84
FENCEGRD	628636.5	3468311	21.09942	1235.01	1235.01
FENCEGRD	628636.4	3468336	21.0604	1235.08	1235.08
FENCEGRD	628636.4	3468361	21.07552	1235.16	1235.16
FENCEGRD	628636.3	3468386	20.97045	1235.32	1235.32
FENCEGRD	628636.2	3468410	21.01508	1235.41	1235.41
FENCEGRD	628636.1	3468435	21.10151	1235.48	1235.48
FENCEGRD	628636	3468460	21.12125	1235.55	1235.55
FENCEGRD	628635.9	3468485	21.14718	1235.71	1235.71
FENCEGRD	628635.8	3468510	21.10874	1235.86	1235.86
FENCEGRD	628635.7	3468535	21.20089	1236.01	1236.01
FENCEGRD	628635.6	3468560	21.44717	1232.87	1232.87
FENCEGRD	628635.6	3468585	21.47891	1233.01	1233.01
FENCEGRD	628635.5	3468610	21.39316	1233.2	1233.2
FENCEGRD	628635.4	3468635	21.41955	1233.37	1233.37
FENCEGRD	628635.3	3468660	21.46335	1233.55	1233.55
FENCEGRD	628635.2	3468685	21.43538	1233.78	1233.78
FENCEGRD	628635.1	3468709	21.47081	1233.93	1233.93
FENCEGRD	628635	3468734	21.41975	1234.09	1234.09
FENCEGRD	628634.9	3468759	21.35498	1234.3	1234.3
FENCEGRD	628634.9	3468784	21.37193	1234.54	1234.54
FENCEGRD	628634.8	3468809	21.53814	1234.74	1234.74
FENCEGRD	628634.7	3468834	21.56871	1234.92	1234.92
FENCEGRD	628634.6	3468859	21.57157	1235.02	1235.02
FENCEGRD	628634.5	3468884	21.59214	1235.14	1235.14
FENCEGRD	628634.4	3468909	21.61889	1235.28	1235.28
FENCEGRD	628634.3	3468934	21.80472	1235.4	1235.4
FENCEGRD	628634.2	3468959	21.99839	1235.47	1235.47
FENCEGRD	628634.1	3468983	22.17235	1235.55	1235.55
FENCEGRD	628634.1	3469008	22.0575	1235.71	1235.71
FENCEGRD	628634	3469033	22.09865	1235.93	1235.93
FENCEGRD	628633.9	3469058	22.18469	1236.1	1236.1
FENCEGRD	628633.8	3469083	21.86589	1232.76	1232.76
FENCEGRD	628633.7	3469108	21.87884	1232.91	1232.91
FENCEGRD	628633.6	3469133	21.89145	1233.07	1233.07
FENCEGRD	628633.5	3469158	21.90518	1233.23	1233.23
FENCEGRD	628633.4	3469183	21.61627	1233.39	1233.39
FENCEGRD	628633.4	3469208	21.62102	1233.6	1233.6
FENCEGRD	628633.3	3469233	21.69413	1233.76	1233.76
FENCEGRD	628633.2	3469257	21.78965	1233.99	1233.99
FENCEGRD	628633.1	3469282	21.6931	1234.18	1234.18
FENCEGRD	628633	3469307	21.74022	1234.36	1234.36
FENCEGRD	628632.9	3469332	22.1673	1234.52	1234.52
FENCEGRD	628632.8	3469357	22.12199	1234.65	1234.65
FENCEGRD	628632.7	3469382	22.13913	1234.81	1234.81
FENCEGRD	628632.6	3469407	22.15286	1235.01	1235.01
FENCEGRD	628632.6	3469432	22.1527	1235.17	1235.17
FENCEGRD	628632.5	3469457	22.16356	1235.28	1235.28
FENCEGRD	628632.4	3469482	22.23884	1235.4	1235.4
FENCEGRD	628632.3	3469507	22.17006	1235.51	1235.51
FENCEGRD	628632.2	3469531	22.17272	1235.69	1235.69
FENCEGRD	628632.1	3469556	22.17716	1235.87	1235.87
FENCEGRD	628632	3469581	22.1741	1236.1	1236.1
FENCEGRD	628631.9	3469606	21.6862	1236.78	1236.78
FENCEGRD	628631.9	3469631	21.58329	1236.98	1236.98
FENCEGRD	628631.8	3469656	21.56973	1237.13	1237.13
FENCEGRD	628631.7	3469681	21.49798	1237.19	1237.19
FENCEGRD	628612.7	3467987	13.29545	1237.39	1237.39
FENCEGRD	628612.6	3468012	12.85622	1237.6	1237.6
FENCEGRD	628612.5	3468037	12.90717	1237.69	1237.69
FENCEGRD	628612.4	3468062	13.19661	1237.9	1237.9
FENCEGRD	628612.3	3468087	13.21957	1238.13	1238.13
FENCEGRD	628612.2	3468111	13.37814	1238.24	1238.24
FENCEGRD	628612.1	3468136	13.54554	1238.43	1238.43
FENCEGRD	628612.1	3468161	13.7427	1236.61	1236.61
FENCEGRD	628612	3468186	13.77546	1236.67	1236.67
FENCEGRD	628611.9	3468211	13.77184	1236.83	1236.83
FENCEGRD	628611.8	3468236	13.79141	1236.92	1236.92
FENCEGRD	628611.7	3468261	13.84939	1236.9	1236.9
FENCEGRD	628611.6	3468286	13.92509	1237.15	1237.15
FENCEGRD	628611.5	3468311	13.95946	1237.25	1237.25
FENCEGRD	628611.4	3468336	14.18723	1237.26	1237.26
FENCEGRD	628611.4	3468361	14.20678	1237.51	1237.51
FENCEGRD	628611.3	3468385	14.18776	1237.71	1237.71
FENCEGRD	628611.2	3468410	14.24308	1237.78	1237.78

FENCEGRD	628611.1	3468435	14.3189	1236.1	1236.1
FENCEGRD	628611	3468460	14.39637	1236.31	1236.31
FENCEGRD	628610.9	3468485	14.48723	1236.53	1236.53
FENCEGRD	628610.8	3468510	14.05392	1236.62	1236.62
FENCEGRD	628610.7	3468535	14.09971	1236.83	1236.83
FENCEGRD	628610.6	3468560	14.0324	1237.08	1237.08
FENCEGRD	628610.6	3468585	14.18479	1237.2	1237.2
FENCEGRD	628610.5	3468610	14.18075	1237.35	1237.35
FENCEGRD	628610.4	3468635	14.24211	1237.65	1237.65
FENCEGRD	628610.3	3468660	14.31795	1237.86	1237.86
FENCEGRD	628610.2	3468684	14.42097	1237.88	1237.88
FENCEGRD	628610.1	3468709	14.40034	1236.24	1236.24
FENCEGRD	628610	3468734	14.34168	1236.44	1236.44
FENCEGRD	628609.9	3468759	14.514	1236.65	1236.65
FENCEGRD	628609.9	3468784	14.2351	1236.86	1236.86
FENCEGRD	628609.8	3468809	14.29382	1236.99	1236.99
FENCEGRD	628609.7	3468834	14.35644	1237.15	1237.15
FENCEGRD	628609.6	3468859	14.44052	1237.32	1237.32
FENCEGRD	628609.5	3468884	14.39394	1237.4	1237.4
FENCEGRD	628609.4	3468909	14.43004	1237.62	1237.62
FENCEGRD	628609.3	3468934	14.4547	1237.81	1237.81
FENCEGRD	628609.2	3468958	14.48271	1237.97	1237.97
FENCEGRD	628609.1	3468983	14.65918	1236.25	1236.25
FENCEGRD	628609.1	3469008	14.52429	1236.43	1236.43
FENCEGRD	628609	3469033	14.65329	1236.65	1236.65
FENCEGRD	628608.9	3469058	14.55399	1236.82	1236.82
FENCEGRD	628608.8	3469083	14.52648	1237.02	1237.02
FENCEGRD	628608.7	3469108	14.56083	1237.22	1237.22
FENCEGRD	628608.6	3469133	14.50712	1237.46	1237.46
FENCEGRD	628608.5	3469158	14.66259	1237.69	1237.69
FENCEGRD	628608.4	3469183	14.73422	1237.9	1237.9
FENCEGRD	628608.4	3469208	15.26322	1238.08	1238.08
FENCEGRD	628608.3	3469232	15.27923	1238.31	1238.31
FENCEGRD	628608.2	3469257	15.2663	1238.9	1238.9
FENCEGRD	628608.1	3469282	15.27891	1239.22	1239.22
FENCEGRD	628608	3469307	15.25683	1238.24	1238.24
FENCEGRD	628607.9	3469332	14.74855	1237.92	1237.92
FENCEGRD	628607.8	3469357	14.46185	1239.03	1239.03
FENCEGRD	628607.7	3469382	14.19774	1239.46	1239.46
FENCEGRD	628607.6	3469407	14.0814	1238.43	1238.43
FENCEGRD	628607.6	3469432	14.12084	1238.31	1238.31
FENCEGRD	628607.5	3469457	14.12387	1238.6	1238.6
FENCEGRD	628607.4	3469482	14.6782	1238.33	1238.33
FENCEGRD	628607.3	3469506	14.58875	1239.17	1239.17
FENCEGRD	628607.2	3469531	14.81215	1239.62	1239.62
FENCEGRD	628607.1	3469556	14.76981	1238.73	1238.73
FENCEGRD	628607	3469581	14.7002	1238.55	1238.55
FENCEGRD	628606.9	3469606	14.55636	1238.79	1238.79
FENCEGRD	628606.9	3469631	14.54192	1237.8	1237.8
FENCEGRD	628606.8	3469656	14.51579	1237.71	1237.71
FENCEGRD	628606.7	3469681	14.57505	1237.84	1237.84
FENCEGRD	628587.7	3467987	11.73478	1239.38	1239.38
FENCEGRD	628587.6	3468012	10.4394	1239.82	1239.82
FENCEGRD	628587.5	3468037	9.80541	1238.93	1238.93
FENCEGRD	628587.4	3468062	9.94771	1239.04	1239.04
FENCEGRD	628587.3	3468086	9.98011	1238.54	1238.54
FENCEGRD	628587.2	3468111	10.1789	1238.52	1238.52
FENCEGRD	628587.1	3468136	10.16843	1238.42	1238.42
FENCEGRD	628587.1	3468161	10.26884	1238.39	1238.39
FENCEGRD	628587	3468186	10.48067	1239.6	1239.6
FENCEGRD	628586.9	3468211	10.52531	1240.07	1240.07
FENCEGRD	628586.8	3468236	10.53989	1239.09	1239.09
FENCEGRD	628586.7	3468261	10.5703	1238.89	1238.89
FENCEGRD	628586.6	3468286	10.63649	1238.65	1238.65
FENCEGRD	628586.5	3468311	10.70045	1238.47	1238.47
FENCEGRD	628586.4	3468336	10.69461	1238.37	1238.37
FENCEGRD	628586.4	3468360	10.67484	1238.2	1238.2
FENCEGRD	628586.3	3468385	10.65581	1238	1238
FENCEGRD	628586.2	3468410	10.64472	1237.88	1237.88
FENCEGRD	628586.1	3468435	10.6413	1237.74	1237.74
FENCEGRD	628586	3468460	10.61589	1237.54	1237.54
FENCEGRD	628585.9	3468485	10.60183	1237.39	1237.39
FENCEGRD	628585.8	3468510	10.61724	1237.32	1237.32
FENCEGRD	628585.7	3468535	10.67496	1237.07	1237.07
FENCEGRD	628585.6	3468560	10.72144	1236.87	1236.87
FENCEGRD	628585.6	3468585	10.782	1236.75	1236.75
FENCEGRD	628585.5	3468610	10.81863	1236.55	1236.55
FENCEGRD	628585.4	3468635	10.87591	1236.32	1236.32
FENCEGRD	628585.3	3468659	10.90679	1236.16	1236.16
FENCEGRD	628585.2	3468684	10.98938	1236.01	1236.01
FENCEGRD	628585.1	3468709	11.02246	1235.76	1235.76
FENCEGRD	628585	3468734	11.08712	1235.55	1235.55
FENCEGRD	628584.9	3468759	11.1316	1235.41	1235.41
FENCEGRD	628584.9	3468784	11.12444	1235.2	1235.2
FENCEGRD	628584.8	3468809	11.11687	1235.03	1235.03
FENCEGRD	628584.7	3468834	11.13955	1234.84	1234.84

FENCEGRD	628584.6	3468859	11.16465	1234.62	1234.62
FENCEGRD	628584.5	3468884	11.1868	1234.4	1234.4
FENCEGRD	628584.4	3468909	11.2048	1234.24	1234.24
FENCEGRD	628584.3	3468933	11.22978	1234.09	1234.09
FENCEGRD	628584.2	3468958	11.27861	1233.85	1233.85
FENCEGRD	628584.1	3468983	11.31767	1233.67	1233.67
FENCEGRD	628584.1	3469008	11.34083	1233.53	1233.53
FENCEGRD	628584	3469033	11.34962	1233.33	1233.33
FENCEGRD	628583.9	3469058	11.37693	1233.18	1233.18
FENCEGRD	628583.8	3469083	11.33391	1238.2	1238.2
FENCEGRD	628583.7	3469108	11.33969	1237.69	1237.69
FENCEGRD	628583.6	3469133	11.35194	1237.41	1237.41
FENCEGRD	628583.5	3469158	11.37928	1237.29	1237.29
FENCEGRD	628583.4	3469183	11.38997	1237.15	1237.15
FENCEGRD	628583.4	3469207	11.38994	1237.01	1237.01
FENCEGRD	628583.3	3469232	11.40162	1236.82	1236.82
FENCEGRD	628583.2	3469257	11.42099	1236.63	1236.63
FENCEGRD	628583.1	3469282	11.44073	1236.46	1236.46
FENCEGRD	628583	3469307	11.43448	1236.26	1236.26
FENCEGRD	628582.9	3469332	11.44005	1236.19	1236.19
FENCEGRD	628582.8	3469357	11.46223	1236.55	1236.55
FENCEGRD	628582.7	3469382	11.50915	1236.21	1236.21
FENCEGRD	628582.6	3469407	11.48359	1235.85	1235.85
FENCEGRD	628582.6	3469432	11.48193	1235.7	1235.7
FENCEGRD	628582.5	3469457	11.50974	1235.51	1235.51
FENCEGRD	628582.4	3469481	11.52102	1235.38	1235.38
FENCEGRD	628582.3	3469506	11.50161	1235.2	1235.2
FENCEGRD	628582.2	3469531	11.47717	1234.98	1234.98
FENCEGRD	628582.1	3469556	11.48114	1234.81	1234.81
FENCEGRD	628582	3469581	11.49402	1234.66	1234.66
FENCEGRD	628581.9	3469606	11.494	1234.49	1234.49
FENCEGRD	628581.9	3469631	11.48495	1234.37	1234.37
FENCEGRD	628581.8	3469656	11.46838	1234.22	1234.22
FENCEGRD	628581.7	3469681	11.41499	1233.94	1233.94
FENCEGRD	628562.7	3467987	10.56957	1233.66	1233.66
FENCEGRD	628562.6	3468012	9.0403	1233.48	1233.48
FENCEGRD	628562.5	3468037	8.56437	1233.49	1233.49
FENCEGRD	628562.4	3468061	8.27026	1233.57	1233.57
FENCEGRD	628562.3	3468086	8.23822	1233.2	1233.2
FENCEGRD	628562.2	3468111	8.23056	1232.76	1232.76
FENCEGRD	628562.1	3468136	8.31183	1232.55	1232.55
FENCEGRD	628562.1	3468161	8.31467	1232.38	1232.38
FENCEGRD	628562	3468186	8.3769	1232.47	1232.47
FENCEGRD	628561.9	3468211	8.45635	1238.12	1238.12
FENCEGRD	628561.8	3468236	8.52399	1238.63	1238.63
FENCEGRD	628561.7	3468261	8.58546	1237.9	1237.9
FENCEGRD	628561.6	3468286	8.64039	1237.63	1237.63
FENCEGRD	628561.5	3468311	8.6608	1237.41	1237.41
FENCEGRD	628561.4	3468335	8.72689	1237.3	1237.3
FENCEGRD	628561.4	3468360	8.77054	1237.15	1237.15
FENCEGRD	628561.3	3468385	8.81595	1236.95	1236.95
FENCEGRD	628561.2	3468410	8.81959	1236.76	1236.76
FENCEGRD	628561.1	3468435	8.79261	1236.57	1236.57
FENCEGRD	628561	3468460	8.77508	1236.41	1236.41
FENCEGRD	628560.9	3468485	8.77519	1236.26	1236.26
FENCEGRD	628560.8	3468510	8.76454	1236.13	1236.13
FENCEGRD	628560.7	3468535	8.75338	1236.23	1236.23
FENCEGRD	628560.6	3468560	8.72947	1235.89	1235.89
FENCEGRD	628560.6	3468585	8.74824	1235.72	1235.72
FENCEGRD	628560.5	3468610	8.80204	1235.58	1235.58
FENCEGRD	628560.4	3468634	8.86225	1235.49	1235.49
FENCEGRD	628560.3	3468659	8.90679	1235.34	1235.34
FENCEGRD	628560.2	3468684	8.95636	1235.16	1235.16
FENCEGRD	628560.1	3468709	8.99335	1234.98	1234.98
FENCEGRD	628560	3468734	9.04047	1234.74	1234.74
FENCEGRD	628559.9	3468759	9.07381	1234.57	1234.57
FENCEGRD	628559.9	3468784	9.10778	1234.44	1234.44
FENCEGRD	628559.8	3468809	9.14455	1234.27	1234.27
FENCEGRD	628559.7	3468834	9.17006	1234.15	1234.15
FENCEGRD	628559.6	3468859	9.20306	1233.99	1233.99
FENCEGRD	628559.5	3468884	9.22392	1233.75	1233.75
FENCEGRD	628559.4	3468908	9.25248	1233.58	1233.58
FENCEGRD	628559.3	3468933	9.27749	1233.42	1233.42
FENCEGRD	628559.2	3468958	9.29691	1233.11	1233.11
FENCEGRD	628559.1	3468983	9.3227	1232.9	1232.9
FENCEGRD	628559.1	3469008	9.33587	1232.79	1232.79
FENCEGRD	628559	3469033	9.35304	1232.6	1232.6
FENCEGRD	628558.9	3469058	9.37612	1232.47	1232.47
FENCEGRD	628558.8	3469083	9.38833	1238.14	1238.14
FENCEGRD	628558.7	3469108	9.45085	1238.32	1238.32
FENCEGRD	628558.6	3469133	9.4648	1238.56	1238.56
FENCEGRD	628558.5	3469158	9.47287	1238.92	1238.92
FENCEGRD	628558.4	3469182	9.48249	1237.94	1237.94
FENCEGRD	628558.4	3469207	9.49335	1237.62	1237.62
FENCEGRD	628558.3	3469232	9.47895	1237.4	1237.4
FENCEGRD	628558.2	3469257	9.49694	1237.28	1237.28

FENCEGRD	628558.1	3469282	9.4969	1237.09	1237.09
FENCEGRD	628558	3469307	9.51176	1236.93	1236.93
FENCEGRD	628557.9	3469332	9.52234	1236.76	1236.76
FENCEGRD	628557.8	3469357	9.52218	1236.58	1236.58
FENCEGRD	628557.7	3469382	9.52333	1236.42	1236.42
FENCEGRD	628557.6	3469407	9.54151	1236.25	1236.25
FENCEGRD	628557.6	3469432	9.54564	1236.12	1236.12
FENCEGRD	628557.5	3469456	9.54133	1235.97	1235.97
FENCEGRD	628557.4	3469481	9.54148	1235.77	1235.77
FENCEGRD	628557.3	3469506	9.52822	1235.67	1235.67
FENCEGRD	628557.2	3469531	9.54201	1235.57	1235.57
FENCEGRD	628557.1	3469556	9.54321	1235.46	1235.46
FENCEGRD	628557	3469581	9.55887	1235.32	1235.32
FENCEGRD	628556.9	3469606	9.48473	1235.15	1235.15
FENCEGRD	628556.9	3469631	9.47993	1234.99	1234.99
FENCEGRD	628556.8	3469656	9.45087	1234.81	1234.81
FENCEGRD	628556.7	3469681	9.4218	1234.59	1234.59
FENCEGRD	628537.7	3467987	9.99783	1234.42	1234.42
FENCEGRD	628537.6	3468012	8.27224	1234.26	1234.26
FENCEGRD	628537.5	3468036	7.57964	1234.09	1234.09
FENCEGRD	628537.4	3468061	7.39717	1233.94	1233.94
FENCEGRD	628537.3	3468086	7.37006	1233.8	1233.8
FENCEGRD	628537.2	3468111	7.16997	1233.6	1233.6
FENCEGRD	628537.1	3468136	7.07647	1233.4	1233.4
FENCEGRD	628537.1	3468161	7.05376	1233.2	1233.2
FENCEGRD	628537	3468186	7.11204	1233.03	1233.03
FENCEGRD	628536.9	3468211	7.19415	1232.8	1232.8
FENCEGRD	628536.8	3468236	7.25416	1232.65	1232.65
FENCEGRD	628536.7	3468261	7.29533	1232.53	1232.53
FENCEGRD	628536.6	3468286	7.32704	1238.1	1238.1
FENCEGRD	628536.5	3468310	7.35697	1238.34	1238.34
FENCEGRD	628536.4	3468335	7.40391	1238.46	1238.46
FENCEGRD	628536.4	3468360	7.41642	1238.65	1238.65
FENCEGRD	628536.3	3468385	7.44172	1238.78	1238.78
FENCEGRD	628536.2	3468410	7.48713	1239.18	1239.18
FENCEGRD	628536.1	3468435	7.52392	1237.9	1237.9
FENCEGRD	628536	3468460	7.51017	1237.64	1237.64
FENCEGRD	628535.9	3468485	7.50122	1237.46	1237.46
FENCEGRD	628535.8	3468510	7.486	1237.28	1237.28
FENCEGRD	628535.7	3468535	7.46652	1237.08	1237.08
FENCEGRD	628535.6	3468560	7.45032	1236.89	1236.89
FENCEGRD	628535.6	3468585	7.43139	1236.7	1236.7
FENCEGRD	628535.5	3468609	7.40997	1236.51	1236.51
FENCEGRD	628535.4	3468634	7.4065	1236.37	1236.37
FENCEGRD	628535.3	3468659	7.47005	1236.22	1236.22
FENCEGRD	628535.2	3468684	7.51093	1236.09	1236.09
FENCEGRD	628535.1	3468709	7.57582	1235.87	1235.87
FENCEGRD	628535	3468734	7.61002	1235.71	1235.71
FENCEGRD	628534.9	3468759	7.65785	1235.62	1235.62
FENCEGRD	628534.9	3468784	7.69644	1235.5	1235.5
FENCEGRD	628534.8	3468809	7.74011	1235.36	1235.36
FENCEGRD	628534.7	3468834	7.77778	1235.22	1235.22
FENCEGRD	628534.6	3468859	7.8066	1235.06	1235.06
FENCEGRD	628534.5	3468883	7.84959	1234.88	1234.88
FENCEGRD	628534.4	3468908	7.88627	1234.74	1234.74
FENCEGRD	628534.3	3468933	7.89957	1234.58	1234.58
FENCEGRD	628534.2	3468958	7.90961	1234.4	1234.4
FENCEGRD	628534.1	3468983	7.94041	1234.25	1234.25
FENCEGRD	628534.1	3469008	7.93955	1234.06	1234.06
FENCEGRD	628534	3469033	7.94735	1233.9	1233.9
FENCEGRD	628533.9	3469058	7.95351	1233.75	1233.75
FENCEGRD	628533.8	3469083	7.96452	1233.62	1233.62
FENCEGRD	628533.7	3469108	8.02843	1233.41	1233.41
FENCEGRD	628533.6	3469133	8.03627	1233.23	1233.23
FENCEGRD	628533.5	3469157	8.03338	1233.04	1233.04
FENCEGRD	628533.4	3469182	8.00618	1232.81	1232.81
FENCEGRD	628533.4	3469207	8.02143	1232.61	1232.61
FENCEGRD	628533.3	3469232	8.02753	1232.47	1232.47
FENCEGRD	628533.2	3469257	8.10088	1233.26	1233.26
FENCEGRD	628533.1	3469282	8.10946	1232.51	1232.51
FENCEGRD	628533	3469307	8.04671	1232.4	1232.4
FENCEGRD	628532.9	3469332	8.05987	1232.55	1232.55
FENCEGRD	628532.8	3469357	8.07014	1232.73	1232.73
FENCEGRD	628532.7	3469382	8.07059	1232.7	1232.7
FENCEGRD	628532.6	3469407	8.06793	1232.85	1232.85
FENCEGRD	628532.6	3469431	8.073	1232.85	1232.85
FENCEGRD	628532.5	3469456	8.08674	1232.41	1232.41
FENCEGRD	628532.4	3469481	8.08712	1232.46	1232.46
FENCEGRD	628532.3	3469506	8.09354	1232.43	1232.43
FENCEGRD	628532.2	3469531	8.10006	1232.42	1232.42
FENCEGRD	628532.1	3469556	8.10335	1232.4	1232.4
FENCEGRD	628532	3469581	8.1016	1232.48	1232.48
FENCEGRD	628531.9	3469606	8.07945	1232.55	1232.55
FENCEGRD	628531.9	3469631	8.06582	1232.52	1232.52
FENCEGRD	628531.8	3469656	8.03911	1232.53	1232.53
FENCEGRD	628531.7	3469681	8.01806	1233.71	1233.71

FENCEGRD	628631.6	3469704	21.53171	1232.55	1232.55
FENCEGRD	628631.6	3469727	21.67672	1232.64	1232.64
FENCEGRD	628631.5	3469750	21.83142	1232.69	1232.69
FENCEGRD	628631.4	3469773	21.96466	1232.69	1232.69
FENCEGRD	628631.4	3469796	21.9936	1232.7	1232.7
FENCEGRD	628631.3	3469819	21.92485	1232.76	1232.76
FENCEGRD	628631.2	3469842	21.83431	1232.81	1232.81
FENCEGRD	628631.2	3469865	21.78071	1232.91	1232.91
FENCEGRD	628631.1	3469888	22.1514	1232.92	1232.92
FENCEGRD	628631.1	3469911	22.18906	1233.18	1233.18
FENCEGRD	628631	3469934	22.33117	1233.36	1233.36
FENCEGRD	628606.6	3469704	15.06839	1232.99	1232.99
FENCEGRD	628606.6	3469727	14.95545	1233.12	1233.12
FENCEGRD	628606.5	3469750	14.95317	1233.15	1233.15
FENCEGRD	628606.4	3469773	14.93022	1232.35	1232.35
FENCEGRD	628606.4	3469796	14.92009	1232.29	1232.29
FENCEGRD	628606.3	3469819	14.84667	1232.38	1232.38
FENCEGRD	628606.2	3469842	14.29987	1232.42	1232.42
FENCEGRD	628606.2	3469865	14.23223	1232.44	1232.44
FENCEGRD	628606.1	3469888	13.62533	1232.45	1232.45
FENCEGRD	628606.1	3469911	13.56865	1232.48	1232.48
FENCEGRD	628606	3469934	13.55505	1232.48	1232.48
FENCEGRD	628581.6	3469704	11.516	1232.5	1232.5
FENCEGRD	628581.6	3469727	11.50954	1232.32	1232.32
FENCEGRD	628581.5	3469750	11.47401	1232.3	1232.3
FENCEGRD	628581.4	3469773	11.36169	1232.36	1232.36
FENCEGRD	628581.4	3469796	11.33229	1232.41	1232.41
FENCEGRD	628581.3	3469819	11.30065	1232.44	1232.44
FENCEGRD	628581.2	3469842	11.26388	1232.47	1232.47
FENCEGRD	628581.2	3469865	11.21398	1232.49	1232.49
FENCEGRD	628581.1	3469888	11.16873	1232.52	1232.52
FENCEGRD	628581.1	3469910	11.13569	1232.55	1232.55
FENCEGRD	628581	3469933	11.37054	1232.59	1232.59
FENCEGRD	628556.6	3469704	9.39763	1232.6	1232.6
FENCEGRD	628556.6	3469727	9.36626	1232.61	1232.61
FENCEGRD	628556.5	3469750	9.33199	1232.62	1232.62
FENCEGRD	628556.4	3469773	9.30536	1232.64	1232.64
FENCEGRD	628556.4	3469796	9.27261	1232.66	1232.66
FENCEGRD	628556.3	3469819	9.24194	1232.68	1232.68
FENCEGRD	628556.2	3469842	9.20218	1232.3	1232.3
FENCEGRD	628556.2	3469864	9.16862	1232.29	1232.29
FENCEGRD	628556.1	3469887	9.1418	1232.36	1232.36
FENCEGRD	628556.1	3469910	9.11731	1232.44	1232.44
FENCEGRD	628556	3469933	9.0853	1232.47	1232.47
FENCEGRD	628531.6	3469704	8.03524	1232.5	1232.5
FENCEGRD	628531.6	3469727	8.01117	1232.52	1232.52
FENCEGRD	628531.5	3469750	7.98141	1232.56	1232.56
FENCEGRD	628531.4	3469773	7.91316	1232.59	1232.59
FENCEGRD	628531.4	3469796	7.88942	1232.63	1232.63
FENCEGRD	628531.3	3469818	7.86444	1232.66	1232.66
FENCEGRD	628531.2	3469841	7.83881	1232.7	1232.7
FENCEGRD	628531.2	3469864	7.81337	1232.77	1232.77
FENCEGRD	628531.1	3469887	7.78679	1232.78	1232.78
FENCEGRD	628531.1	3469910	7.75767	1232.8	1232.8
FENCEGRD	628531	3469933	7.71317	1232.81	1232.81
FENCEGRD	628631	3469957	22.63538	1232.83	1232.83
FENCEGRD	628631	3469980	22.74668	1232.84	1232.84
FENCEGRD	628631	3470003	22.86289	1232.85	1232.85
FENCEGRD	628631	3470026	22.29849	1232.87	1232.87
FENCEGRD	628631	3470049	22.14543	1232.88	1232.88
FENCEGRD	628606	3469957	14.00677	1232.9	1232.9
FENCEGRD	628606	3469980	14.03294	1232.29	1232.29
FENCEGRD	628606	3470003	14.35075	1232.23	1232.23
FENCEGRD	628606	3470026	14.06921	1232.35	1232.35
FENCEGRD	628606	3470049	13.9848	1232.43	1232.43
FENCEGRD	628581	3469957	11.42771	1232.47	1232.47
FENCEGRD	628581	3469980	11.41636	1232.51	1232.51
FENCEGRD	628581	3470003	11.31391	1232.54	1232.54
FENCEGRD	628581	3470026	11.21633	1232.57	1232.57
FENCEGRD	628581	3470049	10.68563	1232.59	1232.59
FENCEGRD	628556	3469957	9.04918	1232.62	1232.62
FENCEGRD	628556	3469980	8.98399	1232.65	1232.65
FENCEGRD	628556	3470003	8.84953	1232.67	1232.67
FENCEGRD	628556	3470026	8.93213	1232.69	1232.69
FENCEGRD	628556	3470049	9.15993	1232.72	1232.72
FENCEGRD	628531	3469957	7.63537	1232.76	1232.76
FENCEGRD	628531	3469980	7.78258	1232.81	1232.81
FENCEGRD	628531	3470003	7.93759	1232.88	1232.88
FENCEGRD	628531	3470026	8.12588	1232.91	1232.91
FENCEGRD	628531	3470049	8.30008	1232.94	1232.94
FENCEGRD	628630.9	3470071	21.20882	1232.96	1232.96
FENCEGRD	628630.9	3470093	20.95348	1232.97	1232.97
FENCEGRD	628630.9	3470116	19.98673	1232.99	1232.99
FENCEGRD	628605.9	3470071	13.73147	1233.01	1233.01
FENCEGRD	628605.9	3470093	13.86932	1233.03	1233.03
FENCEGRD	628605.9	3470116	13.89894	1233.05	1233.05

FENCEGRD	628580.9	3470071	10.54259	1233.06	1233.06
FENCEGRD	628580.9	3470093	10.83309	1233.07	1233.07
FENCEGRD	628555.9	3470071	9.41831	1233.09	1233.09
FENCEGRD	628555.9	3470093	9.5854	1233.11	1233.11
FENCEGRD	628631	3470135	20.42472	1233.13	1233.13
FENCEGRD	628603.8	3470152	14.07157	1232.29	1232.29
FENCEGRD	628581.3	3470129	11.0965	1232.25	1232.25
FENCEGRD	628578.9	3470149	11.04885	1232.23	1232.23
FENCEGRD	628556.5	3470126	9.64024	1232.27	1232.27
FENCEGRD	628554.1	3470146	9.43781	1232.26	1232.26
FENCEGRD	628529.3	3470143	8.00465	1232.28	1232.28
FENCEGRD	628619.1	3470153	16.23492	1232.43	1232.43
FENCEGRD	628601.2	3470131	13.22158	1233.14	1233.14
FENCEGRD	628585.6	3470157	12.36423	1232.05	1232.05
FENCEGRD	628565.2	3470158	10.11979	1232.14	1232.14
FENCEGRD	628582.1	3470107	10.94381	1232.13	1232.13
FENCEGRD	628548.6	3470165	9.28777	1232.04	1232.04
FENCEGRD	628553.1	3470111	9.38652	1232.06	1232.06
FENCEGRD	628520.1	3470096	7.98787	1232.85	1232.85
FENCEGRD	628525.7	3470066	8.10259	1231.99	1231.99
FENCEGRD	628529.2	3470167	8.38838	1232.17	1232.17
FENCEGRD	628523.1	3470118	8.04047	1231.91	1231.91
FENCEGRD	628510.1	3470170	7.71814	1231.98	1231.98
FENCEGRD	628491.1	3470172	7.18339	1231.84	1231.84
FENCEGRD	628507	3470145	7.06552	1231.79	1231.79
FENCEGRD	628488	3470147	6.46032	1231.88	1231.88
FENCEGRD	628503.9	3470120	7.15301	1232.5	1232.5
FENCEGRD	628484.9	3470122	6.54839	1231.76	1231.76
FENCEGRD	628500.8	3470095	7.21568	1231.85	1231.85
FENCEGRD	628481.8	3470098	6.59242	1231.93	1231.93
FENCEGRD	628497.7	3470070	7.19236	1232.12	1232.12
FENCEGRD	628478.7	3470073	6.56757	1231.83	1231.83
FENCEGRD	628468.8	3470174	6.61676	1231.56	1231.56
FENCEGRD	628446.4	3470177	6.21295	1231.63	1231.63
FENCEGRD	628424.1	3470180	5.87292	1231.66	1231.66
FENCEGRD	628401.7	3470182	5.58668	1231.72	1231.72
FENCEGRD	628379.3	3470185	5.3421	1232.14	1232.14
FENCEGRD	628357	3470187	5.13252	1231.58	1231.58
FENCEGRD	628334.6	3470190	4.95088	1231.61	1231.61
FENCEGRD	628312.3	3470192	4.80009	1231.7	1231.7
FENCEGRD	628289.9	3470195	4.66213	1231.84	1231.84
FENCEGRD	628465.9	3470150	5.98918	1231.96	1231.96
FENCEGRD	628443.6	3470152	5.57821	1232.12	1232.12
FENCEGRD	628421.2	3470155	5.23417	1231.74	1231.74
FENCEGRD	628398.9	3470157	4.93786	1231.67	1231.67
FENCEGRD	628376.5	3470160	4.67784	1231.47	1231.47
FENCEGRD	628354.1	3470162	4.44963	1231.48	1231.48
FENCEGRD	628331.8	3470165	4.2557	1231.51	1231.51
FENCEGRD	628309.4	3470168	4.08225	1231.73	1231.73
FENCEGRD	628287.1	3470170	3.92192	1233.08	1233.08
FENCEGRD	628463.1	3470125	6.05288	1232.87	1232.87
FENCEGRD	628440.7	3470127	5.46495	1232.68	1232.68
FENCEGRD	628418.4	3470130	5.0491	1232.48	1232.48
FENCEGRD	628396	3470133	4.68761	1232.35	1232.35
FENCEGRD	628373.7	3470135	4.43076	1232.2	1232.2
FENCEGRD	628351.3	3470138	4.21761	1231.92	1231.92
FENCEGRD	628328.9	3470140	4.02977	1231.72	1231.72
FENCEGRD	628306.6	3470143	3.85204	1232.41	1232.41
FENCEGRD	628284.2	3470145	3.69487	1232.11	1232.11
FENCEGRD	628460.2	3470100	6.09194	1231.92	1231.92
FENCEGRD	628437.9	3470103	5.53533	1231.78	1231.78
FENCEGRD	628415.5	3470105	5.12453	1231.64	1231.64
FENCEGRD	628393.2	3470108	4.77055	1231.4	1231.4
FENCEGRD	628370.8	3470110	4.44678	1231.22	1231.22
FENCEGRD	628348.4	3470113	4.16541	1231.04	1231.04
FENCEGRD	628326.1	3470115	3.92116	1232.21	1232.21
FENCEGRD	628303.7	3470118	3.70142	1231.68	1231.68
FENCEGRD	628281.4	3470120	3.54505	1231.57	1231.57
FENCEGRD	628457.4	3470075	6.09816	1231.38	1231.38
FENCEGRD	628435	3470078	5.52692	1231.23	1231.23
FENCEGRD	628412.7	3470080	5.14975	1231.02	1231.02
FENCEGRD	628390.3	3470083	4.78914	1232.19	1232.19
FENCEGRD	628368	3470085	4.50975	1231.66	1231.66
FENCEGRD	628345.6	3470088	4.22031	1231.54	1231.54
FENCEGRD	628323.2	3470091	3.97537	1231.35	1231.35
FENCEGRD	628300.9	3470093	3.74588	1231.2	1231.2
FENCEGRD	628278.5	3470096	3.54198	1230.97	1230.97
FENCEGRD	628266	3470198	4.53165	1232.19	1232.19
FENCEGRD	628242	3470200	4.40473	1232.09	1232.09
FENCEGRD	628218.1	3470203	4.28954	1231.76	1231.76
FENCEGRD	628194.2	3470206	4.18369	1231.29	1231.29
FENCEGRD	628170.2	3470209	4.09993	1231.16	1231.16
FENCEGRD	628146.3	3470211	4.03155	1230.95	1230.95
FENCEGRD	628122.4	3470214	3.97476	1231.61	1231.61
FENCEGRD	628098.4	3470217	3.9296	1231.45	1231.45
FENCEGRD	628263.2	3470173	3.72759	1231.2	1231.2

FENCEGRD	628239.2	3470176	3.60409	1231.05	1231.05
FENCEGRD	628215.3	3470178	3.49489	1230.97	1230.97
FENCEGRD	628191.3	3470181	3.39624	1230.76	1230.76
FENCEGRD	628167.4	3470184	3.30425	1230.55	1230.55
FENCEGRD	628143.5	3470186	3.2134	1230.88	1230.88
FENCEGRD	628119.5	3470189	3.1307	1230.71	1230.71
FENCEGRD	628095.6	3470192	3.05265	1230.53	1230.53
FENCEGRD	628260.3	3470148	3.54374	1230.36	1230.36
FENCEGRD	628236.4	3470151	3.40533	1230.17	1230.17
FENCEGRD	628212.5	3470153	3.26085	1230.04	1230.04
FENCEGRD	628188.5	3470156	3.0991	1229.88	1229.88
FENCEGRD	628164.6	3470159	3.00022	1230.86	1230.86
FENCEGRD	628140.7	3470162	2.91608	1230.69	1230.69
FENCEGRD	628116.7	3470164	2.83785	1230.51	1230.51
FENCEGRD	628092.8	3470167	2.76647	1230.34	1230.34
FENCEGRD	628257.5	3470123	3.40008	1230.18	1230.18
FENCEGRD	628233.6	3470126	3.26923	1230.02	1230.02
FENCEGRD	628209.6	3470129	3.14865	1229.9	1229.9
FENCEGRD	628185.7	3470131	3.03693	1230.85	1230.85
FENCEGRD	628161.8	3470134	2.8925	1230.68	1230.68
FENCEGRD	628137.8	3470137	2.75202	1230.51	1230.51
FENCEGRD	628113.9	3470140	2.67398	1230.35	1230.35
FENCEGRD	628090	3470142	2.59914	1230.19	1230.19
FENCEGRD	628254.7	3470098	3.35696	1230.03	1230.03
FENCEGRD	628230.8	3470101	3.20295	1229.91	1229.91
FENCEGRD	628206.8	3470104	3.05986	1230.84	1230.84
FENCEGRD	628182.9	3470107	2.93086	1230.67	1230.67
FENCEGRD	628158.9	3470109	2.83246	1230.51	1230.51
FENCEGRD	628135	3470112	2.71628	1230.35	1230.35
FENCEGRD	628111.1	3470115	2.6105	1230.19	1230.19
FENCEGRD	628087.1	3470117	2.52161	1230.05	1230.05
FENCEGRD	628079.8	3470219	3.89486	1229.92	1229.92
FENCEGRD	628061.1	3470221	3.90207	1230.43	1230.43
FENCEGRD	628042.5	3470223	3.8949	1230.34	1230.34
FENCEGRD	628077	3470194	2.99564	1230.07	1230.07
FENCEGRD	628058.3	3470196	2.94247	1229.92	1229.92
FENCEGRD	628039.7	3470198	2.89169	1229.81	1229.81
FENCEGRD	628074.2	3470169	2.71293	1229.61	1229.61
FENCEGRD	628055.5	3470171	2.6617	1229.4	1229.4
FENCEGRD	628036.9	3470173	2.61257	1229.28	1229.28
FENCEGRD	628071.4	3470144	2.54347	1229.19	1229.19
FENCEGRD	628052.7	3470146	2.49086	1229.73	1229.73
FENCEGRD	628034.1	3470149	2.43787	1229.58	1229.58
FENCEGRD	628068.6	3470119	2.45705	1229.45	1229.45
FENCEGRD	628049.9	3470122	2.39618	1229.29	1229.29
FENCEGRD	628031.3	3470124	2.33761	1229.15	1229.15
FENCEGRD	628019.2	3470226	3.86328	1228.97	1228.97
FENCEGRD	627996	3470228	3.81619	1228.81	1228.81
FENCEGRD	627972.8	3470231	3.74519	1228.65	1228.65
FENCEGRD	627949.6	3470234	3.66766	1228.49	1228.49
FENCEGRD	627926.4	3470237	3.58972	1229.73	1229.73
FENCEGRD	627903.2	3470239	3.47454	1229.6	1229.6
FENCEGRD	627880	3470242	3.36251	1229.43	1229.43
FENCEGRD	627856.8	3470245	3.2321	1229.3	1229.3
FENCEGRD	627833.6	3470247	2.95927	1229.15	1229.15
FENCEGRD	628016.3	3470201	2.83247	1228.99	1228.99
FENCEGRD	627993.1	3470204	2.77797	1228.8	1228.8
FENCEGRD	627969.9	3470206	2.72584	1228.64	1228.64
FENCEGRD	627946.7	3470209	2.68268	1228.47	1228.47
FENCEGRD	627923.5	3470212	2.63539	1229.73	1229.73
FENCEGRD	627900.3	3470214	2.58164	1229.6	1229.6
FENCEGRD	627877.1	3470217	2.49966	1229.44	1229.44
FENCEGRD	627853.9	3470220	2.40828	1229.29	1229.29
FENCEGRD	627830.7	3470223	2.29123	1229.14	1229.14
FENCEGRD	628013.5	3470176	2.55452	1228.98	1228.98
FENCEGRD	627990.3	3470179	2.49584	1228.77	1228.77
FENCEGRD	627967	3470181	2.43453	1228.62	1228.62
FENCEGRD	627943.8	3470184	2.36841	1228.44	1228.44
FENCEGRD	627920.6	3470187	2.29402	1229.76	1229.76
FENCEGRD	627897.4	3470190	2.21646	1229.62	1229.62
FENCEGRD	627874.2	3470192	2.14543	1229.47	1229.47
FENCEGRD	627851	3470195	2.09359	1229.29	1229.29
FENCEGRD	627827.8	3470198	2.02142	1229.14	1229.14
FENCEGRD	628010.6	3470151	2.37324	1228.98	1228.98
FENCEGRD	627987.4	3470154	2.30638	1228.8	1228.8
FENCEGRD	627964.2	3470157	2.23944	1228.61	1228.61
FENCEGRD	627941	3470159	2.16838	1228.44	1228.44
FENCEGRD	627917.7	3470162	2.09982	1228.92	1228.92
FENCEGRD	627894.5	3470165	2.04996	1228.82	1228.82
FENCEGRD	627871.3	3470167	1.98757	1228.74	1228.74
FENCEGRD	627848.1	3470170	1.9426	1228.58	1228.58
FENCEGRD	627824.9	3470173	1.90023	1228.4	1228.4
FENCEGRD	628007.7	3470126	2.27064	1228.35	1228.35
FENCEGRD	627984.5	3470129	2.20691	1228.28	1228.28
FENCEGRD	627961.3	3470132	2.14861	1228.04	1228.04
FENCEGRD	627938.1	3470135	2.09265	1227.91	1227.91

FENCEGRD	627914.9	3470137	2.04244	1228.26	1228.26
FENCEGRD	627891.7	3470140	1.99038	1228.13	1228.13
FENCEGRD	627868.5	3470143	1.94238	1228.03	1228.03
FENCEGRD	627845.2	3470145	1.89727	1227.93	1227.93
FENCEGRD	627822	3470148	1.85262	1227.8	1227.8
FENCEGRD	627829.2	3470253	3.21358	1227.67	1227.67
FENCEGRD	627831.6	3470275	3.63056	1227.53	1227.53
FENCEGRD	627807.5	3470245	2.45782	1227.4	1227.4
FENCEGRD	627820.7	3470228	2.28723	1227.26	1227.26
FENCEGRD	627804.3	3470256	2.56083	1228.32	1228.32
FENCEGRD	627806.8	3470277	2.60215	1228.14	1228.14
FENCEGRD	627785.3	3470238	2.19837	1228.03	1228.03
FENCEGRD	627809.5	3470208	2.02674	1227.88	1227.88
FENCEGRD	627779.5	3470258	2.22713	1227.74	1227.74
FENCEGRD	627781.9	3470280	2.21996	1227.6	1227.6
FENCEGRD	627760.3	3470242	2.03812	1227.48	1227.48
FENCEGRD	627765.9	3470222	1.98701	1227.32	1227.32
FENCEGRD	627789.4	3470193	1.88684	1227.19	1227.19
FENCEGRD	627807.1	3470183	1.88924	1228.29	1228.29
FENCEGRD	627754.7	3470261	1.99971	1228.14	1228.14
FENCEGRD	627757.1	3470283	1.98682	1228.01	1228.01
FENCEGRD	627735.4	3470245	1.88534	1227.83	1227.83
FENCEGRD	627740.9	3470225	1.88787	1227.69	1227.69
FENCEGRD	627746.5	3470206	1.84284	1227.56	1227.56
FENCEGRD	627769.5	3470177	1.80154	1227.41	1227.41
FENCEGRD	627787	3470167	1.81543	1227.26	1227.26
FENCEGRD	627804.5	3470158	1.83193	1227.18	1227.18
FENCEGRD	627729.8	3470264	1.85103	1228.28	1228.28
FENCEGRD	627732.2	3470286	1.82873	1228.15	1228.15
	627834.2	3470252	3.45036	1228	1228
	627836.6	3470274	4.00853	1227.79	1227.79
	628640.6	3470185	22.81933	1227.61	1227.61
	628644	3470225	12.55493	1227.5	1227.5
	628647.6	3470304	7.64992	1227.33	1227.33
	628656.1	3470304	7.55178	1227.23	1227.23
	628656.1	3470183	18.00311	1227.16	1227.16
	628810.8	3470168	10.49388	1228.1	1228.1
	628973.1	3470150	9.43124	1227.85	1227.85
	629027.2	3470144	9.46964	1227.49	1227.49
	629079.2	3470138	9.47702	1227.2	1227.2
	629192.2	3470126	9.03473	1227.89	1227.89
	629272.3	3470117	8.57841	1227.68	1227.68
	629406.8	3470103	5.05895	1227.12	1227.12
	629402.7	3470075	4.53475	1227.13	1227.13
	629304.3	3470086	6.62738	1227.76	1227.76
	629197.4	3470098	7.37866	1227.61	1227.61
	629079.4	3470111	7.77938	1226.88	1226.88
	628907.1	3470131	8.66963	1226.89	1226.89
	628897.4	3470132	8.73077	1227.01	1227.01
	628806.3	3470142	9.84008	1227.12	1227.12
	628663.5	3470158	20.18295	1227.7	1227.7
	628661.8	3470158	20.37157	1227.58	1227.58
	628662.2	3470156	20.1681	1226.84	1226.84
	628662.4	3470153	20.55099	1226.76	1226.76
	628661.5	3470091	21.02501	1226.76	1226.76
	628658	3470071	26.62595	1226.85	1226.85
	628658.2	3470038	27.20212	1226.98	1226.98
	628659	3469863	28.00954	1227.07	1227.07
	628659.1	3469671	29.32208	1227.52	1227.52
	628659.8	3469362	31.06344	1227.39	1227.39
	628664	3467941	24.3078	1227.62	1227.62
	628470.9	3467943	13.00173	1227.81	1227.81
	628470.9	3467961	15.23979	1227.91	1227.91
	628645.5	3467960	23.36569	1228	1228
	628636.7	3469681	25.29889	1228.19	1228.19
	628636	3469934	25.43478	1227.08	1227.08
	628636	3470049	25.28956	1227.26	1227.26
	628635.9	3470116	24.48981	1227.47	1227.47
	628636	3470135	24.40868	1227.56	1227.56
	628633.6	3470156	22.11274	1227.6	1227.6
	628606.5	3470161	15.01742	1227.52	1227.52
	628565.5	3470163	10.5675	1227	1227
	628550.5	3470170	9.73791	1227.4	1227.4
	628529.8	3470172	8.72548	1227.54	1227.54
	628491.7	3470177	7.66548	1227.6	1227.6
	628290.5	3470200	5.14165	1227.75	1227.75
	628099	3470222	4.50109	1227.87	1227.87
	628043	3470228	4.43678	1227.21	1227.21

**Appendix E: PM₁₀ Hot Spot Air Quality Memorandum - City of
Douglas Commercial Land Port of Entry (LPOE)**

MEMORANDUM

To: Beverly T. Chenausky, Arizona Department of Transportation
From: Sophia La Herran, Kimley-Horn and Associates, Inc.
Ace Malisos, Kimley-Horn and Associates, Inc.
Date: October 10, 2024
Subject: PM₁₀ Hot Spot Air Quality Memorandum -City of Douglas Commercial Land Port of Entry (LPOE)

This PM₁₀ Hot Spot Air Quality Memorandum supports the City of Douglas Land Port of Entry Connector Road project, which connects the proposed Commercial Land Port of Entry (LPOE) west of the City of Douglas to State Route (SR) 80. The memorandum analyzes the potential particulate matter (PM₁₀) impacts associated with the idling operations at the LPOE and evaluates whether the LPOE would contribute to the study area exceeding the National Ambient Air Quality Standards (NAAQS).

Background

The proposed Douglas Commercial Land Port of Entry (LPOE) is located in the Arizona Department of Transportation (ADOT) Southeast District in Cochise County west of Douglas, Arizona, along United States (U.S.)-Mexico border and Arizona State Route 80 (SR 80) and is anticipated to open in 2028.

Future commercial volumes generated by the proposed commercial LPOE were estimated based on the existing traffic count data collected at the RHC LPOE from the Stantec Study previously described in *City of Douglas International Port of Entry Connector Road Final Traffic Report* (Kimley-Horn, April 2024). The existing peak hour processed volume at the LPOE is 24 trucks, with a daily processed volume of 98 trucks.¹ To account for additional traffic that arrived within the hour but was not processed, a demand factor of 1.3 was applied to each hour. This results in a peak hour truck demand of 31 trucks, with a daily demand of 128 trucks at the LPOE. To obtain truck volumes for the opening year and horizon year of the LPOE and Connector Road, the Final Traffic Report assumed a truck growth rate of 1.1% per year at the LPOE, which results in a peak hour demand volume of 42 trucks.²

As discussed in the *City of Douglas International Port of Entry Connector Road Final Traffic Report* (Kimley-Horn, April 2024), peak hour LPOE traffic is 42 trucks per hour based on estimated demand. The U.S. Border Patrol identified that the proposed vehicles entering and exiting the LPOE would be required to idle in three potential locations; (1) the Primary Inspection located at the U.S.-Mexico border, (2) the Exit Inspection located northeast of the Commercial Vehicle Secondary Inspection building, and (3) Outbound Inspection located west of the Commercial Vehicle Secondary Inspection building. Refer to *Exhibit 1* for more details.

¹ The existing processed/demand volumes are in Appendix 1 of the *City of Douglas International Port of Entry Connector Road Final Traffic Report* (Kimley-Horn, April 2024).

² The demand factor and 1.1% growth rate are included in Section 3.4.2 of the *City of Douglas International Port of Entry Connector Road Final Traffic Report* (Kimley-Horn, April 2024), and raw volume calculations are in Appendix 4.




Exhibit 1: Conceptual Site Layout of the Proposed Commercial LPOE

Determination of PM₁₀ Hot Spot Impact

EPA's AERMOD (version 23132) air dispersion model was used to estimate the idling concentrations of PM₁₀ at the LPOE. The model uses traffic data, emission factor data, and meteorological data to estimate ground-level concentrations of PM₁₀ at a series of receptors. The model setup included a series of area sources representing the three proposed idling locations at the LPOE. Area specific inputs included source location, source length and width, emission rate, release height, and initial vertical dimension.

Modeling Analysis for PM₁₀

Input Data

- Meteorological Data** – The AERMOD dispersion model requires meteorological data to predict pollutant concentrations at receptors within the project area. Five years of meteorological data files were provided by Arizona Department of Environmental Quality (ADEQ) based on observed surface data and upper air data from Bisbee-Douglas Airport for the 5-year period from 2015 through 2019. This meteorological data was determined to be representative of the project area conditions because of its proximity to the project site (7 miles), similarity in land use and terrain, and the data meets the completeness requirements of Section 5.3.2 of EPA's *Meteorological Monitoring Guidance for Regulatory Modeling*

*Applications.*³ Information from ADEQ that describes the processing steps and summarizes completeness determination is included in Appendix A.

MOVES Source Data – On-road vehicle emissions were estimated using EPA’s MOVES3.1 software. A project level MOVES run was completed for both year 2028 and 2050 to determine an average idle emissions rate for PM₁₀ in the study area. This MOVES run involved the following specifications and methodology:

- a) Scale
 - a. Model: Onroad
 - b. Domain/Scale: Project Scale
 - c. Calculation Type: Inventory
- b) Time Spans
 - a. Years: 2028 and 2050
 - b. Months: July
 - c. Days: Weekdays
 - d. Hours: PM peak hour (16:00-16:59)
- c) Geographic Bounds:
 - a. Arizona - Cochise County
- d) Onroad Vehicles
 - a. Fuel Types: All available fuel types
 - b. Source Types: All available source types
- e) Road Type
 - a. Rural Unrestricted Access
- f) Pollutants and Processes
 - a. Pollutants: PM₁₀, and all additional pre-requisites
 - b. Processes: Running Exhaust, Crankcase Running Exhaust, Brakewear, and Tirewear
- g) Output Units
 - a. Mass: Grams
 - b. Energy: Joules
 - c. Distance: Miles
- h) Input Database:
 - a. I/M Programs: No I/M program
 - b. Age Distribution: 2028 and 2050 age distribution files from the project level PM hot spot analysis were used in this analysis.
 - c. Fuel: 2028 and 2050 default fuel information from MOVES and the project level PM hot spot analysis were used in this analysis.
 - d. Meteorology Data: 2028 and 2050 meteorology data files from the project level PM hot spot analysis were used in this analysis.
 - e. Links: A single link was identified to represent an idle link within the port. The average speed was set as 0 mph, and the link volume was set as 1 vehicle. Link length and link grade do not impact this analysis and were set as 0.

³ U.S. EPA, *Meteorological Monitoring Guidance for Regulatory Modeling Applications*, February 2002. https://www.epa.gov/sites/default/files/2020-10/documents/mmgrma_0.pdf, accessed June 2024.

- f. Link Source Types: To be consistent with the source type for vehicles at the LPOE from the Regional Conformity Analysis, only source types 61 and 62 were selected for this link. The distribution between source types 61 and 62 is also consistent with the Regional Conformity Analysis.

After the MOVES run completed, the results were post processed using the PM₁₀_Grams_Per_Hour script within MOVES to obtain an overall emissions rate in grams/veh-hour for each year. This resulted in a rate of 2.72 grams/veh-hour for 2028 and 0.22 grams/veh-hour for 2050. The rate for 2028 was determined to be more conservative and was selected for use in the analysis.

AERMOD Source Data – The proposed LPOE would have three idling locations for trucks entering and exiting the facility; (1) the Primary Inspection located at the U.S.-Mexico border, (2) the Exit Inspection located northeast of the Commercial Vehicle Secondary Inspection building, and (3) Outbound Inspection located west of the Commercial Vehicle Secondary Inspection building. The idling locations were digitized in ArcGIS using the scaled site plan (*Exhibit 1*) and uploaded into AERMOD as a shapefile. Each of the three idling locations were outlined based on the shapefiles and modeled as an area source in AERMOD.

It should be noted that the AERMOD emissions rates for each idling area was calculated using the emissions rates proved by the MOVES run and the number of trucks per hour at each idling location. Additionally, the emissions rates assumed the following idling averages provided by U.S. Border Patrol:

1. **Area 1 - Primary Inspection Booth:** 5-20 mins for queuing and x-ray – average idling time of 16 minutes.
2. **Area 2 – Exit Inspection Booth:** 2-5 mins for document review– average idling time of 3.5 minutes.
3. **Area 3 - Outbound Inspection Booth:** 2-5 mins for document review– average idling time of 3.5 minutes.

Consistent with EPA Hot Spot Guidance Appendix J.3.1, the area sources were modeled using the following inputs:

- a. Release Height: 3.4 meters
- b. Emissions Rates⁴:
 - i. **Area 1 - Primary Inspection Booth:** 0.0847 grams/second
 - ii. **Area 2 – Exit Inspection Booth:** 0.0015 grams/second
 - iii. **Area 3 - Outbound Inspection Booth:** 0.0015 grams/second
- c. Initial Vertical Dimension of the Plume: 6.8 meters

The Traffic Report contains idling volumes for the AM and PM peak hours but does not have idling volumes for midday or overnight time periods. Therefore, to be conservative, the peak hour idling volumes (42 truck trips per hour) were used for every hour. This hourly demand volume was applied to both trips entering and leaving the U.S. This results in 336 trucks per day per direction using the LPOE, which is over 2.5 times the demand at the existing LPOE.

⁴ Refer to Appendix A for detailed calculations of emission rates.

Exhibit 2 details the idling areas modeled in AERMOD, the number of trucks in each idling area, and the average idling estimates.

2. **Rural Classification** - To determine whether urban or rural model options are appropriate for the project, the population density procedure was used in accordance with Section 7.2.1.1(b)(ii) of EPA's Guideline on Air Quality Models Appendix W. It was determined that the rural classification is most appropriate for the project area.
3. **Receptor Locations** – Receptors were placed to estimate the highest concentrations of PM₁₀ in the study area to determine any possible violations of the NAAQS. Receptors were placed starting five meters from the proposed POE boundary line, extending up to 200 meters away with a spacing of 25 meters. Receptors were placed at a height of 1.8 meters. Locations where the public does not have access cannot be determined at this time because the proposed roadway is located in a rural, undeveloped area. As a result, receptors were placed at all possible locations.
4. **Terrain Elevations** – Topography was found to be generally flat in the site vicinity. The non-default regulatory “FLAT” terrain modeling option was utilized per EPA guidance.
5. **Background Concentrations** – ADEQ maintains two active air quality monitoring stations in the Paul Spur/Douglas PM₁₀ nonattainment area:
 - a. AQS Site ID 04-003-0011 – Paul Spur Chemical Lime Plant
 - b. AQS Site ID 04-003-1005 – Douglas Red Cross

The fourth high concentration from three years of monitoring data from the Douglas Red Cross monitor from 2021 to 2023 is 107 µg/m³. This selected monitor was discussed and approved during the interagency consultation process due to its close proximity, similar land use characteristics, higher average wind speeds, and wind directions being upwind from the LPOE.




Exhibit 2: AERMOD Modeling Assumptions

Model Results

The modeled concentrations, including background, were compared to the PM₁₀ NAAQS. The receptor with the 6th-highest maximum concentration was located within the LPOE. *Exhibit 3* shows the receptor concentrations at the intersection with the maximum value denoted by a star.


Exhibit 3: AERMOD PM₁₀ Model Results

Table 3 presents the values used to determine the maximum predicted 24-hour PM₁₀ concentrations for the receptor located at the proposed Douglas Connector Road LPOE driveway and the receptor with the 6th-highest maximum concentration. The total concentrations for the project do not exceed the PM₁₀ NAAQS when rounded to the nearest 10 µg/m³. Therefore, the project meets conformity requirements. Mitigation or control measures to reduce emissions in the project area do not need to be considered by the project sponsors. Modeling files are available by request.

Table 3. Predicted LPOE PM₁₀ Concentration

Location	6 th Highest PM ₁₀ Value	Background PM ₁₀ Value ¹	Total Concentration
6 th -highest maximum concentration receptor	0.11	107	107.11
Douglas Connector Road POE driveway receptor	0.02	107	107.02

Notes:


1. Background values taken from the fourth high concentration from three years of monitoring data from the Douglas Red Cross monitor.
2. PM₁₀ concentrations at the receptors decrease with increasing distance from the source, as PM₁₀ disperses and dilutes with distance.

Appendix A

Modeling Data

movesRunId	yearId	monthId	hourId	pollutant	gramsPerHour		Vehicles		Duration		Duration			
					rHour	rSec	per hour	per Day	(Hour/Vehicle)	(Hour/Vehicle)	(Hour/Vehicle)	PAREA1 g/s	PAREA2 g/s	PAREA3 g/s
1	2050	7	17	Total PM10	0.2204	6E-05	42	420	0.266666667	0.058333333	0.058333333	0.006855377	0.001499614	0.001499614
1	2028	7	17	Total PM10	2.7209	0.0008	42	420	0.266666667	0.058333333	0.058333333	0.084651027	0.001499614	0.001499614

(Hour/Vehicle)
PAREA1
assumes 16
(Hour/Vehicle)
PAREA2
assumes
(Hour/Vehicle)
PAREA3
assumes



Discrete Receptor	X	Y	Concentration	Elevation	(Hill Heights (Z)HILL)
FENCEGRD	628653.4	3467937	0.01599	1239.09	1239.09
FENCEGRD	628654	3467913	0.01668	1238.89	1238.89
FENCEGRD	628654.6	3467888	0.01566	1238.65	1238.65
FENCEGRD	628655.3	3467864	0.01531	1238.47	1238.47
FENCEGRD	628655.9	3467839	0.01556	1238.37	1238.37
FENCEGRD	628656.5	3467814	0.01709	1238.2	1238.2
FENCEGRD	628657.1	3467790	0.01885	1238	1238
FENCEGRD	628657.7	3467765	0.02046	1237.88	1237.88
FENCEGRD	628658.3	3467741	0.02078	1237.74	1237.74
FENCEGRD	628658.9	3467716	0.02262	1237.54	1237.54
FENCEGRD	628659.6	3467691	0.02378	1237.39	1237.39
FENCEGRD	628660.2	3467667	0.02415	1237.32	1237.32
FENCEGRD	628660.8	3467642	0.02473	1237.07	1237.07
FENCEGRD	628661.4	3467617	0.02707	1236.87	1236.87
FENCEGRD	628662	3467593	0.02701	1236.75	1236.75
FENCEGRD	628662.6	3467568	0.03431	1236.55	1236.55
FENCEGRD	628663.2	3467544	0.03686	1236.32	1236.32
FENCEGRD	628663.8	3467519	0.03619	1236.16	1236.16
FENCEGRD	628664.5	3467494	0.03177	1236.01	1236.01
FENCEGRD	628665.1	3467470	0.02513	1235.76	1235.76
FENCEGRD	628665.7	3467445	0.03031	1235.55	1235.55
FENCEGRD	628666.3	3467421	0.02824	1235.41	1235.41
FENCEGRD	628678.4	3467938	0.01444	1235.2	1235.2
FENCEGRD	628679	3467913	0.01344	1235.03	1235.03
FENCEGRD	628679.6	3467889	0.0142	1234.84	1234.84
FENCEGRD	628680.2	3467864	0.01428	1234.62	1234.62
FENCEGRD	628680.9	3467840	0.01572	1234.4	1234.4
FENCEGRD	628681.5	3467815	0.01736	1234.24	1234.24
FENCEGRD	628682.1	3467790	0.01886	1234.09	1234.09
FENCEGRD	628682.7	3467766	0.01765	1233.85	1233.85
FENCEGRD	628683.3	3467741	0.02086	1233.67	1233.67
FENCEGRD	628683.9	3467717	0.0213	1233.53	1233.53
FENCEGRD	628684.5	3467692	0.02174	1233.33	1233.33
FENCEGRD	628685.2	3467667	0.02279	1233.18	1233.18
FENCEGRD	628685.8	3467643	0.02384	1238.2	1238.2
FENCEGRD	628686.4	3467618	0.02482	1237.69	1237.69
FENCEGRD	628687	3467593	0.02414	1237.41	1237.41
FENCEGRD	628687.6	3467569	0.03334	1237.29	1237.29
FENCEGRD	628688.2	3467544	0.03228	1237.15	1237.15
FENCEGRD	628688.8	3467520	0.03306	1237.01	1237.01
FENCEGRD	628689.5	3467495	0.02816	1236.82	1236.82
FENCEGRD	628690.1	3467470	0.02278	1236.63	1236.63
FENCEGRD	628690.7	3467446	0.02581	1236.46	1236.46
FENCEGRD	628691.3	3467421	0.02441	1236.26	1236.26
FENCEGRD	628695.1	3467958	0.01368	1236.19	1236.19
FENCEGRD	628667.7	3467984	0.01436	1236.55	1236.55
FENCEGRD	628703.4	3467939	0.01148	1236.21	1236.21
FENCEGRD	628704	3467914	0.0129	1235.85	1235.85
FENCEGRD	628704.6	3467889	0.0129	1235.7	1235.7
FENCEGRD	628705.2	3467865	0.0145	1235.51	1235.51
FENCEGRD	628705.9	3467840	0.01604	1235.38	1235.38
FENCEGRD	628706.5	3467816	0.01701	1235.2	1235.2
FENCEGRD	628707.1	3467791	0.01553	1234.98	1234.98
FENCEGRD	628707.7	3467766	0.01856	1234.81	1234.81
FENCEGRD	628708.3	3467742	0.01947	1234.66	1234.66
FENCEGRD	628708.9	3467717	0.01984	1234.49	1234.49
FENCEGRD	628709.5	3467693	0.0206	1234.37	1234.37
FENCEGRD	628710.1	3467668	0.02079	1234.22	1234.22
FENCEGRD	628710.8	3467643	0.02252	1233.94	1233.94
FENCEGRD	628711.4	3467619	0.02296	1233.66	1233.66
FENCEGRD	628712	3467594	0.02481	1233.48	1233.48
FENCEGRD	628712.6	3467569	0.03208	1233.49	1233.49
FENCEGRD	628713.2	3467545	0.0283	1233.57	1233.57
FENCEGRD	628713.8	3467520	0.03037	1233.2	1233.2
FENCEGRD	628714.4	3467496	0.0252	1232.76	1232.76
FENCEGRD	628715.1	3467471	0.02073	1232.55	1232.55
FENCEGRD	628715.7	3467446	0.02211	1232.38	1232.38
FENCEGRD	628716.3	3467422	0.02241	1232.47	1232.47
FENCEGRD	628720.4	3467958	0.01067	1238.12	1238.12
FENCEGRD	628712.4	3467976	0.01193	1238.63	1238.63
FENCEGRD	628685.8	3468002	0.01359	1237.9	1237.9
FENCEGRD	628667.2	3468010	0.01426	1237.63	1237.63
FENCEGRD	628728.4	3467939	0.01141	1237.41	1237.41

Paul Spur/Douglas PM10 Monitoring Data (2020-2023)

Year	PM10 Annual 24-hr Mean Concentration		PM10 Max 24-hr Concentration	
	Paul Spur	Douglas	Paul Spur	Douglas
2020		22.40	28.70	154.00
2021		21.30	31.90	161.00
2022		18.80	26.20	91.00
2023		19.00	27.70	99.00
				155.00

Summary of Model Results and Compare to NAAQS (unit in	
	24-hr 6th Highest
Douglas Connector Road Receptor	0.01841
POE Emissions - Max	0.11
Background - 4th Highest Value of 3 Years	107.00
Total (POE + Background)	107.11
Total (POE + Background)	107.11
NAAQS Threshold	150
Exceed Threshold?	No

FENCEGRD	628729	3467915	0.01193	1237.3	1237.3
FENCEGRD	628729.6	3467890	0.01342	1237.15	1237.15
FENCEGRD	628730.2	3467865	0.01486	1236.95	1236.95
FENCEGRD	628730.8	3467841	0.01531	1236.76	1236.76
FENCEGRD	628731.5	3467816	0.01394	1236.57	1236.57
FENCEGRD	628732.1	3467792	0.01624	1236.41	1236.41
FENCEGRD	628732.7	3467767	0.01821	1236.26	1236.26
FENCEGRD	628733.3	3467742	0.01869	1236.13	1236.13
FENCEGRD	628733.9	3467718	0.01815	1236.23	1236.23
FENCEGRD	628734.5	3467693	0.01906	1235.89	1235.89
FENCEGRD	628735.1	3467669	0.02038	1235.72	1235.72
FENCEGRD	628735.8	3467644	0.02026	1235.58	1235.58
FENCEGRD	628736.4	3467619	0.02064	1235.49	1235.49
FENCEGRD	628737	3467595	0.02413	1235.34	1235.34
FENCEGRD	628737.6	3467570	0.02938	1235.16	1235.16
FENCEGRD	628738.2	3467545	0.02487	1234.98	1234.98
FENCEGRD	628738.8	3467521	0.0272	1234.74	1234.74
FENCEGRD	628739.4	3467496	0.02272	1234.57	1234.57
FENCEGRD	628740.1	3467472	0.01895	1234.44	1234.44
FENCEGRD	628740.7	3467447	0.01909	1234.27	1234.27
FENCEGRD	628741.3	3467422	0.02092	1234.15	1234.15
FENCEGRD	628745.5	3467958	0.01051	1233.99	1233.99
FENCEGRD	628737.6	3467976	0.01006	1233.75	1233.75
FENCEGRD	628729.7	3467994	0.01095	1233.58	1233.58
FENCEGRD	628703.6	3468020	0.01288	1233.42	1233.42
FENCEGRD	628685.3	3468027	0.0136	1233.11	1233.11
FENCEGRD	628667	3468035	0.01402	1232.9	1232.9
FENCEGRD	628753.4	3467940	0.01106	1232.79	1232.79
FENCEGRD	628754	3467915	0.01244	1232.6	1232.6
FENCEGRD	628754.6	3467891	0.01379	1232.47	1232.47
FENCEGRD	628755.2	3467866	0.01387	1238.14	1238.14
FENCEGRD	628755.8	3467841	0.01293	1238.32	1238.32
FENCEGRD	628756.5	3467817	0.01404	1238.56	1238.56
FENCEGRD	628757.1	3467792	0.01708	1238.92	1238.92
FENCEGRD	628757.7	3467768	0.01707	1237.94	1237.94
FENCEGRD	628758.3	3467743	0.01691	1237.62	1237.62
FENCEGRD	628758.9	3467718	0.01642	1237.4	1237.4
FENCEGRD	628759.5	3467694	0.01799	1237.28	1237.28
FENCEGRD	628760.1	3467669	0.01918	1237.09	1237.09
FENCEGRD	628760.7	3467645	0.01909	1236.93	1236.93
FENCEGRD	628761.4	3467620	0.01836	1236.76	1236.76
FENCEGRD	628762	3467595	0.02391	1236.58	1236.58
FENCEGRD	628762.6	3467571	0.02661	1236.42	1236.42
FENCEGRD	628763.2	3467546	0.02258	1236.25	1236.25
FENCEGRD	628763.8	3467521	0.02433	1236.12	1236.12
FENCEGRD	628764.4	3467497	0.02062	1235.97	1235.97
FENCEGRD	628765	3467472	0.0174	1235.77	1235.77
FENCEGRD	628765.7	3467448	0.01659	1235.67	1235.67
FENCEGRD	628766.3	3467423	0.01936	1235.57	1235.57
FENCEGRD	628768.6	3467963	0.0103	1235.46	1235.46
FENCEGRD	628758.8	3467985	0.00999	1235.32	1235.32
FENCEGRD	628749.1	3468008	0.00996	1235.15	1235.15
FENCEGRD	628716.7	3468040	0.01243	1234.99	1234.99
FENCEGRD	628694	3468049	0.01323	1234.81	1234.81
FENCEGRD	628671.4	3468058	0.01364	1234.59	1234.59
FENCEGRD	628778.4	3467941	0.01156	1234.42	1234.42
FENCEGRD	628779	3467916	0.01282	1234.26	1234.26
FENCEGRD	628779.6	3467891	0.01264	1234.09	1234.09
FENCEGRD	628780.2	3467867	0.01205	1233.94	1233.94
FENCEGRD	628780.8	3467842	0.01269	1233.8	1233.8
FENCEGRD	628781.4	3467817	0.01512	1233.6	1233.6
FENCEGRD	628782.1	3467793	0.01588	1233.4	1233.4
FENCEGRD	628782.7	3467768	0.01568	1233.2	1233.2
FENCEGRD	628783.3	3467744	0.01594	1233.03	1233.03
FENCEGRD	628783.9	3467719	0.01589	1232.8	1232.8
FENCEGRD	628784.5	3467694	0.01768	1232.65	1232.65
FENCEGRD	628785.1	3467670	0.01714	1232.53	1232.53
FENCEGRD	628785.7	3467645	0.0182	1238.1	1238.1
FENCEGRD	628786.4	3467621	0.01761	1238.34	1238.34
FENCEGRD	628787	3467596	0.02349	1238.46	1238.46
FENCEGRD	628787.6	3467571	0.02406	1238.65	1238.65
FENCEGRD	628788.2	3467547	0.02109	1238.78	1238.78
FENCEGRD	628788.8	3467522	0.02189	1239.18	1239.18
FENCEGRD	628789.4	3467497	0.01882	1237.9	1237.9
FENCEGRD	628790	3467473	0.01602	1237.64	1237.64
FENCEGRD	628790.7	3467448	0.01457	1237.46	1237.46

FENCEGRD	628791.3	3467424	0.01815	1237.28	1237.28
FENCEGRD	628794.1	3467963	0.01076	1237.08	1237.08
FENCEGRD	628784.7	3467984	0.00957	1236.89	1236.89
FENCEGRD	628775.4	3468005	0.00929	1236.7	1236.7
FENCEGRD	628766.1	3468027	0.00931	1236.51	1236.51
FENCEGRD	628735.2	3468057	0.01165	1236.37	1236.37
FENCEGRD	628713.6	3468066	0.01239	1236.22	1236.22
FENCEGRD	628692	3468075	0.01293	1236.09	1236.09
FENCEGRD	628670.4	3468083	0.01313	1235.87	1235.87
FENCEGRD	628803.4	3467941	0.01195	1235.71	1235.71
FENCEGRD	628804	3467917	0.01158	1235.62	1235.62
FENCEGRD	628804.6	3467892	0.01128	1235.5	1235.5
FENCEGRD	628805.2	3467867	0.01151	1235.36	1235.36
FENCEGRD	628805.8	3467843	0.013	1235.22	1235.22
FENCEGRD	628806.4	3467818	0.01507	1235.06	1235.06
FENCEGRD	628807	3467793	0.01504	1234.88	1234.88
FENCEGRD	628807.7	3467769	0.01422	1234.74	1234.74
FENCEGRD	628808.3	3467744	0.01386	1234.58	1234.58
FENCEGRD	628808.9	3467720	0.01576	1234.4	1234.4
FENCEGRD	628809.5	3467695	0.01663	1234.25	1234.25
FENCEGRD	628810.1	3467670	0.01575	1234.06	1234.06
FENCEGRD	628810.7	3467646	0.01649	1233.9	1233.9
FENCEGRD	628811.3	3467621	0.01767	1233.75	1233.75
FENCEGRD	628812	3467597	0.02292	1233.62	1233.62
FENCEGRD	628812.6	3467572	0.02175	1233.41	1233.41
FENCEGRD	628813.2	3467547	0.01972	1233.23	1233.23
FENCEGRD	628813.8	3467523	0.01979	1233.04	1233.04
FENCEGRD	628814.4	3467498	0.01726	1232.81	1232.81
FENCEGRD	628815	3467474	0.01481	1232.61	1232.61
FENCEGRD	628815.6	3467449	0.01357	1232.47	1232.47
FENCEGRD	628816.3	3467424	0.01708	1233.26	1233.26
FENCEGRD	628819.3	3467963	0.0112	1232.51	1232.51
FENCEGRD	628810.3	3467983	0.01009	1232.4	1232.4
FENCEGRD	628801.3	3468004	0.00896	1232.55	1232.55
FENCEGRD	628792.3	3468025	0.00863	1232.73	1232.73
FENCEGRD	628783.3	3468045	0.0087	1232.7	1232.7
FENCEGRD	628753.4	3468075	0.01073	1232.85	1232.85
FENCEGRD	628732.5	3468083	0.01163	1232.85	1232.85
FENCEGRD	628711.6	3468092	0.01222	1232.41	1232.41
FENCEGRD	628690.7	3468100	0.01256	1232.46	1232.46
FENCEGRD	628669.8	3468109	0.01262	1232.43	1232.43
FENCEGRD	628828.4	3467942	0.01065	1232.42	1232.42
FENCEGRD	628829	3467917	0.01059	1232.4	1232.4
FENCEGRD	628829.6	3467893	0.01045	1232.48	1232.48
FENCEGRD	628830.2	3467868	0.01186	1232.55	1232.55
FENCEGRD	628830.8	3467843	0.01414	1232.52	1232.52
FENCEGRD	628831.4	3467819	0.01411	1232.53	1232.53
FENCEGRD	628832	3467794	0.01358	1233.71	1233.71
FENCEGRD	628832.7	3467770	0.01326	1232.55	1232.55
FENCEGRD	628833.3	3467745	0.01392	1232.64	1232.64
FENCEGRD	628833.9	3467720	0.01554	1232.69	1232.69
FENCEGRD	628834.5	3467696	0.01466	1232.69	1232.69
FENCEGRD	628835.1	3467671	0.01517	1232.7	1232.7
FENCEGRD	628835.7	3467646	0.01483	1232.76	1232.76
FENCEGRD	628836.3	3467622	0.01788	1232.81	1232.81
FENCEGRD	628837	3467597	0.02224	1232.91	1232.91
FENCEGRD	628837.6	3467573	0.01966	1232.92	1232.92
FENCEGRD	628838.2	3467548	0.01846	1233.18	1233.18
FENCEGRD	628838.8	3467523	0.01798	1233.36	1233.36
FENCEGRD	628839.4	3467499	0.0159	1232.99	1232.99
FENCEGRD	628840	3467474	0.01373	1233.12	1233.12
FENCEGRD	628840.6	3467450	0.01273	1233.15	1233.15
FENCEGRD	628841.2	3467425	0.01518	1232.35	1232.35
FENCEGRD	628844.6	3467963	0.01035	1232.29	1232.29
FENCEGRD	628835.8	3467983	0.01056	1232.38	1232.38
FENCEGRD	628827	3468003	0.00951	1232.42	1232.42
FENCEGRD	628818.2	3468023	0.00844	1232.44	1232.44
FENCEGRD	628809.4	3468043	0.00803	1232.45	1232.45
FENCEGRD	628800.6	3468064	0.00812	1232.48	1232.48
FENCEGRD	628771.4	3468092	0.00998	1232.48	1232.48
FENCEGRD	628751	3468101	0.01128	1232.5	1232.5
FENCEGRD	628730.6	3468109	0.01152	1232.32	1232.32
FENCEGRD	628710.2	3468117	0.01196	1232.3	1232.3
FENCEGRD	628689.8	3468126	0.01216	1232.36	1232.36
FENCEGRD	628669.4	3468134	0.0121	1232.41	1232.41
FENCEGRD	628853.4	3467942	0.00998	1232.44	1232.44

FENCEGRD	628854	3467918	0.00951	1232.47	1232.47
FENCEGRD	628854.6	3467893	0.01083	1232.49	1232.49
FENCEGRD	628855.2	3467869	0.01225	1232.52	1232.52
FENCEGRD	628855.8	3467844	0.01329	1232.55	1232.55
FENCEGRD	628856.4	3467819	0.01285	1232.59	1232.59
FENCEGRD	628857	3467795	0.01274	1232.6	1232.6
FENCEGRD	628857.6	3467770	0.01223	1232.61	1232.61
FENCEGRD	628858.3	3467746	0.01394	1232.62	1232.62
FENCEGRD	628858.9	3467721	0.01465	1232.64	1232.64
FENCEGRD	628859.5	3467696	0.01396	1232.66	1232.66
FENCEGRD	628860.1	3467672	0.01469	1232.68	1232.68
FENCEGRD	628860.7	3467647	0.01335	1232.3	1232.3
FENCEGRD	628861.3	3467622	0.01781	1232.29	1232.29
FENCEGRD	628861.9	3467598	0.0206	1232.36	1232.36
FENCEGRD	628862.6	3467573	0.01778	1232.44	1232.44
FENCEGRD	628863.2	3467549	0.01731	1232.47	1232.47
FENCEGRD	628863.8	3467524	0.01641	1232.5	1232.5
FENCEGRD	628864.4	3467499	0.01471	1232.52	1232.52
FENCEGRD	628865	3467475	0.01276	1232.56	1232.56
FENCEGRD	628865.6	3467450	0.01196	1232.59	1232.59
FENCEGRD	628866.2	3467426	0.01354	1232.63	1232.63
FENCEGRD	628866.4	3467415	0.02859	1232.66	1232.66
FENCEGRD	628636.4	3467415	0.0327	1232.7	1232.7
FENCEGRD	628611.4	3467415	0.03707	1232.77	1232.77
FENCEGRD	628586.4	3467414	0.04161	1232.78	1232.78
FENCEGRD	628561.4	3467414	0.05304	1232.8	1232.8
FENCEGRD	628536.5	3467413	0.05556	1232.81	1232.81
FENCEGRD	628511.5	3467413	0.06596	1232.83	1232.83
FENCEGRD	628486.5	3467412	0.07451	1232.84	1232.84
FENCEGRD	628461.5	3467412	0.08848	1232.85	1232.85
FENCEGRD	628436.5	3467411	0.0975	1232.87	1232.87
FENCEGRD	628411.5	3467411	0.10279	1232.88	1232.88
FENCEGRD	628386.5	3467411	0.10756	1232.9	1232.9
FENCEGRD	628361.6	3467410	0.10845	1232.29	1232.29
FENCEGRD	628336.6	3467410	0.10732	1232.23	1232.23
FENCEGRD	628311.6	3467409	0.10582	1232.35	1232.35
FENCEGRD	628286.6	3467409	0.10956	1232.43	1232.43
FENCEGRD	628261.6	3467408	0.10848	1232.47	1232.47
FENCEGRD	628236.6	3467408	0.10714	1232.51	1232.51
FENCEGRD	628211.6	3467407	0.10609	1232.54	1232.54
FENCEGRD	628186.6	3467407	0.10404	1232.57	1232.57
FENCEGRD	628161.7	3467406	0.0975	1232.59	1232.59
FENCEGRD	628136.7	3467406	0.09223	1232.62	1232.62
FENCEGRD	628111.7	3467406	0.08645	1232.65	1232.65
FENCEGRD	628086.7	3467405	0.08286	1232.67	1232.67
FENCEGRD	628061.7	3467405	0.08159	1232.69	1232.69
FENCEGRD	628036.7	3467404	0.07863	1232.72	1232.72
FENCEGRD	628011.7	3467404	0.08132	1232.76	1232.76
FENCEGRD	628661.8	3467390	0.02972	1232.81	1232.81
FENCEGRD	628636.9	3467390	0.03216	1232.88	1232.88
FENCEGRD	628611.9	3467390	0.0363	1232.91	1232.91
FENCEGRD	628586.9	3467389	0.03955	1232.94	1232.94
FENCEGRD	628561.9	3467389	0.03905	1232.96	1232.96
FENCEGRD	628536.9	3467388	0.04521	1232.97	1232.97
FENCEGRD	628511.9	3467388	0.05363	1232.99	1232.99
FENCEGRD	628486.9	3467387	0.06141	1233.01	1233.01
FENCEGRD	628461.9	3467387	0.07127	1233.03	1233.03
FENCEGRD	628437	3467386	0.07689	1233.05	1233.05
FENCEGRD	628412	3467386	0.08135	1233.06	1233.06
FENCEGRD	628387	3467386	0.08355	1233.07	1233.07
FENCEGRD	628362	3467385	0.08603	1233.09	1233.09
FENCEGRD	628337	3467385	0.08783	1233.11	1233.11
FENCEGRD	628312	3467384	0.08715	1233.13	1233.13
FENCEGRD	628287	3467384	0.08588	1232.29	1232.29
FENCEGRD	628262	3467383	0.08453	1232.25	1232.25
FENCEGRD	628237.1	3467383	0.08312	1232.23	1232.23
FENCEGRD	628212.1	3467382	0.08165	1232.27	1232.27
FENCEGRD	628187.1	3467382	0.07978	1232.26	1232.26
FENCEGRD	628162.1	3467381	0.07502	1232.28	1232.28
FENCEGRD	628137.1	3467381	0.07203	1232.43	1232.43
FENCEGRD	628112.1	3467381	0.06873	1233.14	1233.14
FENCEGRD	628087.1	3467380	0.0643	1232.05	1232.05
FENCEGRD	628062.2	3467380	0.06243	1232.14	1232.14
FENCEGRD	628037.2	3467379	0.06536	1232.13	1232.13
FENCEGRD	628012.2	3467379	0.06464	1232.04	1232.04
FENCEGRD	628681.7	3467374	0.02664	1232.06	1232.06

FENCEGRD	628708.7	3467402	0.02407	1232.85	1232.85
FENCEGRD	628662.3	3467365	0.02724	1231.99	1231.99
FENCEGRD	628637.3	3467365	0.0303	1232.17	1232.17
FENCEGRD	628612.3	3467365	0.02956	1231.91	1231.91
FENCEGRD	628587.3	3467364	0.03084	1231.98	1231.98
FENCEGRD	628562.3	3467364	0.03669	1231.84	1231.84
FENCEGRD	628537.4	3467363	0.04352	1231.79	1231.79
FENCEGRD	628512.4	3467363	0.04752	1231.88	1231.88
FENCEGRD	628487.4	3467362	0.05136	1232.5	1232.5
FENCEGRD	628462.4	3467362	0.05946	1231.76	1231.76
FENCEGRD	628437.4	3467361	0.06321	1231.85	1231.85
FENCEGRD	628412.4	3467361	0.067	1231.93	1231.93
FENCEGRD	628387.4	3467361	0.06721	1232.12	1232.12
FENCEGRD	628362.4	3467360	0.06913	1231.83	1231.83
FENCEGRD	628337.5	3467360	0.07039	1231.56	1231.56
FENCEGRD	628312.5	3467359	0.0713	1231.63	1231.63
FENCEGRD	628287.5	3467359	0.07134	1231.66	1231.66
FENCEGRD	628262.5	3467358	0.07047	1231.72	1231.72
FENCEGRD	628237.5	3467358	0.06889	1232.14	1232.14
FENCEGRD	628212.5	3467357	0.06664	1231.58	1231.58
FENCEGRD	628187.5	3467357	0.06129	1231.61	1231.61
FENCEGRD	628162.5	3467357	0.05935	1231.7	1231.7
FENCEGRD	628137.6	3467356	0.05654	1231.84	1231.84
FENCEGRD	628112.6	3467356	0.05459	1231.96	1231.96
FENCEGRD	628087.6	3467355	0.05104	1232.12	1232.12
FENCEGRD	628062.6	3467355	0.04949	1231.74	1231.74
FENCEGRD	628037.6	3467354	0.04974	1231.67	1231.67
FENCEGRD	628012.6	3467354	0.0512	1231.47	1231.47
FENCEGRD	628681.5	3467349	0.02458	1231.48	1231.48
FENCEGRD	628700.3	3467357	0.02436	1231.51	1231.51
FENCEGRD	628726.5	3467384	0.02361	1231.73	1231.73
FENCEGRD	628733.9	3467403	0.02187	1233.08	1233.08
FENCEGRD	628662.7	3467340	0.02319	1232.87	1232.87
FENCEGRD	628637.7	3467340	0.02211	1232.68	1232.68
FENCEGRD	628612.8	3467340	0.02487	1232.48	1232.48
FENCEGRD	628587.8	3467339	0.03098	1232.35	1232.35
FENCEGRD	628562.8	3467339	0.03731	1232.2	1232.2
FENCEGRD	628537.8	3467338	0.03869	1231.92	1231.92
FENCEGRD	628512.8	3467338	0.04071	1231.72	1231.72
FENCEGRD	628487.8	3467337	0.04761	1232.41	1232.41
FENCEGRD	628462.8	3467337	0.05095	1232.11	1232.11
FENCEGRD	628437.9	3467336	0.05667	1231.92	1231.92
FENCEGRD	628412.9	3467336	0.05737	1231.78	1231.78
FENCEGRD	628387.9	3467336	0.05823	1231.64	1231.64
FENCEGRD	628362.9	3467335	0.05842	1231.4	1231.4
FENCEGRD	628337.9	3467335	0.05871	1231.22	1231.22
FENCEGRD	628312.9	3467334	0.05931	1231.04	1231.04
FENCEGRD	628287.9	3467334	0.05973	1232.21	1232.21
FENCEGRD	628262.9	3467333	0.05958	1231.68	1231.68
FENCEGRD	628238	3467333	0.05334	1231.57	1231.57
FENCEGRD	628213	3467332	0.05198	1231.38	1231.38
FENCEGRD	628188	3467332	0.04952	1231.23	1231.23
FENCEGRD	628163	3467332	0.04656	1231.02	1231.02
FENCEGRD	628138	3467331	0.04653	1232.19	1232.19
FENCEGRD	628113	3467331	0.04682	1231.66	1231.66
FENCEGRD	628088	3467330	0.0434	1231.54	1231.54
FENCEGRD	628063	3467330	0.04451	1231.35	1231.35
FENCEGRD	628038.1	3467329	0.04284	1231.2	1231.2
FENCEGRD	628013.1	3467329	0.04223	1230.97	1230.97
FENCEGRD	628681.7	3467324	0.0193	1232.19	1232.19
FENCEGRD	628700.2	3467332	0.02184	1232.09	1232.09
FENCEGRD	628718.6	3467340	0.022	1231.76	1231.76
FENCEGRD	628744.4	3467367	0.02094	1231.29	1231.29
FENCEGRD	628751.7	3467385	0.02135	1231.16	1231.16
FENCEGRD	628759	3467404	0.01945	1230.95	1230.95
FENCEGRD	628663.2	3467315	0.01951	1231.61	1231.61
FENCEGRD	628638.2	3467315	0.02214	1231.45	1231.45
FENCEGRD	628613.2	3467315	0.02691	1231.2	1231.2
FENCEGRD	628588.2	3467314	0.03267	1231.05	1231.05
FENCEGRD	628563.2	3467314	0.03298	1230.97	1230.97
FENCEGRD	628538.2	3467313	0.03473	1230.76	1230.76
FENCEGRD	628513.3	3467313	0.03682	1230.55	1230.55
FENCEGRD	628488.3	3467312	0.0406	1230.88	1230.88
FENCEGRD	628463.3	3467312	0.04632	1230.71	1230.71
FENCEGRD	628438.3	3467311	0.04887	1230.53	1230.53
FENCEGRD	628413.3	3467311	0.05009	1230.36	1230.36

FENCEGRD	628388.3	3467311	0.05134	1230.17	1230.17
FENCEGRD	628363.3	3467310	0.05186	1230.04	1230.04
FENCEGRD	628338.3	3467310	0.05209	1229.88	1229.88
FENCEGRD	628313.4	3467309	0.05136	1230.86	1230.86
FENCEGRD	628288.4	3467309	0.05106	1230.69	1230.69
FENCEGRD	628263.4	3467308	0.04979	1230.51	1230.51
FENCEGRD	628238.4	3467308	0.04872	1230.34	1230.34
FENCEGRD	628213.4	3467307	0.04586	1230.18	1230.18
FENCEGRD	628188.4	3467307	0.04314	1230.02	1230.02
FENCEGRD	628163.4	3467307	0.04102	1229.9	1229.9
FENCEGRD	628138.5	3467306	0.03784	1230.85	1230.85
FENCEGRD	628113.5	3467306	0.03595	1230.68	1230.68
FENCEGRD	628088.5	3467305	0.03812	1230.51	1230.51
FENCEGRD	628063.5	3467305	0.03887	1230.35	1230.35
FENCEGRD	628038.5	3467304	0.03889	1230.19	1230.19
FENCEGRD	628013.5	3467304	0.0384	1230.03	1230.03
FENCEGRD	628686.5	3467300	0.01731	1229.91	1229.91
FENCEGRD	628709.4	3467310	0.01722	1230.84	1230.84
FENCEGRD	628732.3	3467320	0.01994	1230.67	1230.67
FENCEGRD	628764.2	3467354	0.01931	1230.51	1230.51
FENCEGRD	628773.2	3467377	0.02018	1230.35	1230.35
FENCEGRD	628782.2	3467400	0.01804	1230.19	1230.19
FENCEGRD	628663.6	3467290	0.02028	1230.05	1230.05
FENCEGRD	628638.6	3467290	0.02424	1229.92	1229.92
FENCEGRD	628613.7	3467290	0.02707	1230.43	1230.43
FENCEGRD	628588.7	3467289	0.02909	1230.34	1230.34
FENCEGRD	628563.7	3467289	0.03015	1230.07	1230.07
FENCEGRD	628538.7	3467288	0.03017	1229.92	1229.92
FENCEGRD	628513.7	3467288	0.03404	1229.81	1229.81
FENCEGRD	628488.7	3467287	0.03666	1229.61	1229.61
FENCEGRD	628463.7	3467287	0.04155	1229.4	1229.4
FENCEGRD	628438.7	3467286	0.04269	1229.28	1229.28
FENCEGRD	628413.8	3467286	0.04446	1229.19	1229.19
FENCEGRD	628388.8	3467286	0.04584	1229.73	1229.73
FENCEGRD	628363.8	3467285	0.04569	1229.58	1229.58
FENCEGRD	628338.8	3467285	0.04823	1229.45	1229.45
FENCEGRD	628313.8	3467284	0.04755	1229.29	1229.29
FENCEGRD	628288.8	3467284	0.04469	1229.15	1229.15
FENCEGRD	628263.8	3467283	0.04482	1228.97	1228.97
FENCEGRD	628238.8	3467283	0.04278	1228.81	1228.81
FENCEGRD	628213.9	3467282	0.04128	1228.65	1228.65
FENCEGRD	628188.9	3467282	0.03697	1228.49	1228.49
FENCEGRD	628163.9	3467282	0.0329	1229.73	1229.73
FENCEGRD	628138.9	3467281	0.03341	1229.6	1229.6
FENCEGRD	628113.9	3467281	0.03141	1229.43	1229.43
FENCEGRD	628088.9	3467280	0.03067	1229.3	1229.3
FENCEGRD	628063.9	3467280	0.03176	1229.15	1229.15
FENCEGRD	628039	3467279	0.03229	1228.99	1228.99
FENCEGRD	628014	3467279	0.03468	1228.8	1228.8
FENCEGRD	628685.9	3467275	0.0188	1228.64	1228.64
FENCEGRD	628707.7	3467285	0.01613	1228.47	1228.47
FENCEGRD	628729.6	3467294	0.01497	1229.73	1229.73
FENCEGRD	628751.4	3467304	0.01699	1229.6	1229.6
FENCEGRD	628781.8	3467335	0.01845	1229.44	1229.44
FENCEGRD	628790.4	3467358	0.0185	1229.29	1229.29
FENCEGRD	628799	3467380	0.01812	1229.14	1229.14
FENCEGRD	628807.7	3467402	0.01621	1228.98	1228.98
FENCEGRD	628664.1	3467265	0.02216	1228.77	1228.77
FENCEGRD	628639.1	3467265	0.02414	1228.62	1228.62
FENCEGRD	628614.1	3467265	0.02601	1228.44	1228.44
FENCEGRD	628589.1	3467264	0.02693	1229.76	1229.76
FENCEGRD	628564.1	3467264	0.02736	1229.62	1229.62
FENCEGRD	628539.1	3467263	0.02796	1229.47	1229.47
FENCEGRD	628514.2	3467263	0.03121	1229.29	1229.29
FENCEGRD	628489.2	3467262	0.03404	1229.14	1229.14
FENCEGRD	628464.2	3467262	0.03695	1228.98	1228.98
FENCEGRD	628439.2	3467261	0.03761	1228.8	1228.8
FENCEGRD	628414.2	3467261	0.03998	1228.61	1228.61
FENCEGRD	628389.2	3467261	0.04145	1228.44	1228.44
FENCEGRD	628364.2	3467260	0.04146	1228.92	1228.92
FENCEGRD	628339.2	3467260	0.04191	1228.82	1228.82
FENCEGRD	628314.3	3467259	0.04037	1228.74	1228.74
FENCEGRD	628289.3	3467259	0.04003	1228.58	1228.58
FENCEGRD	628264.3	3467258	0.03975	1228.4	1228.4
FENCEGRD	628239.3	3467258	0.03895	1228.35	1228.35
FENCEGRD	628214.3	3467257	0.03497	1228.28	1228.28

FENCEGRD	628189.3	3467257	0.03309	1228.04	1228.04
FENCEGRD	628164.3	3467257	0.02855	1227.91	1227.91
FENCEGRD	628139.3	3467256	0.02822	1228.26	1228.26
FENCEGRD	628114.4	3467256	0.02782	1228.13	1228.13
FENCEGRD	628089.4	3467255	0.02772	1228.03	1228.03
FENCEGRD	628064.4	3467255	0.02696	1227.93	1227.93
FENCEGRD	628039.4	3467254	0.02739	1227.8	1227.8
FENCEGRD	628014.4	3467254	0.02887	1227.67	1227.67
FENCEGRD	628685.6	3467250	0.02019	1227.53	1227.53
FENCEGRD	628706.8	3467259	0.01763	1227.4	1227.4
FENCEGRD	628727.9	3467268	0.01446	1227.26	1227.26
FENCEGRD	628749	3467277	0.01297	1228.32	1228.32
FENCEGRD	628770.2	3467287	0.01459	1228.14	1228.14
FENCEGRD	628799.6	3467317	0.01746	1228.03	1228.03
FENCEGRD	628807.9	3467339	0.01701	1227.88	1227.88
FENCEGRD	628816.3	3467360	0.01812	1227.74	1227.74
FENCEGRD	628824.6	3467382	0.01659	1227.6	1227.6
FENCEGRD	628832.9	3467403	0.01458	1227.48	1227.48
FENCEGRD	628664.5	3467240	0.02182	1227.32	1227.32
FENCEGRD	628639.5	3467240	0.02351	1227.19	1227.19
FENCEGRD	628614.5	3467240	0.0243	1228.29	1228.29
FENCEGRD	628589.6	3467239	0.02447	1228.14	1228.14
FENCEGRD	628564.6	3467239	0.02506	1228.01	1228.01
FENCEGRD	628539.6	3467238	0.02584	1227.83	1227.83
FENCEGRD	628514.6	3467238	0.02881	1227.69	1227.69
FENCEGRD	628489.6	3467237	0.03146	1227.56	1227.56
FENCEGRD	628464.6	3467237	0.03302	1227.41	1227.41
FENCEGRD	628439.6	3467236	0.0343	1227.26	1227.26
FENCEGRD	628414.6	3467236	0.03636	1227.18	1227.18
FENCEGRD	628389.7	3467236	0.03766	1228.28	1228.28
FENCEGRD	628364.7	3467235	0.03607	1228.15	1228.15
FENCEGRD	628339.7	3467235	0.03762	1228	1228
FENCEGRD	628314.7	3467234	0.03704	1227.79	1227.79
FENCEGRD	628289.7	3467234	0.03656	1227.61	1227.61
FENCEGRD	628264.7	3467233	0.03603	1227.5	1227.5
FENCEGRD	628239.7	3467233	0.0345	1227.33	1227.33
FENCEGRD	628214.8	3467232	0.03155	1227.23	1227.23
FENCEGRD	628189.8	3467232	0.02996	1227.16	1227.16
FENCEGRD	628164.8	3467232	0.02687	1228.1	1228.1
FENCEGRD	628139.8	3467231	0.02672	1227.85	1227.85
FENCEGRD	628114.8	3467231	0.02364	1227.49	1227.49
FENCEGRD	628089.8	3467230	0.0246	1227.2	1227.2
FENCEGRD	628064.8	3467230	0.0244	1227.89	1227.89
FENCEGRD	628039.8	3467229	0.0242	1227.68	1227.68
FENCEGRD	628014.9	3467229	0.0245	1227.12	1227.12
FENCEGRD	628685.6	3467224	0.0202	1227.13	1227.13
FENCEGRD	628706.2	3467233	0.01846	1227.76	1227.76
FENCEGRD	628726.8	3467243	0.01667	1227.61	1227.61
FENCEGRD	628747.5	3467252	0.01368	1226.88	1226.88
FENCEGRD	628768.1	3467261	0.01254	1226.89	1226.89
FENCEGRD	628788.7	3467270	0.01274	1227.01	1227.01
FENCEGRD	628817.5	3467300	0.01635	1227.12	1227.12
FENCEGRD	628825.6	3467321	0.01599	1227.7	1227.7
FENCEGRD	628833.7	3467342	0.01638	1227.58	1227.58
FENCEGRD	628841.9	3467363	0.01655	1226.84	1226.84
FENCEGRD	628850	3467384	0.01517	1226.76	1226.76
FENCEGRD	628858.1	3467405	0.01313	1226.76	1226.76
FENCEGRD	628665	3467215	0.02147	1226.85	1226.85
FENCEGRD	628640	3467215	0.02211	1226.98	1226.98
FENCEGRD	628615	3467215	0.02231	1227.07	1227.07
FENCEGRD	628590	3467214	0.02226	1227.52	1227.52
FENCEGRD	628565	3467214	0.02264	1227.39	1227.39
FENCEGRD	628540	3467213	0.02448	1227.62	1227.62
FENCEGRD	628515	3467213	0.02624	1227.81	1227.81
FENCEGRD	628490.1	3467212	0.02856	1227.91	1227.91
FENCEGRD	628465.1	3467212	0.02958	1228	1228
FENCEGRD	628440.1	3467211	0.03231	1228.19	1228.19
FENCEGRD	628415.1	3467211	0.03338	1227.08	1227.08
FENCEGRD	628390.1	3467211	0.03425	1227.26	1227.26
FENCEGRD	628365.1	3467210	0.03402	1227.47	1227.47
FENCEGRD	628340.1	3467210	0.03387	1227.56	1227.56
FENCEGRD	628315.1	3467209	0.0344	1227.6	1227.6
FENCEGRD	628290.2	3467209	0.0331	1227.52	1227.52
FENCEGRD	628265.2	3467208	0.03257	1227	1227
FENCEGRD	628240.2	3467208	0.03087	1227.4	1227.4
FENCEGRD	628215.2	3467207	0.02912	1227.54	1227.54

FENCEGRD	628190.2	3467207	0.02619	1227.6	1227.6
FENCEGRD	628165.2	3467207	0.02346	1227.75	1227.75
FENCEGRD	628140.2	3467206	0.02527	1227.87	1227.87
FENCEGRD	628115.3	3467206	0.02118	1227.21	1227.21
FENCEGRD	628090.3	3467205	0.02132	1227.08	1227.08
FENCEGRD	628065.3	3467205	0.02179	1227.1	1227.1
FENCEGRD	628040.3	3467204	0.0215	1226.88	1226.88
FENCEGRD	628015.3	3467204	0.02219	1227.4	1227.4
FENCEGRD	628006.7	3467408	0.0876	1227.53	1227.53
FENCEGRD	628005.4	3467428	0.0949	1227.7	1227.7
FENCEGRD	628004.1	3467447	0.09895	1227.89	1227.89
FENCEGRD	628002.8	3467466	0.09163	1227.98	1227.98
FENCEGRD	628001.5	3467486	0.07586	1227.37	1227.37
FENCEGRD	627986.5	3467397	0.07544	1227.27	1227.27
FENCEGRD	628001.8	3467383	0.06792	1227.11	1227.11
FENCEGRD	627981.7	3467407	0.08376	1227	1227
FENCEGRD	627980.4	3467426	0.08248	1227	1227
FENCEGRD	627979.1	3467445	0.08728	1226.73	1226.73
FENCEGRD	627977.8	3467465	0.07793	1227.5	1227.5
FENCEGRD	627976.6	3467484	0.0665	1227.64	1227.64
FENCEGRD	627962.7	3467393	0.07268	1227.79	1227.79
FENCEGRD	627968.5	3467381	0.06278	1227.92	1227.92
FENCEGRD	627987.2	3467363	0.05697	1228.06	1228.06
FENCEGRD	627999.9	3467359	0.05457	1228.33	1228.33
FENCEGRD	627956.8	3467405	0.07587	1228.4	1228.4
FENCEGRD	627955.5	3467424	0.07066	1228.49	1228.49
FENCEGRD	627954.2	3467444	0.07629	1228.79	1228.79
FENCEGRD	627952.9	3467463	0.06583	1228.87	1228.87
FENCEGRD	627951.6	3467482	0.05873	1227.86	1227.86
FENCEGRD	627938.2	3467390	0.06748	1227.99	1227.99
FENCEGRD	627944.7	3467377	0.06055	1228.07	1228.07
FENCEGRD	627951.1	3467363	0.05707	1228.22	1228.22
FENCEGRD	627971.4	3467345	0.04889	1228.62	1228.62
FENCEGRD	627985.3	3467339	0.04566	1228.01	1228.01
FENCEGRD	627999.2	3467334	0.04228	1228.1	1228.1
FENCEGRD	627931.8	3467403	0.06707	1228.21	1228.21
FENCEGRD	627930.5	3467423	0.06642	1228.42	1228.42
FENCEGRD	627929.2	3467442	0.06709	1228.33	1228.33
FENCEGRD	627928	3467461	0.05684	1228.09	1228.09
FENCEGRD	627926.7	3467481	0.05234	1228.21	1228.21
FENCEGRD	627913.6	3467388	0.06024	1228.33	1228.33
FENCEGRD	627920.4	3467374	0.05874	1228.42	1228.42
FENCEGRD	627927.1	3467360	0.05274	1228.52	1228.52
FENCEGRD	627933.9	3467346	0.04759	1228.17	1228.17
FENCEGRD	627955.2	3467326	0.0418	1228.26	1228.26
FENCEGRD	627969.8	3467320	0.03858	1228.36	1228.36
FENCEGRD	627984.4	3467315	0.03919	1228.5	1228.5
FENCEGRD	627998.9	3467309	0.03862	1228.64	1228.64
FENCEGRD	627906.9	3467402	0.05838	1228.94	1228.94
FENCEGRD	627905.6	3467421	0.05848	1229.09	1229.09
FENCEGRD	627904.3	3467440	0.05955	1229.26	1229.26
FENCEGRD	627903	3467460	0.04992	1229.43	1229.43
FENCEGRD	627901.7	3467479	0.04703	1229.56	1229.56
FENCEGRD	627890.3	3467383	0.05492	1228.73	1228.73
FENCEGRD	627898.6	3467365	0.05396	1228.81	1228.81
FENCEGRD	627907	3467348	0.04803	1228.95	1228.95
FENCEGRD	627915.3	3467331	0.0436	1229.07	1229.07
FENCEGRD	627941.7	3467306	0.03529	1229.18	1229.18
FENCEGRD	627959.8	3467299	0.03624	1228.54	1228.54
FENCEGRD	627977.9	3467293	0.03579	1228.65	1228.65
FENCEGRD	627995.9	3467286	0.03456	1228.83	1228.83
FENCEGRD	627881.9	3467400	0.05038	1228.96	1228.96
FENCEGRD	627880.6	3467419	0.05181	1229.07	1229.07
FENCEGRD	627879.4	3467439	0.05202	1228.65	1228.65
FENCEGRD	627878.1	3467458	0.04444	1228.83	1228.83
FENCEGRD	627876.8	3467478	0.04259	1228.94	1228.94
FENCEGRD	627865.3	3467381	0.04983	1229.13	1229.13
FENCEGRD	627873.6	3467364	0.05143	1229.23	1229.23
FENCEGRD	627881.9	3467347	0.04774	1228.74	1228.74
FENCEGRD	627890.2	3467329	0.04193	1228.85	1228.85
FENCEGRD	627898.5	3467312	0.03941	1229.01	1229.01
FENCEGRD	627924.7	3467288	0.03235	1229.21	1229.21
FENCEGRD	627942.7	3467281	0.03396	1229.4	1229.4
FENCEGRD	627960.6	3467274	0.03248	1229.75	1229.75
FENCEGRD	627978.5	3467267	0.03189	1229.94	1229.94
FENCEGRD	627996.5	3467261	0.03036	1230.04	1230.04

FENCEGRD	627857	3467398	0.04561	1230.19	1230.19
FENCEGRD	627855.7	3467418	0.04671	1230.37	1230.37
FENCEGRD	627854.4	3467437	0.04587	1230.5	1230.5
FENCEGRD	627853.1	3467457	0.03999	1230.63	1230.63
FENCEGRD	627851.8	3467476	0.03882	1229.3	1229.3
FENCEGRD	627840.3	3467380	0.04479	1229.47	1229.47
FENCEGRD	627848.6	3467362	0.04818	1229.58	1229.58
FENCEGRD	627856.8	3467345	0.04444	1229.74	1229.74
FENCEGRD	627865.1	3467328	0.04158	1229.88	1229.88
FENCEGRD	627873.3	3467311	0.03868	1230.04	1230.04
FENCEGRD	627881.6	3467293	0.03462	1230.22	1230.22
FENCEGRD	627907.7	3467269	0.03059	1229.26	1229.26
FENCEGRD	627925.6	3467263	0.03121	1229.39	1229.39
FENCEGRD	627943.4	3467256	0.02826	1229.57	1229.57
FENCEGRD	627961.3	3467249	0.02958	1229.7	1229.7
FENCEGRD	627979.1	3467242	0.02767	1229.9	1229.9
FENCEGRD	627997	3467236	0.02668	1230.13	1230.13
FENCEGRD	627832	3467397	0.04139	1230.32	1230.32
FENCEGRD	627830.8	3467416	0.04234	1229.36	1229.36
FENCEGRD	627829.5	3467436	0.04078	1229.58	1229.58
FENCEGRD	627828.2	3467455	0.03633	1229.73	1229.73
FENCEGRD	627826.9	3467474	0.0356	1229.82	1229.82
FENCEGRD	627815.3	3467378	0.04	1229.97	1229.97
FENCEGRD	627823.6	3467361	0.04459	1230.18	1230.18
FENCEGRD	627831.8	3467344	0.04423	1230.37	1230.37
FENCEGRD	627840	3467327	0.04059	1229.52	1229.52
FENCEGRD	627848.2	3467309	0.03583	1229.64	1229.64
FENCEGRD	627856.5	3467292	0.03489	1229.76	1229.76
FENCEGRD	627864.7	3467275	0.03048	1229.89	1229.89
FENCEGRD	627890.7	3467251	0.02903	1230.04	1230.04
FENCEGRD	627908.5	3467244	0.02739	1230.25	1230.25
FENCEGRD	627926.3	3467238	0.02649	1230.43	1230.43
FENCEGRD	627944.1	3467231	0.02709	1230.85	1230.85
FENCEGRD	627961.9	3467224	0.02574	1231.02	1231.02
FENCEGRD	627979.7	3467217	0.02412	1231.16	1231.16
FENCEGRD	627997.5	3467211	0.02309	1231.36	1231.36
FENCEGRD	627807.1	3467395	0.03947	1231.58	1231.58
FENCEGRD	627805.8	3467415	0.03851	1231.73	1231.73
FENCEGRD	627804.5	3467434	0.03656	1231.96	1231.96
FENCEGRD	627803.2	3467453	0.03333	1232.17	1232.17
FENCEGRD	627801.9	3467473	0.03282	1232.34	1232.34
FENCEGRD	628013.7	3467510	0.06748	1232.67	1232.67
FENCEGRD	628025.3	3467532	0.06561	1230.49	1230.49
FENCEGRD	628036.9	3467553	0.06209	1230.65	1230.65
FENCEGRD	628048.5	3467575	0.05532	1230.8	1230.8
FENCEGRD	628060.1	3467596	0.04952	1231.02	1231.02
FENCEGRD	628071.7	3467618	0.04404	1231.21	1231.21
FENCEGRD	628083.3	3467640	0.04092	1231.42	1231.42
FENCEGRD	628094.9	3467661	0.03708	1231.7	1231.7
FENCEGRD	628106.5	3467683	0.03471	1231.89	1231.89
FENCEGRD	628118.1	3467704	0.03391	1232.02	1232.02
FENCEGRD	628129.7	3467726	0.03077	1230.53	1230.53
FENCEGRD	628141.3	3467747	0.02968	1230.79	1230.79
FENCEGRD	628152.9	3467769	0.03002	1230.97	1230.97
FENCEGRD	628164.5	3467790	0.02961	1231.16	1231.16
FENCEGRD	628176.1	3467812	0.02618	1231.48	1231.48
FENCEGRD	627980.1	3467500	0.06698	1231.74	1231.74
FENCEGRD	627991.7	3467522	0.0574	1231.94	1231.94
FENCEGRD	628003.3	3467544	0.05563	1232.16	1232.16
FENCEGRD	628014.9	3467565	0.05225	1232.27	1232.27
FENCEGRD	628026.5	3467587	0.04846	1230.58	1230.58
FENCEGRD	628038.1	3467608	0.04398	1230.76	1230.76
FENCEGRD	628049.7	3467630	0.04005	1230.98	1230.98
FENCEGRD	628061.3	3467651	0.03764	1231.17	1231.17
FENCEGRD	628072.9	3467673	0.0345	1231.47	1231.47
FENCEGRD	628084.5	3467694	0.03123	1231.77	1231.77
FENCEGRD	628096.1	3467716	0.02947	1231.95	1231.95
FENCEGRD	628107.7	3467738	0.02832	1232.08	1232.08
FENCEGRD	628119.3	3467759	0.02751	1232.31	1232.31
FENCEGRD	628130.9	3467781	0.0265	1230.6	1230.6
FENCEGRD	628142.5	3467802	0.02557	1230.81	1230.81
FENCEGRD	628154.1	3467824	0.02549	1231.01	1231.01
FENCEGRD	627954.8	3467497	0.05665	1231.25	1231.25
FENCEGRD	627958	3467512	0.04738	1231.44	1231.44
FENCEGRD	627969.6	3467534	0.05016	1231.67	1231.67
FENCEGRD	627981.2	3467555	0.04846	1231.87	1231.87

FENCEGRD	627992.9	3467577	0.04508	1232.03	1232.03
FENCEGRD	628004.5	3467598	0.04177	1232.23	1232.23
FENCEGRD	628016.1	3467620	0.0395	1232.79	1232.79
FENCEGRD	628027.7	3467642	0.03732	1232.48	1232.48
FENCEGRD	628039.3	3467663	0.03479	1232.46	1232.46
FENCEGRD	628050.9	3467685	0.03269	1232.19	1232.19
FENCEGRD	628062.5	3467706	0.0296	1232.22	1232.22
FENCEGRD	628074.1	3467728	0.02799	1231.86	1231.86
FENCEGRD	628085.7	3467749	0.02628	1231.91	1231.91
FENCEGRD	628097.3	3467771	0.02457	1231.63	1231.63
FENCEGRD	628108.9	3467793	0.02484	1231.62	1231.62
FENCEGRD	628120.5	3467814	0.02383	1231.38	1231.38
FENCEGRD	628132.1	3467836	0.02214	1232.09	1232.09
FENCEGRD	627931.3	3467502	0.04808	1232.41	1232.41
FENCEGRD	627936	3467524	0.04164	1232.23	1232.23
FENCEGRD	627947.6	3467546	0.04391	1232.3	1232.3
FENCEGRD	627959.2	3467567	0.04305	1232.23	1232.23
FENCEGRD	627970.8	3467589	0.03978	1231.88	1231.88
FENCEGRD	627982.4	3467610	0.03709	1232.25	1232.25
FENCEGRD	627994	3467632	0.03578	1232.05	1232.05
FENCEGRD	628005.6	3467653	0.03419	1232.13	1232.13
FENCEGRD	628017.2	3467675	0.03155	1232.06	1232.06
FENCEGRD	628028.8	3467697	0.03018	1231.66	1231.66
FENCEGRD	628040.4	3467718	0.02835	1232.12	1232.12
FENCEGRD	628052	3467740	0.02658	1231.85	1231.85
FENCEGRD	628063.6	3467761	0.02476	1231.97	1231.97
FENCEGRD	628075.2	3467783	0.02325	1231.9	1231.9
FENCEGRD	628086.8	3467804	0.02165	1231.46	1231.46
FENCEGRD	628098.4	3467826	0.02112	1231.85	1231.85
FENCEGRD	628110	3467848	0.02142	1231.68	1231.68
FENCEGRD	627909.9	3467517	0.03755	1231.82	1231.82
FENCEGRD	627905.8	3467498	0.0433	1231.71	1231.71
FENCEGRD	627914	3467536	0.03843	1231.26	1231.26
FENCEGRD	627925.6	3467557	0.03959	1231.6	1231.6
FENCEGRD	627937.2	3467579	0.03882	1231.44	1231.44
FENCEGRD	627948.8	3467601	0.03544	1231.58	1231.58
FENCEGRD	627960.4	3467622	0.03421	1231.5	1231.5
FENCEGRD	627972	3467644	0.03279	1232.19	1232.19
FENCEGRD	627983.6	3467665	0.03135	1232.21	1232.21
FENCEGRD	627995.2	3467687	0.03007	1232.11	1232.11
FENCEGRD	628006.8	3467708	0.02819	1232.08	1232.08
FENCEGRD	628018.4	3467730	0.02707	1232.07	1232.07
FENCEGRD	628030	3467752	0.0257	1232.04	1232.04
FENCEGRD	628041.6	3467773	0.02409	1232.04	1232.04
FENCEGRD	628053.2	3467795	0.02214	1232.07	1232.07
FENCEGRD	628064.8	3467816	0.02044	1232.01	1232.01
FENCEGRD	628076.4	3467838	0.02008	1231.93	1231.93
FENCEGRD	628088	3467859	0.01975	1231.91	1231.91
FENCEGRD	627886.9	3467524	0.03183	1231.92	1231.92
FENCEGRD	627881.8	3467501	0.0388	1231.9	1231.9
FENCEGRD	627892	3467548	0.03545	1231.88	1231.88
FENCEGRD	627903.6	3467569	0.03558	1231.87	1231.87
FENCEGRD	627915.2	3467591	0.0354	1231.89	1231.89
FENCEGRD	627926.8	3467612	0.03154	1231.83	1231.83
FENCEGRD	627938.4	3467634	0.03166	1231.75	1231.75
FENCEGRD	627950	3467656	0.02962	1231.73	1231.73
FENCEGRD	627961.6	3467677	0.02839	1231.71	1231.71
FENCEGRD	627973.2	3467699	0.02802	1231.71	1231.71
FENCEGRD	627984.8	3467720	0.02671	1231.7	1231.7
FENCEGRD	627996.4	3467742	0.02601	1231.71	1231.71
FENCEGRD	628008	3467763	0.02432	1231.73	1231.73
FENCEGRD	628019.6	3467785	0.02332	1231.67	1231.67
FENCEGRD	628031.2	3467807	0.02173	1231.64	1231.64
FENCEGRD	628042.8	3467828	0.01963	1231.62	1231.62
FENCEGRD	628054.4	3467850	0.01905	1231.55	1231.55
FENCEGRD	628066	3467871	0.01886	1231.55	1231.55
FENCEGRD	627865.4	3467539	0.02983	1231.55	1231.55
FENCEGRD	627860.9	3467518	0.03217	1231.56	1231.56
FENCEGRD	627856.4	3467497	0.03471	1231.6	1231.6
FENCEGRD	627870	3467560	0.0296	1231.5	1231.5
FENCEGRD	627881.6	3467581	0.03215	1231.51	1231.51
FENCEGRD	627893.2	3467603	0.03171	1231.46	1231.46
FENCEGRD	627904.8	3467624	0.02865	1231.4	1231.4
FENCEGRD	627916.4	3467646	0.02907	1231.37	1231.37
FENCEGRD	627928	3467667	0.02782	1231.39	1231.39
FENCEGRD	627939.6	3467689	0.02619	1231.4	1231.4

FENCEGRD	627951.2	3467711	0.02612	1231.43	1231.43
FENCEGRD	627962.8	3467732	0.0252	1232.08	1232.08
FENCEGRD	627974.4	3467754	0.02384	1232.13	1232.13
FENCEGRD	627986	3467775	0.02288	1232.21	1232.21
FENCEGRD	627997.6	3467797	0.02204	1232.21	1232.21
FENCEGRD	628009.2	3467818	0.02131	1232.22	1232.22
FENCEGRD	628020.8	3467840	0.0194	1232.22	1232.22
FENCEGRD	628032.4	3467862	0.01792	1232.18	1232.18
FENCEGRD	628044	3467883	0.01791	1232.29	1232.29
FENCEGRD	627843.7	3467552	0.02911	1232.36	1232.36
FENCEGRD	627839.5	3467533	0.02575	1232.43	1232.43
FENCEGRD	627835.3	3467513	0.02948	1232.55	1232.55
FENCEGRD	627831.1	3467494	0.0327	1232.55	1232.55
FENCEGRD	627848	3467571	0.02825	1232.48	1232.48
FENCEGRD	627859.6	3467593	0.02919	1232.48	1232.48
FENCEGRD	627871.2	3467615	0.02815	1232.64	1232.64
FENCEGRD	627882.8	3467636	0.02596	1232.7	1232.7
FENCEGRD	627894.4	3467658	0.02578	1232.77	1232.77
FENCEGRD	627906	3467679	0.0257	1232.7	1232.7
FENCEGRD	627917.6	3467701	0.02384	1232.7	1232.7
FENCEGRD	627929.2	3467722	0.02422	1232.73	1232.73
FENCEGRD	627940.8	3467744	0.02379	1231.96	1231.96
FENCEGRD	627952.4	3467766	0.02272	1232.04	1232.04
FENCEGRD	627964	3467787	0.02127	1232.02	1232.02
FENCEGRD	627975.6	3467809	0.02065	1232.01	1232.01
FENCEGRD	627987.2	3467830	0.02071	1232.04	1232.04
FENCEGRD	627998.8	3467852	0.01919	1232.04	1232.04
FENCEGRD	628010.4	3467873	0.01693	1231.98	1231.98
FENCEGRD	628022	3467895	0.01686	1232.08	1232.08
FENCEGRD	627821.1	3467561	0.02723	1232.11	1232.11
FENCEGRD	627816.3	3467539	0.02408	1232.17	1232.17
FENCEGRD	627811.5	3467517	0.02626	1232.19	1232.19
FENCEGRD	627806.7	3467495	0.03003	1232.21	1232.21
FENCEGRD	627825.9	3467583	0.02693	1232.27	1232.27
FENCEGRD	627837.5	3467605	0.0266	1232.25	1232.25
FENCEGRD	627849.1	3467626	0.02509	1232.36	1232.36
FENCEGRD	627860.7	3467648	0.02363	1232.51	1232.51
FENCEGRD	627872.3	3467670	0.02302	1232.53	1232.53
FENCEGRD	627883.9	3467691	0.0241	1232.53	1232.53
FENCEGRD	627895.6	3467713	0.02261	1232.58	1232.58
FENCEGRD	627907.2	3467734	0.02188	1232.53	1232.53
FENCEGRD	627918.8	3467756	0.02244	1231.82	1231.82
FENCEGRD	627930.4	3467777	0.02124	1231.82	1231.82
FENCEGRD	627942	3467799	0.02021	1231.79	1231.79
FENCEGRD	627953.6	3467821	0.01893	1231.84	1231.84
FENCEGRD	627965.2	3467842	0.01953	1231.87	1231.87
FENCEGRD	627976.8	3467864	0.01898	1231.86	1231.86
FENCEGRD	627988.4	3467885	0.01711	1231.83	1231.83
FENCEGRD	628000	3467907	0.01567	1231.85	1231.85
FENCEGRD	628175.9	3467831	0.02465	1231.91	1231.91
FENCEGRD	628176.4	3467853	0.02329	1231.94	1231.94
FENCEGRD	628176.8	3467874	0.02212	1231.94	1231.94
FENCEGRD	628177.2	3467896	0.02083	1232	1232
FENCEGRD	628177.6	3467917	0.01963	1232.08	1232.08
FENCEGRD	628178.1	3467939	0.01849	1232.06	1232.06
FENCEGRD	628150.5	3467810	0.02611	1232.1	1232.1
FENCEGRD	628150.9	3467832	0.0244	1232.21	1232.21
FENCEGRD	628151.4	3467853	0.02137	1232.28	1232.28
FENCEGRD	628151.8	3467875	0.02037	1232.29	1232.29
FENCEGRD	628152.2	3467896	0.01947	1232.37	1232.37
FENCEGRD	628152.7	3467918	0.01866	1232.4	1232.4
FENCEGRD	628153.1	3467939	0.01793	1231.64	1231.64
FENCEGRD	628125.5	3467811	0.02408	1231.63	1231.63
FENCEGRD	628125.9	3467832	0.02223	1231.63	1231.63
FENCEGRD	628126.4	3467854	0.02063	1231.64	1231.64
FENCEGRD	628126.8	3467875	0.01969	1231.64	1231.64
FENCEGRD	628127.2	3467897	0.01878	1231.62	1231.62
FENCEGRD	628127.7	3467918	0.01792	1231.62	1231.62
FENCEGRD	628128.1	3467940	0.01709	1231.66	1231.66
FENCEGRD	628100.5	3467811	0.02197	1231.71	1231.71
FENCEGRD	628100.9	3467833	0.02106	1231.69	1231.69
FENCEGRD	628101.4	3467854	0.02024	1231.73	1231.73
FENCEGRD	628101.8	3467876	0.0195	1231.81	1231.81
FENCEGRD	628102.2	3467897	0.01876	1231.92	1231.92
FENCEGRD	628102.7	3467919	0.0171	1231.9	1231.9
FENCEGRD	628103.1	3467940	0.0165	1231.89	1231.89

FENCEGRD	628075.5	3467812	0.02096	1231.95	1231.95
FENCEGRD	628076	3467833	0.02021	1232.02	1232.02
FENCEGRD	628076.4	3467855	0.01959	1232.08	1232.08
FENCEGRD	628076.8	3467876	0.019	1232.14	1232.14
FENCEGRD	628077.2	3467898	0.01841	1232.21	1232.21
FENCEGRD	628077.7	3467919	0.01755	1231.43	1231.43
FENCEGRD	628078.1	3467941	0.01622	1231.44	1231.44
FENCEGRD	628050.5	3467812	0.02069	1231.42	1231.42
FENCEGRD	628051	3467834	0.01934	1231.44	1231.44
FENCEGRD	628051.4	3467855	0.01881	1231.44	1231.44
FENCEGRD	628051.8	3467877	0.01831	1231.47	1231.47
FENCEGRD	628052.2	3467898	0.01782	1231.46	1231.46
FENCEGRD	628052.7	3467920	0.01735	1231.48	1231.48
FENCEGRD	628053.1	3467941	0.01688	1231.51	1231.51
FENCEGRD	628025.5	3467813	0.02138	1231.52	1231.52
FENCEGRD	628026	3467834	0.01968	1231.52	1231.52
FENCEGRD	628026.4	3467856	0.01788	1231.56	1231.56
FENCEGRD	628026.8	3467877	0.01738	1231.62	1231.62
FENCEGRD	628027.2	3467899	0.017	1231.7	1231.7
FENCEGRD	628027.7	3467920	0.01665	1231.71	1231.71
FENCEGRD	628028.1	3467942	0.01628	1231.78	1231.78
FENCEGRD	628000.5	3467813	0.02167	1231.82	1231.82
FENCEGRD	628001	3467835	0.02035	1231.85	1231.85
FENCEGRD	628001.4	3467856	0.01879	1231.94	1231.94
FENCEGRD	628001.8	3467878	0.01706	1231.98	1231.98
FENCEGRD	628002.3	3467899	0.01587	1232.75	1232.75
FENCEGRD	628002.7	3467921	0.01544	1232.76	1232.76
FENCEGRD	628003.1	3467942	0.01521	1232.79	1232.79
FENCEGRD	627975.5	3467814	0.02055	1232.81	1232.81
FENCEGRD	627976	3467835	0.02014	1232.82	1232.82
FENCEGRD	627976.4	3467857	0.01944	1232.85	1232.85
FENCEGRD	627976.8	3467878	0.01801	1232.91	1232.91
FENCEGRD	627977.3	3467900	0.01635	1232.96	1232.96
FENCEGRD	627977.7	3467921	0.01489	1232.55	1232.55
FENCEGRD	627978.1	3467943	0.01424	1232.58	1232.58
FENCEGRD	628183.1	3467944	0.0182	1232.62	1232.62
FENCEGRD	628207.6	3467944	0.0193	1232.66	1232.66
FENCEGRD	628232.1	3467943	0.01926	1232.68	1232.68
FENCEGRD	628256.6	3467943	0.01956	1232.73	1232.73
FENCEGRD	628281.1	3467943	0.02024	1232.79	1232.79
FENCEGRD	628305.5	3467943	0.0214	1232.8	1232.8
FENCEGRD	628330	3467943	0.02213	1232.42	1232.42
FENCEGRD	628354.5	3467943	0.0216	1232.44	1232.44
FENCEGRD	628379	3467943	0.02203	1232.47	1232.47
FENCEGRD	628403.5	3467943	0.02233	1232.49	1232.49
FENCEGRD	628428	3467943	0.02247	1232.53	1232.53
FENCEGRD	628452.5	3467943	0.02233	1232.6	1232.6
FENCEGRD	628477	3467943	0.01841	1232.65	1232.65
FENCEGRD	628501.5	3467943	0.01992	1232.67	1232.67
FENCEGRD	628526	3467943	0.01846	1232.26	1232.26
FENCEGRD	628550.5	3467943	0.01737	1232.31	1232.31
FENCEGRD	628575	3467943	0.01665	1232.32	1232.32
FENCEGRD	628599.4	3467942	0.01666	1232.38	1232.38
FENCEGRD	628623.9	3467942	0.01623	1232.42	1232.42
FENCEGRD	628648.4	3467942	0.01529	1232.49	1232.49
FENCEGRD	628183.2	3467969	0.01708	1232.54	1232.54
FENCEGRD	628207.6	3467969	0.01704	1232.55	1232.55
FENCEGRD	628232.1	3467968	0.01735	1232.06	1232.06
FENCEGRD	628256.6	3467968	0.01744	1232.16	1232.16
FENCEGRD	628281.1	3467968	0.0182	1232.19	1232.19
FENCEGRD	628305.6	3467968	0.01898	1232.23	1232.23
FENCEGRD	628330.1	3467968	0.02085	1232.3	1232.3
FENCEGRD	628354.6	3467968	0.02065	1232.38	1232.38
FENCEGRD	628379.1	3467968	0.02113	1232.38	1232.38
FENCEGRD	628403.6	3467968	0.02145	1232.37	1232.37
FENCEGRD	628428.1	3467968	0.02161	1233.01	1233.01
FENCEGRD	628452.6	3467968	0.02152	1233.03	1233.03
FENCEGRD	628477.1	3467968	0.01784	1233.1	1233.1
FENCEGRD	628501.5	3467968	0.01753	1233.02	1233.02
FENCEGRD	628526	3467968	0.01817	1232.93	1232.93
FENCEGRD	628550.5	3467968	0.01614	1232.99	1232.99
FENCEGRD	628575	3467968	0.01584	1232.97	1232.97
FENCEGRD	628599.5	3467967	0.016	1233.01	1233.01
FENCEGRD	628624	3467967	0.01581	1233.03	1233.03
FENCEGRD	628648.5	3467967	0.01518	1233	1233
FENCEGRD	628163.9	3467986	0.01643	1232.87	1232.87

FENCEGRD	628136.4	3467959	0.01621	1232.8	1232.8
FENCEGRD	628183.2	3467994	0.01581	1232.98	1232.98
FENCEGRD	628207.7	3467994	0.01629	1232.88	1232.88
FENCEGRD	628232.2	3467993	0.01656	1232.92	1232.92
FENCEGRD	628256.7	3467993	0.01662	1232.62	1232.62
FENCEGRD	628281.2	3467993	0.01675	1232.61	1232.61
FENCEGRD	628305.7	3467993	0.01794	1232.76	1232.76
FENCEGRD	628330.2	3467993	0.01964	1232.84	1232.84
FENCEGRD	628354.7	3467993	0.01975	1232.77	1232.77
FENCEGRD	628379.2	3467993	0.02027	1232.67	1232.67
FENCEGRD	628403.7	3467993	0.02063	1232.71	1232.71
FENCEGRD	628428.1	3467993	0.02082	1232.81	1232.81
FENCEGRD	628452.6	3467993	0.02077	1232.98	1232.98
FENCEGRD	628477.1	3467993	0.01743	1232.47	1232.47
FENCEGRD	628501.6	3467993	0.01606	1232.4	1232.4
FENCEGRD	628526.1	3467993	0.01735	1232.12	1232.12
FENCEGRD	628550.6	3467993	0.01562	1231.93	1231.93
FENCEGRD	628575.1	3467993	0.01557	1232.37	1232.37
FENCEGRD	628599.6	3467992	0.01531	1232.54	1232.54
FENCEGRD	628624.1	3467992	0.01531	1232.55	1232.55
FENCEGRD	628648.6	3467992	0.01493	1232.44	1232.44
FENCEGRD	628164.6	3468011	0.01506	1232.5	1232.5
FENCEGRD	628145.9	3468003	0.01554	1232.76	1232.76
FENCEGRD	628119.1	3467977	0.01561	1232.69	1232.69
FENCEGRD	628111.1	3467959	0.01607	1233.18	1233.18
FENCEGRD	628183.3	3468019	0.01515	1233.14	1233.14
FENCEGRD	628207.8	3468019	0.0156	1233.15	1233.15
FENCEGRD	628232.3	3468018	0.01583	1233.13	1233.13
FENCEGRD	628256.8	3468018	0.01584	1233.12	1233.12
FENCEGRD	628281.3	3468018	0.01545	1233.16	1233.16
FENCEGRD	628305.8	3468018	0.01694	1233.13	1233.13
FENCEGRD	628330.2	3468018	0.01807	1233.17	1233.17
FENCEGRD	628354.7	3468018	0.01862	1233.18	1233.18
FENCEGRD	628379.2	3468018	0.01946	1233.14	1233.14
FENCEGRD	628403.7	3468018	0.01986	1233.05	1233.05
FENCEGRD	628428.2	3468018	0.02007	1233.07	1233.07
FENCEGRD	628452.7	3468018	0.02006	1233.07	1233.07
FENCEGRD	628477.2	3468018	0.01704	1233	1233
FENCEGRD	628501.7	3468018	0.01409	1232.98	1232.98
FENCEGRD	628526.2	3468018	0.01526	1232.97	1232.97
FENCEGRD	628550.7	3468018	0.01556	1232.92	1232.92
FENCEGRD	628575.2	3468018	0.01458	1232.82	1232.82
FENCEGRD	628599.7	3468017	0.0146	1232.8	1232.8
FENCEGRD	628624.1	3468017	0.01475	1232.69	1232.69
FENCEGRD	628648.6	3468017	0.01457	1232.6	1232.6
FENCEGRD	628164.9	3468036	0.01426	1232.53	1232.53
FENCEGRD	628146.5	3468029	0.01496	1232.48	1232.48
FENCEGRD	628128.1	3468021	0.01437	1232.47	1232.47
FENCEGRD	628101.8	3467995	0.01504	1232.46	1232.46
FENCEGRD	628093.9	3467977	0.01508	1232.4	1232.4
FENCEGRD	628086	3467959	0.01471	1232.33	1232.33
FENCEGRD	628183.4	3468044	0.01433	1232.29	1232.29
FENCEGRD	628207.9	3468044	0.01496	1232.27	1232.27
FENCEGRD	628232.3	3468043	0.01515	1232.26	1232.26
FENCEGRD	628256.8	3468043	0.01513	1232.27	1232.27
FENCEGRD	628281.3	3468043	0.01444	1232.26	1232.26
FENCEGRD	628305.8	3468043	0.01589	1232.29	1232.29
FENCEGRD	628330.3	3468043	0.01717	1232.3	1232.3
FENCEGRD	628354.8	3468043	0.01781	1232.37	1232.37
FENCEGRD	628379.3	3468043	0.01833	1232.45	1232.45
FENCEGRD	628403.8	3468043	0.01912	1232.55	1232.55
FENCEGRD	628428.3	3468043	0.01937	1232.63	1232.63
FENCEGRD	628452.8	3468043	0.01941	1232.65	1232.65
FENCEGRD	628477.3	3468043	0.01668	1232.53	1232.53
FENCEGRD	628501.8	3468043	0.01301	1232.81	1232.81
FENCEGRD	628526.2	3468043	0.01332	1233.12	1233.12
FENCEGRD	628550.7	3468043	0.01521	1233.19	1233.19
FENCEGRD	628575.2	3468043	0.01368	1233.23	1233.23
FENCEGRD	628599.7	3468042	0.01387	1233.24	1233.24
FENCEGRD	628624.2	3468042	0.01414	1233.26	1233.26
FENCEGRD	628648.7	3468042	0.01414	1233.24	1233.24
FENCEGRD	628165.2	3468061	0.01333	1233.25	1233.25
FENCEGRD	628146.9	3468054	0.01344	1233.28	1233.28
FENCEGRD	628128.7	3468046	0.01369	1233.28	1233.28
FENCEGRD	628110.4	3468039	0.014	1233.3	1233.3
FENCEGRD	628084.4	3468013	0.01318	1233.26	1233.26

FENCEGRD	628076.6	3467995	0.01349	1233.22	1233.22
FENCEGRD	628068.7	3467977	0.01446	1233.27	1233.27
FENCEGRD	628060.9	3467959	0.01581	1233.21	1233.21
FENCEGRD	628183.4	3468069	0.01357	1233.12	1233.12
FENCEGRD	628207.9	3468069	0.01436	1233.11	1233.11
FENCEGRD	628232.4	3468068	0.01452	1233.07	1233.07
FENCEGRD	628256.9	3468068	0.01446	1232.94	1232.94
FENCEGRD	628281.4	3468068	0.01348	1232.89	1232.89
FENCEGRD	628305.9	3468068	0.01476	1232.84	1232.84
FENCEGRD	628330.4	3468068	0.01628	1232.79	1232.79
FENCEGRD	628354.9	3468068	0.01695	1232.78	1232.78
FENCEGRD	628379.4	3468068	0.01658	1232.68	1232.68
FENCEGRD	628403.9	3468068	0.01842	1232.66	1232.66
FENCEGRD	628428.4	3468068	0.01871	1232.61	1232.61
FENCEGRD	628452.8	3468068	0.01878	1232.55	1232.55
FENCEGRD	628477.3	3468068	0.01634	1232.46	1232.46
FENCEGRD	628501.8	3468068	0.01286	1232.39	1232.39
FENCEGRD	628526.3	3468068	0.0124	1232.38	1232.38
FENCEGRD	628550.8	3468068	0.01337	1232.38	1232.38
FENCEGRD	628575.3	3468068	0.01329	1232.38	1232.38
FENCEGRD	628599.8	3468067	0.01329	1232.36	1232.36
FENCEGRD	628624.3	3468067	0.0135	1232.39	1232.39
FENCEGRD	628648.8	3468067	0.01364	1232.38	1232.38
FENCEGRD	628161.7	3468085	0.01256	1232.45	1232.45
FENCEGRD	628140	3468076	0.01273	1232.53	1232.53
FENCEGRD	628118.2	3468067	0.01327	1232.64	1232.64
FENCEGRD	628096.5	3468058	0.01358	1232.73	1232.73
FENCEGRD	628065.4	3468028	0.01251	1232.8	1232.8
FENCEGRD	628056.1	3468006	0.01344	1232.72	1232.72
FENCEGRD	628046.8	3467985	0.01497	1232.87	1232.87
FENCEGRD	628037.4	3467963	0.01611	1233.12	1233.12
FENCEGRD	628183.5	3468094	0.01287	1233.01	1233.01
FENCEGRD	628208	3468094	0.0138	1233.2	1233.2
FENCEGRD	628232.5	3468093	0.01392	1233.35	1233.35
FENCEGRD	628257	3468093	0.01351	1233.46	1233.46
FENCEGRD	628281.5	3468093	0.01258	1233.41	1233.41
FENCEGRD	628306	3468093	0.01368	1233.37	1233.37
FENCEGRD	628330.5	3468093	0.01526	1233.37	1233.37
FENCEGRD	628354.9	3468093	0.01629	1233.36	1233.36
FENCEGRD	628379.4	3468093	0.01514	1233.38	1233.38
FENCEGRD	628403.9	3468093	0.01705	1233.39	1233.39
FENCEGRD	628428.4	3468093	0.01807	1233.49	1233.49
FENCEGRD	628452.9	3468093	0.01819	1233.6	1233.6
FENCEGRD	628477.4	3468093	0.01602	1233.46	1233.46
FENCEGRD	628501.9	3468093	0.01272	1233.51	1233.51
FENCEGRD	628526.4	3468093	0.01122	1233.42	1233.42
FENCEGRD	628550.9	3468093	0.01168	1233.35	1233.35
FENCEGRD	628575.4	3468093	0.01335	1233.25	1233.25
FENCEGRD	628599.9	3468092	0.01254	1233.18	1233.18
FENCEGRD	628624.4	3468092	0.01284	1233.12	1233.12
FENCEGRD	628648.8	3468092	0.01302	1233.04	1233.04
FENCEGRD	628162.5	3468110	0.01165	1232.99	1232.99
FENCEGRD	628141.5	3468102	0.01227	1232.92	1232.92
FENCEGRD	628120.4	3468093	0.0126	1232.88	1232.88
FENCEGRD	628099.4	3468084	0.01287	1232.83	1232.83
FENCEGRD	628078.3	3468076	0.01168	1232.81	1232.81
FENCEGRD	628048.2	3468046	0.01188	1232.75	1232.75
FENCEGRD	628039.2	3468026	0.01319	1232.69	1232.69
FENCEGRD	628030.2	3468005	0.01452	1232.6	1232.6
FENCEGRD	628021.2	3467984	0.01539	1232.56	1232.56
FENCEGRD	628012.1	3467963	0.01537	1232.51	1232.51
FENCEGRD	628183.6	3468119	0.01223	1232.5	1232.5
FENCEGRD	628208.1	3468119	0.01327	1232.48	1232.48
FENCEGRD	628232.6	3468118	0.01336	1232.47	1232.47
FENCEGRD	628257	3468118	0.0122	1232.48	1232.48
FENCEGRD	628281.5	3468118	0.01177	1232.53	1232.53
FENCEGRD	628306	3468118	0.01267	1232.55	1232.55
FENCEGRD	628330.5	3468118	0.01428	1232.61	1232.61
FENCEGRD	628355	3468118	0.01563	1232.71	1232.71
FENCEGRD	628379.5	3468118	0.01456	1232.82	1232.82
FENCEGRD	628404	3468118	0.01553	1232.97	1232.97
FENCEGRD	628428.5	3468118	0.01747	1232.88	1232.88
FENCEGRD	628453	3468118	0.01763	1232.93	1232.93
FENCEGRD	628477.5	3468118	0.01572	1233.25	1233.25
FENCEGRD	628502	3468118	0.01258	1233.19	1233.19
FENCEGRD	628526.5	3468118	0.01088	1233.02	1233.02

FENCEGRD	628550.9	3468118	0.01072	1232.93	1232.93
FENCEGRD	628575.4	3468118	0.01178	1233.3	1233.3
FENCEGRD	628599.9	3468117	0.01183	1233.49	1233.49
FENCEGRD	628624.4	3468117	0.01215	1233.55	1233.55
FENCEGRD	628648.9	3468117	0.01242	1233.55	1233.55
FENCEGRD	628163.1	3468135	0.0109	1233.55	1233.55
FENCEGRD	628142.5	3468127	0.01169	1233.48	1233.48
FENCEGRD	628122	3468119	0.01167	1233.47	1233.47
FENCEGRD	628101.4	3468110	0.01204	1233.51	1233.51
FENCEGRD	628080.9	3468102	0.01129	1233.48	1233.48
FENCEGRD	628060.3	3468094	0.01113	1233.59	1233.59
FENCEGRD	628031	3468065	0.01166	1233.69	1233.69
FENCEGRD	628022.2	3468044	0.01283	1233.65	1233.65
FENCEGRD	628013.3	3468024	0.01412	1233.65	1233.65
FENCEGRD	628004.5	3468004	0.0145	1233.57	1233.57
FENCEGRD	627995.7	3467983	0.01439	1233.48	1233.48
FENCEGRD	627986.9	3467963	0.01417	1233.38	1233.38
FENCEGRD	628183.6	3468144	0.01164	1233.34	1233.34
FENCEGRD	628208.1	3468144	0.01277	1233.27	1233.27
FENCEGRD	628232.6	3468143	0.01284	1233.19	1233.19
FENCEGRD	628257.1	3468143	0.01114	1233.13	1233.13
FENCEGRD	628281.6	3468143	0.01137	1233.07	1233.07
FENCEGRD	628306.1	3468143	0.01175	1233.05	1233.05
FENCEGRD	628330.6	3468143	0.01335	1233	1233
FENCEGRD	628355.1	3468143	0.01476	1232.95	1232.95
FENCEGRD	628379.6	3468143	0.01402	1232.89	1232.89
FENCEGRD	628404.1	3468143	0.0141	1232.83	1232.83
FENCEGRD	628428.6	3468143	0.01607	1232.76	1232.76
FENCEGRD	628453.1	3468143	0.01709	1232.72	1232.72
FENCEGRD	628477.5	3468143	0.01543	1232.68	1232.68
FENCEGRD	628502	3468143	0.01245	1232.65	1232.65
FENCEGRD	628526.5	3468143	0.01055	1232.64	1232.64
FENCEGRD	628551	3468143	0.01019	1232.6	1232.6
FENCEGRD	628575.5	3468143	0.01062	1232.61	1232.61
FENCEGRD	628600	3468142	0.01149	1232.68	1232.68
FENCEGRD	628624.5	3468142	0.01157	1232.71	1232.71
FENCEGRD	628649	3468142	0.01184	1232.73	1232.73
	627834.2	3470252	0.00152	1232.84	1232.84
	627836.6	3470274	0.0015	1232.95	1232.95
	628640.6	3470185	0.00174	1233.11	1233.11
	628644	3470225	0.00173	1233.05	1233.05
	628647.6	3470304	0.0017	1232.99	1232.99
	628656.1	3470304	0.00169	1233.38	1233.38
	628656.1	3470183	0.00168	1233.36	1233.36
	628810.8	3470168	0.00173	1233.23	1233.23
	628973.1	3470150	0.00193	1233.01	1233.01
	629027.2	3470144	0.00212	1232.88	1232.88
	629079.2	3470138	0.00226	1232.86	1232.86
	629192.2	3470126	0.0022	1233.43	1233.43
	629272.3	3470117	0.00191	1233.62	1233.62
	629406.8	3470103	0.00158	1233.66	1233.66
	629402.7	3470075	0.00164	1233.69	1233.69
	629304.3	3470086	0.00187	1233.69	1233.69
	629197.4	3470098	0.0022	1233.68	1233.68
	629079.4	3470111	0.00231	1233.58	1233.58
	628907.1	3470131	0.00204	1233.63	1233.63
	628897.4	3470132	0.00202	1233.61	1233.61
	628806.3	3470142	0.00175	1233.59	1233.59
	628663.5	3470158	0.00164	1233.8	1233.8
	628661.8	3470158	0.00165	1233.79	1233.79
	628662.2	3470156	0.00165	1233.75	1233.75
	628662.4	3470153	0.00164	1233.7	1233.7
	628661.5	3470091	0.00164	1233.62	1233.62
	628658	3470071	0.00165	1233.55	1233.55
	628658.2	3470038	0.00169	1233.49	1233.49
	628659	3469863	0.00228	1233.43	1233.43
	628659.1	3469671	0.00254	1233.34	1233.34
	628659.8	3469362	0.00275	1233.27	1233.27
	628664	3467941	0.01583	1233.24	1233.24
	628470.9	3467943	0.01946	1233.23	1233.23
	628470.9	3467961	0.01908	1233.15	1233.15
	628645.5	3467960	0.01534	1233.1	1233.1
	628636.7	3469681	0.00259	1233.04	1233.04
	628636	3469934	0.0018	1232.97	1232.97
	628636	3470049	0.00178	1232.93	1232.93
	628635.9	3470116	0.00177	1232.86	1232.86

628636	3470135	0.00177	1232.82	1232.82
628633.6	3470156	0.00178	1232.81	1232.81
628606.5	3470161	0.00187	1232.76	1232.76
628565.5	3470163	0.00197	1232.76	1232.76
628550.5	3470170	0.00199	1232.77	1232.77
628529.8	3470172	0.00208	1232.84	1232.84
628491.7	3470177	0.00239	1232.87	1232.87
628290.5	3470200	0.00228	1232.91	1232.91
628099	3470222	0.00205	1232.98	1232.98
628043	3470228	0.00211	1233.11	1233.11
628183.1	3467939	0.01845	1233.26	1233.26
628648.4	3467937	0.01561	1233.23	1233.23
628661.3	3467420	0.02879	1233.16	1233.16
628011.6	3467409	0.08769	1232.62	1232.62
628006.5	3467486	0.08014	1232.72	1232.72
628180.5	3467810	0.02682	1232.54	1232.54

**Appendix F: PM₁₀ MOVES and AERMOD Modeling Files
(Available by Request)**